



Royal Netherlands  
Meteorological Institute  
*Ministry of Infrastructure and the  
Environment*

# Sentinel-5 precursor/TROPOMI Level 2 Product User Manual KNMI level 2 support products



sentinel-5p

document number : S5P-KNMI-L2-0023-MA  
authors : Arnoud Apituley, Mattia Pedernana, Maarten Sneep, J. Pepijn Veefkind, Diego Loyola,  
Ping Wang  
CI identification : CI-7570-PUM  
issue : 0.11.6  
date : 2017-06-24  
status : released

## Document approval record

	digital signature
<b>Prepared:</b>	
<b>ATBD Author:</b>	
<b>Checked:</b>	
<b>Approved PM:</b>	
<b>Approved PI:</b>	

## Document change record

issue	date	item	comments
0.0.1	2014-05-12	All	Initial version
0.1.0	2014-10-14	All Sect. 4 All All Sec. 9	Document ported to L <sup>A</sup> T <sub>E</sub> X CDR RID #8 solved Reorder of the docs: generic part first and specific sections after. CDR RID #9 solved. One single template is now used for all the PUMs. CDR RID #12 and #13 solved. Added figure explaining geocoordinates order and reference in the text. (CDR RID #5)
0.7.0	2015-03-27	All	Document totally revised: Sections moved and added. Description of the product updated
0.7.1	2015-06-09		Added example figures for a preliminary release (AI only)
0.8.0	2015-09-07		Prepared for preliminary, limited, release
0.9.1	2015-12-15		PUMs updated. File descriptors in line with the last product definition
0.10.0	2016-03-31		Product descriptions updated for 0.10.0 release
0.10.1	2016-07-15		Product descriptions updated for DLR 0.10.1 release
0.11.0	2017-03-01		Updated for release 0.11.0 of the processor software, including new variable names.
0.11.6	2017-06-24		Released

## Contents

<b>Document approval record</b> .....	<b>2</b>
<b>Document change record</b> .....	<b>3</b>
<b>List of Tables</b> .....	<b>4</b>
<b>List of Figures</b> .....	<b>4</b>
<b>List of &lt;TBx&gt;'s</b> .....	<b>4</b>
<b>1 Introduction</b> .....	<b>6</b>
1.1 Identification .....	6
1.2 Purpose and objective .....	6
1.3 Document overview .....	6
<b>2 Applicable and reference documents</b> .....	<b>7</b>
2.1 Applicable documents .....	7
2.2 Standard documents .....	7
2.3 Reference documents .....	7
2.4 Electronic references .....	9
<b>3 Terms, definitions and abbreviated terms</b> .....	<b>11</b>
3.1 Terms and definitions .....	11
3.2 Acronyms and Abbreviations .....	11
<b>4 Overview of the Sentinel 5 precursor/TROPOMI Level 2 Products</b> .....	<b>11</b>
4.1 File name convention .....	12
<b>5 Data Distribution and Product Support</b> .....	<b>12</b>
5.1 Information to supply with a support request .....	12
<b>6 General Reader and Visualisation Tools</b> .....	<b>13</b>
<b>7 Instrument description</b> .....	<b>13</b>
<b>8 S5p/TROPOMI L2 KNMI level 2 support products Product Description</b> .....	<b>14</b>
8.1 Data Product Examples .....	14
8.2 Product Geophysical Validation .....	14
8.3 History of product changes .....	14
8.4 Using the S5p/TROPOMI L2 KNMI level 2 support products .....	14
<b>9 General structure of S5P/TROPOMI Level 2 files</b> .....	<b>15</b>
9.1 Dimensions and dimension ordering .....	17
9.2 Time information .....	17
9.3 Geolocation, pixel corners and angles .....	18
<b>10 Description of the FRESCO cloud support product</b> .....	<b>20</b>
10.1 Group "PRODUCT" in "FRESCO" .....	23
10.1.1 Group "SUPPORT_DATA" in "PRODUCT" .....	32
10.2 Group "METADATA" in "FRESCO" .....	49
10.2.1 Group "QA_STATISTICS" in "METADATA" .....	49
10.2.2 Group "ALGORITHM_SETTINGS" in "METADATA" .....	61
10.2.3 Group "GRANULE_DESCRIPTION" in "METADATA" .....	65
<b>11 Units</b> .....	<b>96</b>
<b>12 Quality Assurance parameters</b> .....	<b>96</b>
<b>13 Generic metadata and attributes</b> .....	<b>106</b>
13.1 The Climate and Forecast conventions .....	106
13.2 NetCDF User Guide Conventions .....	107
13.3 Global attributes .....	107
13.4 ESA earth observation header .....	107
13.5 Inspire directive .....	108
13.6 ISO and OGC standards .....	108
13.7 Attributes .....	108
<b>A Flag descriptions</b> .....	<b>110</b>

## List of Tables

1	Standard S5P L2 products with name, identifier and responsible institutes .....	11
2	Components of an S5P file name .....	12
3	Reference times available in a S5P L2 file.....	18
4	Quality assurance parameters .....	98
5	Abbreviations used in metadata descriptions.....	106
6	Metadata in the fixed header required by the ESA earth observation file format standard ...	107
7	Fields in the Validity_Period group .....	107
8	Fields in the source group .....	107
9	netCDF-4 type definitions and fill values.....	109
10	Attributes for variables used in S5p netCDF-4 files .....	109
11	Measurement flags.....	111
12	Processing quality flags, errors, processing failures and filter conditions for S5P Level 2 ....	111
13	Processing quality flags, warnings for S5P Level 2 .....	115
14	Surface classification for S5P Level 2.....	117

## List of Figures

1	Panoply .....	13
2	Graphical description of the generic structure of a Level 2 file .....	16
3	Pixel corner coordinates. ....	18

## List of <TBx>'s

1	Distribution and support information .....	12
2	Instrument description .....	13
3	Data Product Examples.....	14
4	History of product changes .....	14
5	Specific aspects of the KNMI level 2 support products product .....	14

## 1 Introduction

### 1.1 Identification

This document, identified as S5P-KNMI-L2-0023-MA, describes the technical characteristics of the S5p/TROPOMI Level 2 products that are needed for efficient and correct use of the data contained. This product user manual is specific for KNMI level 2 support products.

### 1.2 Purpose and objective

The Sentinel-5 Precursor (S5p) mission is a low Earth orbit polar satellite system to provide information and services on air quality, climate and the ozone layer. The S5p mission is part of the Global Monitoring of the Environment and Security (GMES/COPERNICUS) space component programme. The S5p mission consists of a satellite bus, the payload consisting of the TROPOspheric Monitoring Instrument (TROPOMI), and a ground system. A journal paper describing the mission and its objectives can be found in [RD1], while a comprehensive description of the mission can be found in [RD2]. Furthermore, various websites are maintained with S5p/TROPOMI information, e.g. [ER1, ER2].

From the data collected by the TROPOMI instrument, a number of geophysical (L2) products are derived. The algorithms for the raw data treatment (L0 – L1b) and the actual L2 data processing are each described in an algorithm theoretical basis document (ATBD). This Product User Manual (PUM) describes the technical characteristics of the S5p/TROPOMI Level 2 geophysical data products that are needed for efficient and correct use of the data contained.

In the PUM, the common structure of the datafiles and metadata used in all the delivered L2 products as well as a specific section related to the KNMI level 2 support products product are described.

### 1.3 Document overview

We start with a summary of the S5p L2 products and information needed to obtain and inspect data, as well as how to obtain product support. The KNMI level 2 support products data product is described next, with examples, and information about the use of the data. Format, L2 structure and metadata are addressed in the next chapter, followed by the detailed description of the KNMI level 2 support products data. We then continue with a discussion of units and quality assurance parameters. The final chapter contains information about generic metadata and the Appendix lists measurement flags, processing quality flags, and surface classifications.

## 2 Applicable and reference documents

### 2.1 Applicable documents

- [AD1] Tailoring of the Earth Observation File Format Standard for the Sentinel 5 precursor Ground Segment.  
**source:** ESA/ESTEC; **ref:** S5P-TN-ESA-GS-106; **issue:** 2.2; **date:** 2015-02-20.

### 2.2 Standard documents

There are no standard documents

### 2.3 Reference documents

- [RD1] J. P. Veefkind, I. Aben, K. McMullan *et al.*; TROPOMI on the ESA Sentinel-5 Precursor: A GMES mission for global observations of the atmospheric composition for climate, air quality and ozone layer applications. *Remote Sens. Environ.*; **120** (2012), 70; 10.1016/j.rse.2011.09.027.
- [RD2] Input/output data specification for the TROPOMI L01b data processor.  
**source:** KNMI; **ref:** S5P-KNMI-L01B-0012-SD; **issue:** 5.0.0; **date:** 2015-09-22.
- [RD3] S5P/TROPOMI ATBD Cloud Products.  
**source:** DLR; **ref:** S5P-DLR-L2-ATBD-400I; **issue:** 1.1.0; **date:** 2016-06-30.
- [RD4] Sentinel-5 precursor/TROPOMI Level 2 Product User Manual Cloud.  
**source:** DLR; **ref:** S5P-L2-DLR-PUM-400I; **issue:** 00.10.01; **date:** 2016-07-15.
- [RD5] S5P/TROPOMI L2 Support Products.  
**source:** KNMI; **ref:** S5P-KNMI-L2-0125-TN; **issue:** 0.1.0; **date:** 2014-12-05.
- [RD6] S5P-NPP Cloud Processor ATBD.  
**source:** RAL Space; **ref:** S5P-NPPC-RAL-ATBD-0001; **issue:** 0.11.0; **date:** 2014-05-15.
- [RD7] S5P/TROPOMI HCHO ATBD.  
**source:** BIRA; **ref:** S5P-BIRA-L2-400F-ATBD; **issue:** 1.0.0; **date:** 2016-02-05.
- [RD8] Sentinel-5 precursor/TROPOMI Level 2 Product User Manual HCHO.  
**source:** DLR; **ref:** S5P-L2-DLR-PUM-400F; **issue:** 00.10.01; **date:** 2016-07-15.
- [RD9] S5P/TROPOMI SO<sub>2</sub> ATBD.  
**source:** BIRA; **ref:** S5P-BIRA-L2-400E-ATBD; **issue:** 1.0.0; **date:** 2016-02-05.
- [RD10] Sentinel-5 precursor/TROPOMI Level 2 Product User Manual SO<sub>2</sub>.  
**source:** DLR; **ref:** S5P-L2-DLR-PUM-400E; **issue:** 00.10.01; **date:** 2016-07-15.
- [RD11] S5P/TROPOMI Total ozone ATBD.  
**source:** DLR/BIRA; **ref:** S5P-L2-DLR-ATBD-400A; **issue:** 1.0.0; **date:** 2016-02-01.
- [RD12] Sentinel-5 precursor/TROPOMI Level 2 Product User Manual Total Ozone Column.  
**source:** DLR; **ref:** S5P-L2-DLR-PUM-400A; **issue:** 00.10.01; **date:** 2016-07-15.
- [RD13] TROPOMI ATBD of tropospheric ozone data products.  
**source:** DLR/IUP; **ref:** S5P-DLR-IUP-L2-400C; **issue:** 1.0.0; **date:** 2016-02-05.
- [RD14] Sentinel-5 precursor/TROPOMI Level 2 Product User Manual Ozone Tropospheric Column.  
**source:** DLR; **ref:** S5P-L2-DLR-PUM-400C; **issue:** 00.10.01; **date:** 2016-07-15.
- [RD15] TROPOMI ATBD of the Aerosol Layer Height product.  
**source:** KNMI; **ref:** S5P-KNMI-L2-0006-RP; **issue:** 1.0.0; **date:** 2016-01-29.
- [RD16] Sentinel-5 precursor/TROPOMI Level 2 Product User Manual Aerosol Layer Height.  
**source:** KNMI; **ref:** S5P-KNMI-L2-0022-MA; **issue:** 0.0.2dr; **date:** 2014-10-16.

- [RD17] TROPOMI ATBD of the UV aerosol index.  
**source:** KNMI; **ref:** S5P-KNMI-L2-0008-RP; **issue:** 1.0.0; **date:** 2016-02-03.
- [RD18] Sentinel-5 precursor/TROPOMI Level 2 Product User Manual Aerosol Index.  
**source:** KNMI; **ref:** S5P-KNMI-L2-0026-MA; **issue:** 0.0.2dr; **date:** 2014-10-16.
- [RD19] TROPOMI ATBD Ozone profile and tropospheric profile.  
**source:** KNMI; **ref:** S5P-KNMI-L2-0004-RP; **issue:** 0.13.0; **date:** 2015-09-15.
- [RD20] Sentinel-5 precursor/TROPOMI Level 2 Product User Manual Ozone Profile and Tropospheric Ozone Profile.  
**source:** KNMI; **ref:** S5P-KNMI-L2-0020-MA; **issue:** 0.0.2dr; **date:** 2014-10-16.
- [RD21] TROPOMI ATBD of the total and tropospheric NO<sub>2</sub> data products.  
**source:** KNMI; **ref:** S5P-KNMI-L2-0005-RP; **issue:** 1.0.0; **date:** 2016-02-05.
- [RD22] Sentinel-5 precursor/TROPOMI Level 2 Product User Manual Nitrogen Dioxide.  
**source:** KNMI; **ref:** S5P-KNMI-L2-0021-MA; **issue:** 0.0.2dr; **date:** 2014-10-16.
- [RD23] Algorithm Theoretical Baseline Document for Sentinel-5 Precursor: Carbon Monoxide Total Column Retrieval.  
**source:** SRON; **ref:** SRON-S5P-LEV2-RP-002; **issue:** 1.0.0; **date:** 2016-02-05.
- [RD24] Sentinel-5 precursor/TROPOMI Level 2 Product User Manual Carbon Monoxide Column.  
**source:** SRON/KNMI; **ref:** SRON-S5P-LEV2-MA-002; **issue:** 0.0.2dr; **date:** 2014-10-16.
- [RD25] Algorithm Theoretical Baseline Document for Sentinel-5 Precursor methane retrieval.  
**source:** SRON; **ref:** SRON-S5P-LEV2-RP-001; **issue:** 1.0.0; **date:** 2016-02-05.
- [RD26] Sentinel-5 precursor/TROPOMI Level 2 Product User Manual Methane.  
**source:** SRON/KNMI; **ref:** SRON-S5P-LEV2-MA-001; **issue:** 0.0.2dr; **date:** 2014-10-16.
- [RD27] Tailoring of the Earth Observation File Format Standard for the Sentinel 5 precursor Ground Segment.  
**source:** ESA/ESTEC; **ref:** S5P-TN-ESA-GS-106; **issue:** 2.2; **date:** 2015-02-20.
- [RD28] Earth Observation – Ground segment file format standard.  
**source:** ESA/ESTEC; **ref:** PE-TN-ESA-GS-0001; **issue:** 2.0; **date:** 2012-05-03.
- [RD29] Geographic information – Metadata.  
**source:** ISO; **ref:** ISO 19115:2003(E); **issue:** 1; **date:** 2003-05-01.
- [RD30] Geographic information – Metadata – Part 2: Extensions for imagery and gridded data.  
**source:** ISO; **ref:** ISO 19115-2:2009(E); **issue:** 1; **date:** 2009-02-12.
- [RD31] Geographic information – Data quality.  
**source:** ISO; **ref:** ISO 19157; **issue:** 1; **date:** 2013-10-10.
- [RD32] Earth Observation Metadata profile of Observations & Measurements.  
**source:** Open Geospatial Consortium; **ref:** OGC 10-157r3; **issue:** 1.0; **date:** 2012-06-12.
- [RD33] Data Standards Requirements for CCI Data Producers.  
**source:** ESA; **ref:** CCI-PRGM-EOPS-TN-13-0009; **issue:** 1.1; **date:** 2013-05-24.
- [RD34] Metadata specification for the TROPOMI L1b products.  
**source:** KNMI; **ref:** S5P-KNMI-L01B-0014-SD; **issue:** 2.0.0; **date:** 2014-12-09.
- [RD35] Data elements and interchange formats – Information interchange – Representation of dates and times.  
**source:** ISO; **ref:** ISO 8601:2004(E); **issue:** 3; **date:** 2004-12-01.
- [RD36] Algorithm theoretical basis document for the TROPOMI L01b data processor.  
**source:** KNMI; **ref:** S5P-KNMI-L01B-0009-SD; **issue:** 6.0.0; **date:** 2015-09-22.
- [RD37] P. Stammes, M. Sneep, J. F. de Haan *et al.*; Effective cloud fractions from the Ozone Monitoring Instrument: Theoretical framework and validation. *J. Geophys. Res.*; **113** (2008), D16S38; 10.1029/2007JD008820.

- [RD38] J. Joiner, A. P. Vasilkov, P. Gupta *et al.*; Fast simulators for satellite cloud optical centroid pressure retrievals; evaluation of OMI cloud retrievals. *Atmos. Meas. Tech.*; **5** (2012) (3), 529; 10.5194/amt-5-529-2012.
- [RD39] P. Wang and P. Stammes; Evaluation of SCIAMACHY Oxygen A band cloud heights using Cloudnet measurements. *Atmos. Meas. Tech.*; **7** (2014), 1331; 10.5194/amt-7-1331-2014.
- [RD40] AFGL Atmospheric Constituent Profiles.  
**source:** Air Force Geophysics Laboratory; **ref:** AFGL-TR-86-0110.
- [RD41] Wavelength calibration in the Sentinel 5-precursor Level 2 data processors.  
**source:** KNMI; **ref:** S5P-KNMI-L2-0126-TN; **issue:** 1.0.0; **date:** 2015-09-11.
- [RD42] M.L. Carroll, J.R. Townshend, C.M. DiMiceli *et al.*; A new global raster water mask at 250 m resolution. *International Journal of Digital Earth*; **2** (2009) (4), 291; 10.1080/17538940902951401.
- [RD43] Geographic information – Metadata – XML schema implementation.  
**source:** ISO; **ref:** ISO 19139:2007(E); **issue:** 1; **date:** 2010-12-13.
- [RD44] Observations and Measurements – XML Implementation.  
**source:** Open Geospatial Consortium; **ref:** OGC 10-025r1; **issue:** 2.0; **date:** 2011-03-22.
- [RD45] Sentinel 5 precursor/TROPOMI KNMI and SRON level 2 Input Output Data Definition.  
**source:** KNMI; **ref:** S5P-KNMI-L2-0009-SD; **issue:** 5.0.0; **date:** 2016-04-19.
- [RD46] Sentinel-5 Precursor Level 2 UPAS Processor Input/Output Definition Document.  
**source:** DLR-IMF; **ref:** S5P-L2-DLR-IODD-3002; **issue:** 3.0.0; **date:** 2015-03-09.
- [RD47] S5P-NPP Cloud Processor IODD.  
**source:** RAL; **ref:** S5P-NPPC-RAL-IODD-0001; **issue:** 0.10.0; **date:** 2014-05-28.
- [RD48] John Caron; Annotated Schema for NcML (2011). URL <http://www.unidata.ucar.edu/software/netcdf/ncml/v2.2/AnnotatedSchema4.html>.
- [RD49] INSPIRE Metadata Regulation, Commission Regulation (EC), No1205/2008.  
**source:** EC; **ref:** Commission Regulation (EC) No 1205/2008; **date:** 2008-12-03.
- [RD50] INSPIRE Metadata Implementing Rules: Technical Guidelines based on EN ISO 19115 and EN ISO 19119.  
**source:** EC JRC; **ref:** MD\_IR\_and\_ISO\_v1\_2\_20100616; **issue:** 1.2; **date:** 2010-06-16.
- [RD51] Geographic Information – Observations and Measurements.  
**source:** ISO; **ref:** ISO 19156:2011(E); **date:** 2011-12-20.
- [RD52] Observations and Measurements - XML Implementation.  
**source:** OGC; **ref:** OGC 10-025r1; **issue:** 2.0; **date:** 2011-03-22.

## 2.4 Electronic references

- [ER1] Tropomi official website. URL <http://www.tropomi.eu>.
- [ER2] S5P official website. URL <https://sentinel.esa.int/web/sentinel/missions/sentinel-5p>.
- [ER3] Robert B. Schmunk; Panoply netCDF, HDF and GRIB Data Viewer. URL <http://www.giss.nasa.gov/tools/panoply/>.
- [ER4] Infrastructure for Spatial Information in the European Community (INSPIRE) Directive 2007/2/EC. URL <http://inspire.jrc.ec.europa.eu/>.
- [ER5] Brian Eaton, Jonathan Gregory, Bob Drach *et al.*; *NetCDF Climate and Forecast (CF) Metadata Conventions*. Lawrence Livermore National Laboratory (2014). Version 1.7 draft; URL <http://cfconventions.org>.

- [ER6] ESIP; *Attribute Conventions for Dataset Discovery (ACDD)*. 1st edition (2013). URL [http://wiki.esipfed.org/index.php/Attribute\\_Convention\\_for\\_Data\\_Discovery\\_\(ACDD\)](http://wiki.esipfed.org/index.php/Attribute_Convention_for_Data_Discovery_(ACDD)).
- [ER7] NetCDF Users Guide (2011). URL <http://www.unidata.ucar.edu/software/netcdf/docs/netcdf.html>.
- [ER8] USGS; Global Land Cover Characteristics Data Base Version 2.0 (2012). Website last visited on March 6, 2017; URL [https://lta.cr.usgs.gov/glcc/globdoc2\\_0](https://lta.cr.usgs.gov/glcc/globdoc2_0).
- [ER9] The ECS SDP Toolkit (2012). DEM and land-sea mask data itself is available from <ftp://edhs1.gsfc.nasa.gov/edhs/sdptk/DEMdata>; URL <http://newsroom.gsfc.nasa.gov/sdptoolkit/TKDownload.html>.
- [ER10] UDUNITS 2 Manual (2011). URL <http://www.unidata.ucar.edu/software/udunits/>.
- [ER11] Cooperative Ocean/Atmosphere Research Data Service; Conventions for the standardization of NetCDF files (1995). URL [http://ferret.wrc.noaa.gov/noaa\\_coop/coop\\_cdf\\_profile.html](http://ferret.wrc.noaa.gov/noaa_coop/coop_cdf_profile.html).

### 3 Terms, definitions and abbreviated terms

Terms, definitions, and abbreviated terms that are specific for this document can be found below.

#### 3.1 Terms and definitions

ATBD	Algorithm Theoretical Basis Document
TBA	To be Added
TBC	To be Confirmed
TBD	To be Defined

#### 3.2 Acronyms and Abbreviations

ATBD	Algorithm Theoretical Basis Document
DLR	Deutsches Zentrum für Luft- und Raumfahrt
ESA	European Space Agency
KNMI	Koninklijk Nederlands Meteorologisch Instituut
IODD	Input Output Data Definition
OCRA	Optical Cloud Recognition Algorithm
PUM	Product User Manual
ROCINN	Retrieval of Cloud Information using Neural Networks
QA	Quality Assurance
UPAS	Universal Processor for UV/VIS Atmospheric Spectrometers

### 4 Overview of the Sentinel 5 precursor/TROPOMI Level 2 Products

The Sentinel 5 Precursor mission aims at providing information and services on air quality and climate in the timeframe 2017–2023. The S5p mission is part of the Global Monitoring of the European Programme for the establishment of a European capacity for Earth Observation (COPERNICUS). TROPOMI will make daily global observations of key atmospheric constituents, including ozone, nitrogen dioxide, sulfur dioxide, carbon monoxide, methane, formaldehyde as well as cloud and aerosol properties. The list of standard S5p/TROPOMI L2 products is given in table 1. Other products, such as UV index, are under development and will made available at a later date.

**Table 1:** Standard S5P L2 products with name, identifier, and responsible institutes.

Product	ATBD	PUM	Identifier	Institution
Cloud	[RD3]	[RD4]	L2__CLOUD__	DLR
KNMI FRESCO cloud support product	[RD5]	This document	L2__FRESCO	KNMI
NPP-VIIRS Clouds	[RD6]	[RD6]	L2__NP_BDx	RAL
HCHO	[RD7]	[RD8]	L2__HCHO__	BIRA/DLR
SO <sub>2</sub>	[RD9]	[RD10]	L2__SO2__	BIRA/DLR
O <sub>3</sub> Total Column	[RD11]	[RD12]	L2__O3__	BIRA/DLR
O <sub>3</sub> Tropospheric Column	[RD13]	[RD14]	L2__O3_TCL	IUP/DLR
Aerosol layer height	[RD15]	[RD16]	L2__AER_LH	KNMI
Ultra violet aerosol index	[RD17]	[RD18]	L2__AER_AI	KNMI
O <sub>3</sub> Full Profile	[RD19]	[RD20]	L2__O3__PR	KNMI
O <sub>3</sub> Tropospheric Profile	[RD19]	[RD20]	L2__O3_TPR	KNMI
Tropospheric NO <sub>2</sub>	[RD21]	[RD22]	L2__NO2__	KNMI
CO	[RD23]	[RD24]	L2__CO__	SRON/KNMI
CH <sub>4</sub>	[RD25]	[RD26]	L2__CH4__	SRON/KNMI

## 4.1 File name convention

The table specifies an identifier that is a substring of real name. The complete filename conventions for all the S5p products can be found in [RD27, chapter 4]. Note that intermediate L2 products beside those listed in table 1 may exist within the PDGS framework. For each of the products listed in the table, a PUM is available. Note that product documentation, e.g. ATBDs and PUMs, will be updated with new releases of processors. User documentation is distributed through the tropomi website [ER1]. Information about S5p mission can be found at the official ESA website for the Sentinel 5 precursor mission [ER2].

In the current PUM the KNMI level 2 support products product is described and an example of the full real name is as following:

```
S5P_NRTI_L2_FRESCO_20140101T000000_20140102T000000_00099_01_000200_20141010T173511.nc
```

The components of this file name are given in table 2

**Table 2:** Components of an S5P product file name. Components are separated by underscores, except for the file extension at the end, which is separated by a period. Character indices start counting at 0, the end-index is a Python style index, it lists the first character not in the block.

Start	End	Length	Meaning
0	3	3	Mission name, always “S5P”
4	8	4	Processing stream, one of “NRTI” (near real-time), “OFFL” (offline) or “RPRO” (reprocessing)
9	19	10	Product identifier, as listed in table 1
20	35	15	Start of granule in UTC as “YYYYMMDDT <sup>T</sup> HHMMSS”. The “T” is a fixed character.
36	51	15	End of the granule in UTC as “YYYYMMDDT <sup>T</sup> HHMMSS”. The “T” is a fixed character.
52	57	5	Orbit number
58	60	2	Collection number
61	67	6	Processor version number as “MM <sup>mm</sup> pp”, with “MM” the major version number, “mm” the minor version number, and “pp” the patch level.
68	83	15	The time of processing for this granule in UTC as “YYYYMMDDT <sup>T</sup> HHMMSS”. The “T” is a fixed character.
84	86	2	The file name extension. All Sentinel 5 precursor files are netCDF-4 files and use the extension “.nc”

## 5 Data Distribution and Product Support

<TBA #1> *In this chapter, information on TROPOMI KNMI level 2 support products product data distribution and support are given.*

### 5.1 Information to supply with a support request

We have been very careful in the preparation of the processors, the processing system, the data distribution system and all other components that generate the level 2 products for the Sentinel 5 precursor mission. You may encounter problems when reading the level 2 files despite our care, or you may not understand what we have written in the product user manual or the ATBD. You can contact us through the earth observation help desk operated by ESA at EOSupport@copernicus.esa.int. Please clearly indicate that you are requesting support for Sentinel 5 precursor (S5p) / TROPOMI mission.

If you are requesting technical support it is helpful to provide us with details of the file you are trying to read. The easiest way to do this is to provide a “dump” of the header of the file. This can be generated using the “ncdump” tool provided with the netCDF-4 library. Only the header is required, so “ncdump -h FILE.nc > FILE.cdl” will provide us with all metadata in the file and help us pinpoint how the file was produced. Here you replace FILE.nc with the actual file name on the command line.

If generating the header fails, please provide us with the exact original file name of the granule you are trying to read, the exact error message you get and the exact version of the software you are using, including the versions of netCDF-4 and HDF-5. Providing us with a checksum to verify file integrity can also speed up our response.




Figure 1: Panoply

## 6 General Reader and Visualisation Tools

For reading and visualising you may find Panoply [ER3] a useful tool. Panoply is a cross-platform application that plots geo-gridded and other arrays from netCDF, HDF, GRIB, and other datasets, including the Sentinel 5 precursor Level 2 datafiles. With Panoply 4 you can:

- Slice and plot geo-gridded latitude-longitude, latitude-vertical, longitude-vertical, or time-latitude arrays from larger multidimensional variables.
- Slice and plot "generic" 2D arrays from larger multidimensional variables.
- Slice 1D arrays from larger multidimensional variables and create line plots.
- Combine two geo-gridded arrays in one plot by differencing, summing or averaging.
- Plot lon-lat data on a global or regional map using any of over 100 map projections or make a zonal average line plot.
- Overlay continent outlines or masks on lon-lat map plots.
- Use any of numerous color tables for the scale colorbar, or apply your own custom ACT, CPT, or RGB color table.
- Save plots to disk GIF, JPEG, PNG or TIFF bitmap images or as PDF or PostScript graphics files.
- Export lon-lat map plots in KMZ format.
- Export animations as AVI or MOV video or as a collection of individual frame images.

## 7 Instrument description

<TBW #2> A section on the instrument and measurement principle

## **8 S5p/TROPOMI L2 KNMI level 2 support products Product Description**

### **8.1 Data Product Examples**

*<TBA #3> In this chapter, examples of TROPOMI KNMI level 2 support products product are given. The section will be filled out as soon as more precise information are available.*

### **8.2 Product Geophysical Validation**

In this chapter, main results from L2 geophysical validation will be presented when it becomes available. To be updated with changes to the ATBD and implementation.

### **8.3 History of product changes**

This manual describes the current version of the L2 KNMI level 2 support products product. A brief description of data product changes is given here. Detailed description of the changes can be found in appropriate versions of the ATBD.

*<TBA #4> The section will be filled out as soon as real data is available.*

### **8.4 Using the S5p/TROPOMI L2 KNMI level 2 support products**

*<TBA #5> Specific aspects of the KNMI level 2 support products product.*

## 9 General structure of S5P/TROPOMI Level 2 files

This section gives an overview of the basic structure of all Sentinel 5 precursor level 2 files. In subsections 9.1 – 9.3 and sections 11 – 13 some details are provided on the background of the structure of the level 2 files of Sentinel 5 precursor. A complete description of the variables in the KNMI level 2 support products files is given in section 10. Figure 2 gives a graphical representation of the generic structure of a TROPOMI Level 2 file. The outermost layer is the file itself. Within the file different groups are used to organise the data and make it easier to find what you are looking for. Within the file there are two groups: “PRODUCT” and “METADATA”. Both of these groups contain sub-groups. The purpose of each group are discussed below.

**PRODUCT** The variables in this group will answer the questions *what, when, where* and *how well*. This group stores the main data fields of the product, including the precision of the main parameters, latitude, longitude and variable to determine the observation time and the dimensions needed for the data (a time reference dimension (time), the number of measurements in the granule (scanline), the number of spectra in a measurement (ground\_pixel) and depending on the product also a pressure-level dimension, or state-vector dimensions). The “qa\_value” parameter summarizes the processing flags into a continuous value, giving a quality percentage: 100 % is the most optimal value, 0 % is a processing failure, in between lies a continuum of values<sup>1</sup>.

In the ‘PRODUCT’ group a sub-group ‘SUPPORT\_DATA’ can be found:

**SUPPORT\_DATA** Additional data that is not directly needed for using and understanding the main data product is stored in sub-groups of this group.

The data in this group is further split up into the following sub groups:

**GEOLOCATIONS** Additional geolocation and geometry related fields, including the pixel boundaries (pixel corners), viewing- and solar zenith angles, azimuth angles, and spacecraft location.

**DETAILED\_RESULTS** Additional output, including state-vector elements that are not the main parameter(s), output describing the quality of the retrieval result, such as a  $\chi^2$  value, and detailed processing flags.

**INPUT\_DATA** Additional input data, such as meteorological input data, surface albedo values, surface altitude and other data that was used to derive the output. Note that input profile information is not stored here, but is available for download from elsewhere.

**METADATA** This is a group to collect metadata items, such as the items that appear in the header file [RD28, section 7] and items required by INSPIRE [ER4], ISO 19115 [RD29], ISO 19115-2 [RD30], ISO 19157 [RD31] and OGC 10-157r3 [RD32]. These metadata standards are all meant to facilitate dataset discovery.

The metadata will be stored as attributes, while grouping attributes that belong to a specific standard will be done by using sub-groups in the Metadata group. Some attributes are required to be attached to the global level by convention, such as the CF metadata conventions [ER5], the Attribute Convention for Dataset Discovery [ER6], the NetCDF-4 user guide [ER7] and the ESA CCI project [RD33]. For interoperability reasons the conventions are followed, and the specified global attributes are added to the output files at the root-level.

**ALGORITHM\_SETTINGS** An attribute is added to this group for each key in the configuration file. The exact contents differ for each processor.

**GRANULE\_DESCRIPTION** Parameters describing the granule, such as an outline of the geolocations covered in the granule, the time coverage, and processing facility.


**QA\_STATISTICS** Quality assurance statistics. This group contains two types of data:

1. The total number of pixel matching a certain criterion: number of input pixels, number of pixels successfully processed and the number of pixels that failed for specific reasons. Also part of the pixel counting are the number of warnings that were raised, including those for the south Atlantic anomaly, sun glint and solar eclipse. This is collectively known as ‘event counting’.
2. Histogram(s) of the main parameter(s) in the file. Histograms are additive and allow for easy monitoring of changes over time. This can be a valuable addition for quality monitoring of the science data.


**ESA\_METADATA** The metadata items that are required in the ESA header.

**ISO\_METADATA** The ISO metadata items, organized in subgroups.

<sup>1</sup> More detailed processing flags indicating precisely why the 100 % value isn’t reached, are available elsewhere in the product.



Legend



**Figure 2:** Graphical description of the generic structure of a Level 2 file. The elements labelled as a dimension are coordinate variables. See section 9 for a full description.

**EOP\_METADATA** The EOP metadata items, organized in subgroups.

The work of Level 1B on metadata as described in the metadata specification for TROPOMI L01b data processor [RD34] is used as the basis for the level 2 metadata, in particular for the items in the 'ISO\_METADATA' and 'EOP\_METADATA' subgroups. The listed metadata standards give a data model and an implementation guideline for producing an XML file with the metadata – as a side-file to the data-file itself. The Level 1B IODS [RD2] describes a method to store the metadata in the NetCDF-4 file, and produce XML side-files as needed. A detailed discussion on metadata as it applies to Level 2 can be found in section 13.

Details of the specific format of the level 2 product file for the KNMI level 2 support products product is given in section 10. Here all variables are described in detail.

## 9.1 Dimensions and dimension ordering

All variables in a NetCDF-4 file use named and shared dimensions. This explicitly connects variables to dimensions, and to each other. A few of the dimension names were already shown in figure 2.

**time** A time dimension. The length of this dimension is 1, at least for S5P. The reason this dimension is used are compatibility with Level 1B, and forward compatibility with Sentinel 4 and Level 3 output. Details are provided in sections 9.2.

**scanline** The dimension that indicates the flight direction.

**ground\_pixel** The dimension perpendicular to the flight direction.

Other dimensions can be added as needed, but these names shall be the default for these roles.

The climate and forecast metadata conventions recommend a specific order for dimensions in a variable [ER5, section 2.4]. Spatiotemporal dimensions should appear in the relative order: “date or time” ( $T$ ), “height or depth” ( $Z$ ), “latitude” ( $Y$ ), and “longitude” ( $X$ ). Note that the ordering of the dimensions in CDL, our documentation and C/C++ is row-major: the last dimension is stored contiguously in memory<sup>2</sup>.

Using straight latitude and longitude is fine with model parameters, but the S5P/TROPOMI Level 1B/Level 2 observation grid is not a regular grid. Because of the polar orbit, the across track dimension ('ground\_pixel') corresponds most closely with the longitude, and therefore is associated with the  $X$ -dimension, while the along track dimensions ('scanline') corresponds most directly with latitude, and is therefore labelled as the  $Y$ -dimension.

However, in the CF conventions goes on to recommend that additional dimensions are added before the ( $T, Z, Y, X$ ) axes, that is to have contiguous ( $T, Z, Y, X$ ) hyperslabs, and spread out the data in other dimensions. We do not follow this recommendation. Instead we recommend to keep units that are likely to be accessed as a unit together in memory, but following the recommended order for ( $T, Y, X$ ). Note that we do not follow the CF conventions for profiles as they are more likely accessed as complete profiles rather than horizontal slices. A few examples will help:

**Tropospheric NO<sub>2</sub> column** This variable contains a single value per ground pixel, and the dimensions are (time, scanline, ground\_pixel).

The `state_vector_length` variable that accompanies the `state_vector_length` dimension is a string array, giving the names of the state vector elements.

## 9.2 Time information

Time information is stored in two steps. We have the time dimension, which indicates the reference time. This reference time is defined to be UTC midnight before the start of the orbit, which itself is defined by spacecraft midnight. The `time` variable contains the reference time in seconds since 2010-01-01, UTC midnight. Alternative representations of the reference time are listed in table 3. The offset of individual measurements within the granule is given in milliseconds with respect to this reference time in the variable `delta_time`.

The reason for this double reference is to more closely follow the CF conventions. Because the flight direction relates the latitude and the time within the orbit, we have  $Y$  and  $T$  dimensions that are closely related.

<sup>2</sup> Fortran uses column-major order, effectively reversing the dimensions in the code compared to the documentation.

By separating these into a `time` dimension of length 1 and a `scanline` dimension, we obtain independent  $Y$  and  $T$  dimensions. The actual observation time of an individual observation must be reconstructed from an offset and a time-delta.

As a service to the users, the time is also stored in the `'time_utc'` variable. This variable is a string array, with each observation time stored as an ISO date string [RD35].


**Table 3:** Reference times available in a S5P L2 file. Types: (A) global attribute, (D) dimensional variable, (V) variable. All reference times ignore leap seconds.

Name	Type	Description
<code>time_reference</code>	(A)	ISO date/time string [RD35]
<code>time_reference_days_since_1950</code>	(A)	The number of days since January first, 1950, UTC midnight, as used in several weather and climate models (ECMWF, TM5).
<code>time_reference_julian_day</code>	(A)	The Julian date of the reference time as used in astronomy. This is the reference time system as used in IDL.
<code>time_reference_seconds_since_1970</code>	(A)	The number of seconds since January first, 1970, UTC midnight. This is also known as the unix epoch. Time functions on many systems will accept this number.
<code>time</code>	(D)	This variable contains the number of seconds since 2010-01-01, UTC midnight.
<code>time_utc</code>	(V)	Array of ISO date/time strings [RD35], one for each observation, i.e. one for each element in the scanline dimension

### 9.3 Geolocation, pixel corners and angles

The latitude, longitude, pixel corner coordinates and related angles and satellite position in the level 2 files are copied from the level 1B input data [RD36, chapters 26 and 27]. Details about the definitions can be found there. Note that the latitude and longitude have not been corrected for the local surface altitude, but are instead given at the intersection of the line of sight with the WGS84 ellipsoid.

The geo-coordinates of the pixel corners are shown in Figure 3. Note that this choice follows the CF metadata standard [ER5, section 7.1].



**Figure 3:** Pixel corner coordinates. The sequence  $\{0, 1, 2, 3\}$  refers to the elements in the `corner` dimension.

The azimuth angles, i.e. the solar azimuth angle  $\varphi_0$  and the viewing azimuth angle  $\varphi$  give the angle of the sun and the instrument respectively at the intersection of the line of sight with the WGS84 ellipsoid. Both angles are given as degrees east relative to the local north. This definition is identical to the definition of the azimuth angles in both the OMI and GOME-2 instruments, but requires some care when comparing to a

radiative transfer model. A radiative transfer model will typically use  $\varphi - \varphi_0$  which differs by  $180^\circ$  as it follows the path of the light.

## 10 Description of the FRESCO cloud support product

Description of the main output file for the cloud product from the TROPOMI instrument on the Sentinel 5-precursor mission.

These are the file-level attributes.

If the ECMWF dynamic auxiliary data is not available a fallback solution will be used. In this case the Level 2 output file will be flagged using the “`Status_MET_2D`” global attribute.

If the NISE dynamic auxiliary data is not available a fallback solution will be used. In this case the Level 2 output file will be flagged using the “`Status_NISE_`” global attribute.

### Global attributes in FRESCO

Group attributes attached to FRESCO		
<i>Name</i>	<i>Value</i>	<i>Type</i>
<b>Conventions</b>	‘CF-1.7’ (static)	NC_STRING
Name of the conventions followed by the dataset. Note that while we try to follow the climate and forecast metadata conventions, there are some features – notably the use of groups to hierarchically organize the data – that are not part of version 1.6 of the CF metadata conventions. In those cases we try to follow the spirit of the conventions. This attribute originates from the NUG standard.		
<b>institution</b>	‘%(institute)s’ (dynamic)	NC_STRING
The institute where the original data was produced. The actual processing center is given in the <code>ProcessingCenter</code> attribute, here we would like to indicate the responsible parties. The value is a combination from BIRA, DLR, ESA, FMI, IUP, KNMI, MPIC, SRON, . . . . The actual value is a combination of the ATBD institute and the institute that developed the processor. This attribute originates from the NUG standard.		
<b>source</b>	‘Sentinel 5 precursor, TROPOMI, space-borne remote sensing, L2’ (dynamic)	NC_STRING
Method of production of the original data. Value includes instrument, generic description of retrieval, product level, and adds a short product name and processor version. This attribute originates from the CF standard.		
<b>history</b>		NC_STRING
Provides an audit trail for modifications to the original data. Well-behaved generic netCDF filters will automatically append their name and the parameters with which they were invoked to the global history attribute of an input netCDF file. Each line shall begin with a timestamp indicating the date and time of day that the program was executed. This attribute originates from the NUG, CF standards.		
<b>summary</b>		NC_STRING
Miscellaneous information about the data or methods used to produce it. If processing in a degraded mode occurred, then a note should be placed in this attribute. A degraded processing mode can occur for several reasons, for instance the use of static backup data for nominally dynamic input or an irradiance product that is older than a few days. A machine-parseable description is available in the “ <code>processing_status</code> ” attribute. This attribute originates from the CF standard.		
<b>tracking_id</b>		NC_STRING
This unique tracking ID is proposed by the Climate Change Initiative – European Space Agency project. This ID is a UUID and allows files to be referenced, and linked up to processing description, input data, documentation, etc. The CCI-ESA project uses version 4 UUIDs (random number based) for consistency with CMIP5. This attribute originates from the CCI standard.		
<b>id</b>	‘%(logical_filename)s’ (dynamic)	NC_STRING
The “id” and “naming_authority” attributes are intended to provide a globally unique identification for each dataset. The “id” value should attempt to uniquely identify the dataset. The naming authority allows a further refinement of the “id”. The combination of the two should be globally unique for all time. We use the logical file name for the “id” attribute. This attribute originates from the CCI standard.		
<b>time_reference</b>	‘YYYY-MM-DDT00:00:00Z’ (dynamic)	NC_STRING
UTC time reference as an ISO 8601 [RD35] string. This corresponds to the UTC value in the <code>time</code> dimensional variable. By definition it indicates UTC midnight before the start of the granule.		

<b>time_reference_days_since_1950</b>	0 (dynamic)	NC_INT
The reference time expressed as the number of days since 1950-01-01. This is the reference time unit used by both TM5 and ECMWF.		
<b>time_reference_julian_day</b>	0.0 (dynamic)	NC_DOUBLE
The reference time expressed as a Julian day number.		
<b>time_reference_seconds_since_1970</b>	0 (dynamic)	NC_INT64
The reference time expressed as the number of seconds since 1970-01-01 00:00:00 UTC. This is the reference time unit used by Unix systems.		
<b>time_coverage_start</b>	'YYYY-MM-DDTHH:MM:SS.mmmmmZ' (dynamic)	NC_STRING
Start of the data granule in UTC as an ISO 8601 [RD35] string. See the discussion of the <code>time_delta</code> variable on page 26 for details.		
<b>time_coverage_end</b>	'YYYY-MM-DDTHH:MM:SS.mmmmmZ' (dynamic)	NC_STRING
End of the data granule in UTC as an ISO 8601 [RD35] string. See the discussion of the <code>time_delta</code> variable on page 26 for details.		
<b>time_coverage_duration</b>		NC_STRING
Duration of the data granule as an ISO 8601 [RD35] duration string ("PT%(duration_seconds)s"). This attribute originates from the CCI standard.		
<b>time_coverage_resolution</b>		NC_STRING
Interval between measurements in the data granule as an ISO 8601 [RD35] duration string ("PT%(interval_seconds)fS"). For most products this is 1080 ms in nominal operation, except for "L2_O3_PR", which uses 3240 ms due to coaddition. This attribute originates from the CCI standard.		
<b>orbit</b>	0 (dynamic)	NC_INT
The absolute orbit number, starting at 1 – first ascending node crossing after spacecraft separation. For pre-launch testing this value should be set to "-1".		
<b>references</b>	'%(references)s' (static)	NC_STRING
References that describe the data or methods used to produce it. This attribute originates from the CF standard.		
<b>processor_version</b>	'%(version)s' (dynamic)	NC_STRING
The version of the data processor, as string of the form "major.minor.patch".		
<b>keywords_vocabulary</b>	'AGU index terms, <a href="http://publications.agu.org/author-resource-center/index-terms/">http://publications.agu.org/author-resource-center/index-terms/</a> ' (static)	NC_STRING
The guidelines followed for the keywords attribute. We use the index terms published by the AGU.		
<b>keywords</b>	'%(keywords_agu)s' (dynamic)	NC_STRING
Keywords from the " <code>keywords_vocabulary</code> " describing the contents of the file. To be provided by the ATBD authors.		
<b>standard_name_vocabulary</b>	'NetCDF Climate and Forecast Metadata Conventions Standard Name Table (v29, 08 July 2015), <a href="http://cfconventions.org/standard-names.html">http://cfconventions.org/standard-names.html</a> ' (static)	NC_STRING
The table followed for the <code>standard_name</code> attributes.		
<b>naming_authority</b>	'%(naming_authority)s' (dynamic)	NC_STRING
Specify who is giving out the <code>id</code> attribute. This attribute originates from the CCI standard.		
<b>cdm_data_type</b>	'Swath' (static)	NC_STRING
The THREDDS data type appropriate for this dataset, fixed to "Swath" for S5P level 2 products. This attribute originates from the CCI standard.		
<b>date_created</b>	'YYYY-mm-ddTHH:MM:SS.ffffffZ' (dynamic)	NC_STRING
The date on which this file was created. This attribute originates from the CCI standard.		
<b>creator_name</b>	'%(credit)s' (dynamic)	NC_STRING

The name of the creator, equal to the value of the “gmd:credit” attribute. For S5P this attribute is set to “The Sentinel 5 Precursor TROPOMI Level 2 products are developed with funding from the European Space Agency (ESA), the Netherlands Space Office (NSO), the Belgian Science Policy Office, the German Aerospace Center (DLR) and the Bayerisches Staatsministerium für Wirtschaft und Medien, Energie und Technologie (StMWi).” This attribute originates from the CCI standard.

<b>creator_url</b>	‘%(creator_url)s’ (dynamic)	NC_STRING
Hyperlink to a location where more information on the product can be found. Set to <code>http://www.tropomi.eu/</code> . This attribute originates from the CCI standard.		
<b>creator_email</b>	‘EOSupport@Copernicus.esa.int’ (dynamic)	NC_STRING
Point of contact for more information and support for this product. Set to “mailto:EOSupport@Copernicus.esa.int”. This attribute originates from the CCI standard.		
<b>project</b>	‘Sentinel 5 precursor/TROPOMI’ (dynamic)	NC_STRING
The name of the scientific project that created the data. This attribute originates from the CCI standard.		
<b>geospatial_lat_min</b>		NC_FLOAT
Lowest latitude present in the file in decimal degrees. This attribute originates from the CCI standard.		
<b>geospatial_lat_max</b>		NC_FLOAT
Highest latitude present in the file in decimal degrees. This attribute originates from the CCI standard.		
<b>geospatial_lon_min</b>		NC_FLOAT
Lowest longitude present in the file in decimal degrees. This attribute originates from the CCI standard.		
<b>geospatial_lon_max</b>		NC_FLOAT
Highest longitude present in the file in decimal degrees. This attribute originates from the CCI standard.		
<b>license</b>	‘No conditions apply’ (static)	NC_STRING
describe the restrictions to data access and distribution. For S5P “No conditions apply”. This attribute originates from the CCI standard.		
<b>platform</b>	‘S5P’ (static)	NC_STRING
Name of the satellite, set to “S5P”. This attribute originates from the CCI standard.		
<b>sensor</b>	‘TROPOMI’ (static)	NC_STRING
Name of the sensor, set to “TROPOMI”. This attribute originates from the CCI standard.		
<b>spatial_resolution</b>		NC_STRING
Spatial resolution at nadir. For most products this is “ $7 \times 7 \text{ km}^2$ ”, except for “L2__O3__PR”, which uses “ $28 \times 21 \text{ km}^2$ ” and “L2__FRESCO”, which “ $3.5 \times 7 \text{ km}^2$ ” This attribute originates from the CCI standard.		
<b>cpp_compiler_version</b>		NC_STRING
The version of the compiler used for the C++ code. The value of this attribute is set via the Makefile.		
<b>cpp_compiler_flags</b>		NC_STRING
The compiler flags passed to the C++ compiler. The value of this attribute is set via the Makefile.		
<b>f90_compiler_version</b>		NC_STRING
The version of the compiler version used for the Fortran code. The value of this attribute is set via the Makefile. Note that not all processors make use of Fortran code.		
<b>f90_compiler_flags</b>		NC_STRING
The compiler flags passed to the Fortran compiler. The value of this attribute is set via the Makefile. Note that not all processors make use of Fortran code.		
<b>build_date</b>		NC_STRING
The date on which the processor was built.		
<b>revision_control_identifier</b>	‘%(revision_control_source_identifier)s’ (dynamic)	NC_STRING
Revision control system identifier for the source used to build this processor.		
<b>geolocation_grid_from_band</b>		NC_INT
The band from which the geolocation was taken, useful for collocating the level 2 output with other products.		
<b>identifier_product_doi</b>	‘%(product_doi)s’ (dynamic)	NC_STRING

This is the DOI (“Digital Object Identifier”) of the current product. It allows to easily find download and background information, even if that location is moved after the file has been created.

---

<b>identifier_product_doi_authority</b>	‘http://dx.doi.org/’ (static)	NC_STRING
---	-------------------------------	-----------

This attribute defines the authoritative service for use with DOI values in resolving to the URL location.

---

<b>algorithm_version</b>	‘%(algorithm_version)s’ (dynamic)	NC_STRING
--------------------------	-----------------------------------	-----------

The algorithm version, separate from the processor (framework) version, to accomodate different release schedules for different products.

---

<b>title</b>	‘TROPOMI/S5P FRESCO Cloud 1-Orbit L2 Swath 7x3.5km’ (dynamic)	NC_STRING
--------------	---	-----------

This is a short description of the product. In near-realtime processing the granule is shorter than 1 orbit, and the value of this attribute must be adapted accordingly. The nominal value is “TROPOMI/S5P FRESCO Cloud 1-Orbit L2 Swath 7x3.5km”. This attribute originates from the NUG standard.

---

<b>product_version</b>	‘0.11.0’ (dynamic)	NC_STRING
------------------------	--------------------	-----------

Included for compatibility with the CCI project, where this item is defined as “the product version of this data file.” We will use the file format version for this attribute following several CCI sub-projects. This attribute originates from the CCI standard.

---

<b>processing_status</b>	‘Nominal’ (dynamic)	NC_STRING
--------------------------	---------------------	-----------

Description the processing status of the granule on a global level, mainly based on the availability of auxiliary input data.

Possible values: Nominal, Degraded

---

<b>Status_MET_2D</b>		NC_STRING
----------------------	--	-----------

The status of ECMWF input, either “Nominal” or “Fallback”. Note that the “MET\_2D” auxiliary input is used as an anchor point for *all* meteorological data (where applicable).

Possible values: Nominal, Fallback

---

<b>Status_NISE__</b>		NC_STRING
----------------------	--	-----------

The status of NISE input, either “Nominal”, “ECMWF\_Fallback” or “Static\_Fallback”.

Possible values: Nominal, ECMWF\_Fallback, Static\_Fallback

## 10.1 Group “PRODUCT” in “FRESCO”

This is the main group containing the FRESCO cloud product. At this level the dimensions and the main data fields are defined. Support data can be found in the “SUPPORT\_DATA” group.

The dimensions that are common to all products. These are all located in the “PRODUCT” group, and can be accessed from that group and all sub-groups of the “PRODUCT” group, that is everywhere except the “METADATA” group.

All dimensions have an associated variable. These variables give a meaning to the dimension, spanning the axis of other variables.

The latitude and longitude. Used in all products, placed in the “PRODUCT” group.

### Dimensions in FRESCO/PRODUCT

**scanline** The number of measurements along the swath, in the flight-direction.

**size** Unlimited.

**mode** Present in all modes.

**ground\_pixel** The number of ground pixels across track. This depends on the product and will follow the dimension found in the main input Level 1B product.

**size** -1 (dynamic)

**source** L1B.

**mode** Present in all modes.

**corner** The number of corners for a pixel.

**size** 4 (fixed)

**mode** Present in all modes.

**time** The time dimension. See the discussion of the associated dimensional variable on page 25 for details.

**size** 1 (fixed)  
**mode** Present in all modes.

**fluorescence\_wavelengths** The number of wavelengths at which the fluorescence is given.

**size** -1 (dynamic)  
**source** Processor.  
**mode** Present in all modes.

**albedo\_wavelengths** The number of nodes in the albedo polynomial.

**size** -1 (dynamic)  
**source** Processor.  
**mode** Present in all modes.

### Variables in FRESCO/PRODUCT

---

#### scanline in FRESCO/PRODUCT

Description: The coordinate variable `scanline` refers to the along-track dimension of the measurement. The scanlines are time-ordered, meaning that “earlier” measurements have a lower index than “later” measurements. This variable merely contains an index to ensure that when indicating a pixel in a file the same index is used. This avoids the off-by-one confusion that frequently occurred in OMI discussions.

Dimensions: `scanline` (coordinate variable).

Type: NC\_INT.

Source: Processor.

Mode: Present in all modes.

---

Attributes:	Name	Value	Type
	<b>units</b>	'1' (static)	NC_STRING
		Dimensionless, no physical quantity. This attribute originates from the CF standard.	
	<b>axis</b>	'Y' (static)	NC_STRING
	<b>long_name</b>	'along-track dimension index' (static)	NC_STRING
	<b>comment</b>	'This coordinate variable defines the indices along track; index starts at 0' (static)	NC_STRING

---

#### ground\_pixel in FRESCO/PRODUCT

Description: The coordinate variable `ground_pixel` refers to the across-track dimension of the measurement. The `ground_pixel` ordering is from left to right with respect to the flight direction. For the Sentinel 5 precursor orbit this corresponds to west to east during the ascending part of the orbit, i.e. a higher index corresponds to a higher longitude. This variable merely contains an index to ensure that when indicating a pixel in a file the same index is used. This avoids the off-by-one confusion that frequently occurred in OMI discussions.

Dimensions: `ground_pixel` (coordinate variable).

Type: NC\_INT.

Source: Processor.

Mode: Present in all modes.

---

Attributes:	Name	Value	Type
	<b>units</b>	'1' (static)	NC_STRING
		Dimensionless, no physical quantity. This attribute originates from the CF standard.	
	<b>axis</b>	'X' (static)	NC_STRING
	<b>long_name</b>	'across-track dimension index' (static)	NC_STRING
	<b>comment</b>	'This coordinate variable defines the indices across track, from west to east; index starts at 0' (static)	NC_STRING

---

**time** in FRESCO/PRODUCT

Description: The variable `time(time)` is the reference time of the measurements. The reference time is set to YYYY-MM-DDT00:00:00 UTC, midnight UTC before spacecraft midnight, the formal start of the current orbit. The `delta_time(scanline)` variable indicates the time difference of the observations with the reference time. Thus combining the information of `time(time)` and `delta_time(scanline)` yields the measurement time for each scanline as UTC time. The reference `time(time)` corresponds to the global attribute `time_reference` which is specified as a UTC time specified as an ISO 8601 [RD35] date.

Dimensions: time (coordinate variable).  
 Type: NC\_INT.  
 Source: Processor.  
 Mode: Present in all modes.

Attributes:	Name	Value	Type
	<b>units</b>	'seconds since 2010-01-01 00:00:00' (dynamic)	NC_STRING
	<b>standard_name</b>	'time' (static)	NC_STRING
	<b>axis</b>	'T' (static)	NC_STRING
	<b>long_name</b>	'reference time for the measurements' (static)	NC_STRING
	<b>comment</b>	'The time in this variable corresponds to the time in the <code>time_reference</code> global attribute' (static)	NC_STRING

**corner** in FRESCO/PRODUCT

Description: An index for the pixel corners. We follow the CF-Metadata conventions [ER5, section 7.1]. The full coordinate system is right-handed, and the order of the pixel corners is counter-clockwise, starting in the "lower-left" corner (i.e. the smallest value in both latitude and longitude on the ascending part of the orbit, or equivalently for TROPOMI the lowest value for both the `ground_pixel` and `scanline` indices). See figure 3 on page 18 for a graphical depiction of the corners.

Dimensions: corner (coordinate variable).  
 Type: NC\_INT.  
 Source: Processor.  
 Mode: Present in all modes.

Attributes:	Name	Value	Type
	<b>units</b>	'1' (static)	NC_STRING
		Dimensionless, no physical quantity. This attribute originates from the CF standard.	
	<b>long_name</b>	'pixel corner index' (static)	NC_STRING
	<b>comment</b>	'This coordinate variable defines the indices for the pixel corners; index starts at 0 (counter-clockwise, starting from south-western corner of the pixel in ascending part of the orbit)' (static)	NC_STRING

**fluorescence\_wavelengths** in FRESCO/PRODUCT

Description: Wavelengths at which the fluorescence is given.

Dimensions: fluorescence\_wavelengths (coordinate variable).  
 Type: NC\_FLOAT.  
 Source: Processor.  
 Mode: Present in all modes.

Attributes:	Name	Value	Type
	<b>units</b>	'nm' (static)	NC_STRING
	<b>standard_name</b>	'radiation_wavelength' (static)	NC_STRING
	<b>long_name</b>	'the wavelengths at which the fluorescence is retrieved' (static)	NC_STRING

**albedo\_wavelengths** in FRESCO/PRODUCT

Description: Wavelengths at which the surface albedo for the fluorescence retrieval are performed.  
 Dimensions: albedo\_wavelengths (coordinate variable).  
 Type: NC\_FLOAT.  
 Source: Processor.  
 Mode: Present in all modes.

Attributes:	Name	Value	Type
	<b>units</b>	'nm' (static)	NC_STRING
	<b>standard_name</b>	'radiation_wavelength' (static)	NC_STRING
	<b>long_name</b>	'the wavelengths at which the surface albedo for the fluorescence retrieval is retrieved' (static)	NC_STRING

**latitude** in FRESCO/PRODUCT

Description: The latitude of the pixel centers of the ground pixels in the data. Latitude, longitude coordinates for the ground pixel center and the ground pixel corners are calculated at the WGS84 ellipsoid.  
 Dimensions: time, scanline, ground\_pixel.  
 Type: NC\_FLOAT.  
 Source: Processor.  
 Mode: Present in all modes.

Attributes:	Name	Value	Type
	<b>long_name</b>	'pixel center latitude' (static)	NC_STRING
	<b>units</b>	'degrees_north' (static)	NC_STRING
	<b>standard_name</b>	'latitude' (static)	NC_STRING
	<b>valid_min</b>	-90.0 (static)	NC_FLOAT
	<b>valid_max</b>	90.0 (static)	NC_FLOAT
	<b>bounds</b>	'/PRODUCT/SUPPORT_DATA/GEOLocations/latitude_bounds' (static)	NC_STRING

A link to the boundary coordinates, i.e. the pixel corners. Note that the use of group-names in this attribute is an extension of the climate and forecasting metadata conventions.

**longitude** in FRESCO/PRODUCT

Description: The longitude of the pixel centers of the ground pixels in the data. Latitude, longitude coordinates for the ground pixel center and the ground pixel corners are calculated at the WGS84 ellipsoid.  
 Dimensions: time, scanline, ground\_pixel.  
 Type: NC\_FLOAT.  
 Source: Processor.  
 Mode: Present in all modes.

Attributes:	Name	Value	Type
	<b>long_name</b>	'pixel center longitude' (static)	NC_STRING
	<b>units</b>	'degrees_east' (static)	NC_STRING
	<b>standard_name</b>	'longitude' (static)	NC_STRING
	<b>valid_min</b>	-180.0 (static)	NC_FLOAT
	<b>valid_max</b>	180.0 (static)	NC_FLOAT
	<b>bounds</b>	'/PRODUCT/SUPPORT_DATA/GEOLocations/longitude_bounds' (static)	NC_STRING

A link to the boundary coordinates, i.e. the pixel corners. Note that the use of group-names in this attribute is an extension of the climate and forecasting metadata conventions.

**delta\_time** in FRESCO/PRODUCT

**Description:** The `delta_time(scanline)` variable indicates the time difference with the reference time `time(time)` (see page 25). Thus combining the information of `time(time)` and `delta_time(scanline)` yields the start of the measurement time for each scanline as TAI2010 time. Combining the information in the global attribute `time_reference` with `delta_time(scanline)` yields the start of the measurement time in UTC time. The UTC time derived for the first scanline corresponds to the global attribute `time_coverage_start`. However, the UTC time derived for the last scanline does not correspond to global attribute `time_coverage_end`. One scanline measurement is the result of adding independent measurements during one coaddition period. The scanline measurement is given the measurement time of the first sample in this co-addition. It is the measurement time of the last sample in the coaddition period of the last scanline that corresponds to `time_coverage_end`.

This variable gives the time offset in ms accuracy.

**Dimensions:** time, scanline.  
**Type:** NC\_INT.  
**Source:** Processor.  
**Mode:** Present in all modes.

Attributes:	Name	Value	Type
	<b>long_name</b>	'offset from reference start time of measurement' (static)	NC_STRING
	<b>units</b>	'milliseconds' (static)	NC_STRING

**time\_utc** in FRESCO/PRODUCT

**Description:** The time of observation expressed as ISO 8601 [RD35] date-time string.

**Dimensions:** time, scanline.  
**Type:** NC\_STRING.  
**Source:** Processor.  
**Mode:** Present in all modes.

Attributes:	Name	Value	Type
	<b>long_name</b>	'Time of observation as ISO 8601 date-time string' (static)	NC_STRING

**qa\_value** in FRESCO/PRODUCT

**Description:** A continuous quality descriptor, varying between 0 (no data) and 1 (full quality data). The value will change based on observation conditions and retrieval flags. Detailed quality flags are provided in the `processing_quality_flags` elsewhere in the product.

**Dimensions:** time, scanline, ground\_pixel.  
**Type:** NC\_UBYTE.  
**Source:** Processor.  
**Mode:** Present in all modes.

Attributes:	Name	Value	Type
	<b>units</b>	'1' (static)	NC_STRING
	<b>scale_factor</b>	0.01 (static)	NC_FLOAT
	<b>add_offset</b>	0 (static)	NC_FLOAT
	<b>valid_min</b>	0 (static)	NC_UBYTE
	<b>valid_max</b>	100 (static)	NC_UBYTE
	<b>long_name</b>	'data quality value' (static)	NC_STRING
	<b>comment</b>	'A continuous quality descriptor, varying between 0 (no data) and 1 (full quality data). Recommend to ignore data with <code>qa_value &lt; 0.5</code> ' (static)	NC_STRING
	<b>coordinates</b>	'longitude latitude' (static)	NC_STRING

**cloud\_fraction\_crb** in FRESCO/PRODUCT

**Description:** Effective cloud fraction retrieved from the O<sub>2</sub> A-band.

The effective cloud fraction is the radiometric equivalent cloud fraction of a satellite pixel assuming a fixed cloud albedo, usually 0.8. By definition the effective cloud fraction times the assumed cloud albedo plus the cloud-free surface and atmosphere contributions yields a TOA reflectance that agrees with the observed TOA reflectance.

The effective cloud fraction is not the geometric cloud fraction (with standard\_name “cloud\_area\_fraction”) of the true clouds in the pixel, but it represents the radiometric effect of the subpixel clouds.

The effective cloud fraction is an important quantity for the analysis of satellite data with pixels which are much larger than the cloud size, i.e. much larger than 1 × 1 km<sup>2</sup>. Then subpixel cloudiness is a normal feature. This holds e.g. for satellite spectrometers GOME, SCIAMACHY, GOME-2, OMI and TROPOMI.

The effective cloud fraction not only depends on the geometric cloud fraction and cloud optical thickness of the subpixel clouds, but also on the clear sky surface reflectance. Owing to this latter dependency we find a slight spectral dependence of the effective cloud fraction. Therefore we recommend to use the effective cloud fraction for trace gas correction from a nearby spectral window<sup>3</sup> [RD37].

The FRESCO effective cloud fraction is smaller than the geometric cloud fraction, because a high cloud albedo of 0.8 is used in the retrieval. The FRESCO effective cloud fraction has been validated through the surface solar irradiance product.

The effective cloud fraction can be in the range of [0.0, 1.5], depending the assumed cloud albedo (typically 0.8) and on viewing and solar geometry.

**Dimensions:** time, scanline, ground\_pixel.

**Type:** NC\_FLOAT.

**Source:** Processor.

**Mode:** Present in all modes.

Attributes:	Name	Value	Type
	<b>units</b>	'1' (static)	NC_STRING
	The effective cloud fraction is a dimensionless quantity. This attribute originates from the NUG, CF standards.		
	<b>long_name</b>	'effective_cloud_area_fraction_assuming_fixed_cloud_albedo' (static)	NC_STRING
	<b>coordinates</b>	'longitude latitude' (static)	NC_STRING
	<b>ancillary_variables</b>	'cloud_fraction_crb_precision' (static)	NC_STRING
	Provide a connection with associated data. This attribute originates from the NUG, CF standards.		

**cloud\_fraction\_crb\_precision** in FRESCO/PRODUCT

**Description:** Effective cloud fraction precision parameter.

**Dimensions:** time, scanline, ground\_pixel.

**Type:** NC\_FLOAT.

**Source:** Processor.

**Mode:** Present in all modes.

Attributes:	Name	Value	Type
	<b>units</b>	'1' (static)	NC_STRING
	The cloud fraction is a dimensionless quantity. This attribute originates from the NUG, CF standards.		
	<b>long_name</b>	'effective_cloud_area_fraction_assuming_fixed_cloud_albedo_standard_error' (static)	NC_STRING

<sup>3</sup> This is in addition to possible imperfect spatial matching of ground pixels in different bands.

<b>coordinates</b>	'longitude latitude' (static)	NC_STRING
--------------------	-------------------------------	-----------

**cloud\_pressure\_crb** in FRESCO/PRODUCT

Description: The cloud pressure derived from the O<sub>2</sub> A-band using the FRESCO algorithm is a level inside the cloud, near the optical thickness center. That is why it is called the “cloud optical centroid pressure” [RD38]. Usually FRESCO cloud optical centroid pressure is close to the mean pressure of the cloud top and the cloud base. The FRESCO cloud pressure mainly depends on cloud optical thickness and the distribution of the cloud optical thickness inside the cloud. The FRESCO cloud pressure is close to the optical cloud mid-level for both single-layer and multi-layer clouds [RD39].

The retrieved FRESCO cloud pressure is less accurate when the effective cloud fraction is less than about 0.1. In this case, the retrieved cloud pressure can be much too low.

For sunglint contaminated pixels, FRESCO retrieves an effective cloud fraction value representing the brightness of the glint and a cloud pressure which is close to the surface pressure.

Dimensions: time, scanline, ground\_pixel.

Type: NC\_FLOAT.

Source: Processor.

Mode: Present in all modes.

Attributes:	Name	Value	Type
	<b>units</b>	'Pa' (static)	NC_STRING
	The cloud pressure is given in Pa (on a fixed temperature profile, AFGL mid-latitude summer [RD40]). This attribute originates from the NUG, CF standards.		
	<b>long_name</b>	'air_pressure_at_cloud_optical_centroid' (static)	NC_STRING
	<b>coordinates</b>	'longitude latitude' (static)	NC_STRING
	<b>ancillary_variables</b>	'cloud_pressure_crb_precision' (static)	NC_STRING
	Provide a connection with associated data. This attribute originates from the NUG, CF standards.		

**cloud\_pressure\_crb\_precision** in FRESCO/PRODUCT

Description: Cloud pressure error parameter.

Dimensions: time, scanline, ground\_pixel.

Type: NC\_FLOAT.

Source: Processor.

Mode: Present in all modes.

Attributes:	Name	Value	Type
	<b>units</b>	'Pa' (static)	NC_STRING
	The cloud pressure is given in Pa (on a fixed temperature profile, AFGL mid-latitude summer [RD40]). This attribute originates from the NUG, CF standards.		
	<b>long_name</b>	'air_pressure_at_cloud_optical_centroid stand-ard_error' (static)	NC_STRING
	<b>coordinates</b>	'longitude latitude' (static)	NC_STRING

**cloud\_height\_crb** in FRESCO/PRODUCT

Description: The retrieved cloud height from the FRESCO algorithm is related to the cloud pressure using the same atmospheric pressure profile as was used in the radiative transfer simulations to yield the O<sub>2</sub> A-band spectra, i.e. the AFGL mid-latitude summer profile [RD40].

Dimensions: time, scanline, ground\_pixel.

Type: NC\_FLOAT.

Source: Processor.

Mode: Present in all modes.

Attributes:	Name	Value	Type
-------------	------	-------	------

<b>units</b>	'm' (static)	NC_STRING
<b>long_name</b>	'height_of_cloud_optical_centroid' (static)	NC_STRING
<b>coordinates</b>	'longitude latitude' (static)	NC_STRING
<b>ancillary_variables</b>	'cloud_height_crb_precision' (static)	NC_STRING

Provide a connection with associated data. This attribute originates from the NUG, CF standards.

**cloud\_height\_crb\_precision** in FRESCO/PRODUCT

Description: Cloud height parameter, at the optical centroid level, measured from the surface.

Dimensions: time, scanline, ground\_pixel.

Type: NC\_FLOAT.

Source: Processor.

Mode: Present in all modes.

Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>units</b>	'm' (static)	NC_STRING
	<b>long_name</b>	'height_of_cloud_optical_centroid_standard_error' (static)	NC_STRING
	<b>coordinates</b>	'longitude latitude' (static)	NC_STRING

**cloud\_albedo\_crb** in FRESCO/PRODUCT

Description: Cloud albedo parameter. This is a fixed value for FRESCO.

Dimensions: time, scanline, ground\_pixel.

Type: NC\_FLOAT.

Source: Processor.

Mode: Present in all modes.

Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>units</b>	'1' (static)	NC_STRING
	<b>standard_name</b>	'cloud_albedo' (static)	NC_STRING
	<b>long_name</b>	'cloud albedo' (static)	NC_STRING
	<b>coordinates</b>	'longitude latitude' (static)	NC_STRING
	<b>ancillary_variables</b>	'cloud_albedo_precision' (static)	NC_STRING

Provide a connection with associated data. This attribute originates from the NUG, CF standards.

**cloud\_albedo\_crb\_precision** in FRESCO/PRODUCT

Description: Cloud albedo error parameter. Since the albedo parameter is fixed for FRESCO, this value is set to the '\_FillValue'.

Dimensions: time, scanline, ground\_pixel.

Type: NC\_FLOAT.

Source: Processor.

Mode: Present in all modes.

Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>units</b>	'1' (static)	NC_STRING
	<b>standard_name</b>	'cloud_albedo_standard_error' (static)	NC_STRING
	<b>long_name</b>	'cloud albedo precision' (static)	NC_STRING
	<b>coordinates</b>	'longitude latitude' (static)	NC_STRING

**scene\_albedo** in FRESCO/PRODUCT

Description: The scene albedo is retrieved from FRESCO by assuming that the geometric cloud fraction is 1. This is also called the snow/ice mode. The scene albedo is adjusted such as to match the TOA reflectance.

---

If the satellite pixel is partly cloud covered, the retrieved scene albedo includes the effects from both cloudy and cloud-free parts of the pixel. The scene albedo value is thus a weighted average of cloud albedo and surface albedo.

This parameter is required by the CH<sub>4</sub> processor for cloud filtering.

Dimensions: time, scanline, ground\_pixel.  
 Type: NC\_FLOAT.  
 Source: Processor.  
 Mode: Present in all modes.

---

Attributes:

<i>Name</i>	<i>Value</i>	<i>Type</i>
<b>units</b>	'1' (static)	NC_STRING
<b>long_name</b>	'cloud_albedo_assuming_completely_cloudy_sky' (static)	NC_STRING
<b>coordinates</b>	'longitude latitude' (static)	NC_STRING
<b>ancillary_variables</b>	'scene_albedo_precision' (static)	NC_STRING

Provide a connection with associated data. This attribute originates from the NUG, CF standards.

---

**scene\_albedo\_precision** in FRESCO/PRODUCT

Description: Scene albedo precision when FRESCO is running in snow/ice mode.

Dimensions: time, scanline, ground\_pixel.  
 Type: NC\_FLOAT.  
 Source: Processor.  
 Mode: Present in all modes.

---

Attributes:

<i>Name</i>	<i>Value</i>	<i>Type</i>
<b>units</b>	'1' (static)	NC_STRING
<b>long_name</b>	'cloud_albedo_assuming_completely_cloudy_sky_standard_error' (static)	NC_STRING
<b>coordinates</b>	'longitude latitude' (static)	NC_STRING

---

**apparent\_scene\_pressure** in FRESCO/PRODUCT

Description: The scene pressure is the retrieved cloud pressure assuming a fully cloud covered pixel (FRESCO snow/ice mode).

The retrieved scene pressure is the radiance-weighted average of the cloud pressure and the surface pressure. In a cloud-free scene, the scene pressure is usually close to surface pressure. In a fully cloudy scene with optically thick clouds, the scene pressure can be very similar to the cloud pressure.

This parameter is required by the CH<sub>4</sub> processor for cloud filtering.

Dimensions: time, scanline, ground\_pixel.  
 Type: NC\_FLOAT.  
 Source: Processor.  
 Mode: Present in all modes.

---

Attributes:

<i>Name</i>	<i>Value</i>	<i>Type</i>
<b>units</b>	'Pa' (static)	NC_STRING
<b>long_name</b>	'air_pressure_at_cloud_optical_centroid_assuming_completely_cloudy_sky' (static)	NC_STRING
<b>coordinates</b>	'longitude latitude' (static)	NC_STRING
<b>ancillary_variables</b>	'apparent_scene_pressure_precision' (static)	NC_STRING

Provide a connection with associated data. This attribute originates from the NUG, CF standards.

---

---

**apparent\_scene\_pressure\_precision** in FRESCO/PRODUCT

Description: Scene pressure precision when FRESCO is running in snow/ice mode. This parameter is required by the CH<sub>4</sub> processor.

Dimensions: time, scanline, ground\_pixel.

Type: NC\_FLOAT.

Source: Processor.

Mode: Present in all modes.

Attributes:	Name	Value	Type
	<b>units</b>	'Pa' (static)	NC_STRING
	<b>long_name</b>	'air_pressure_at_cloud_optical_centroid_assuming_completely_cloudy_sky_standard_error' (static)	NC_STRING
	<b>coordinates</b>	'longitude latitude' (static)	NC_STRING

**10.1.1 Group "SUPPORT\_DATA" in "PRODUCT"**

**10.1.1.1 Group "GEOLOCATIONS" in "SUPPORT\_DATA"**

**Variables in FRESCO/PRODUCT/SUPPORT\_DATA/GEOLOCATIONS**

---

**satellite\_latitude** in FRESCO/PRODUCT/SUPPORT\_DATA/GEOLOCATIONS

Description: Latitude of the geodetic sub satellite point on the WGS84 reference ellipsoid.

Dimensions: time, scanline.

Type: NC\_FLOAT.

Source: L1B.

Mode: Present in all modes.

Attributes:	Name	Value	Type
	<b>long_name</b>	'sub satellite latitude' (static)	NC_STRING
	<b>units</b>	'degrees_north' (static)	NC_STRING
	<b>comment</b>	'Latitude of the geodetic sub satellite point on the WGS84 reference ellipsoid' (static)	NC_STRING
	<b>valid_min</b>	-90.0 (static)	NC_FLOAT
	<b>valid_max</b>	90.0 (static)	NC_FLOAT

**satellite\_longitude** in FRESCO/PRODUCT/SUPPORT\_DATA/GEOLOCATIONS

Description: Longitude of the geodetic sub satellite point on the WGS84 reference ellipsoid.

Dimensions: time, scanline.

Type: NC\_FLOAT.

Source: L1B.

Mode: Present in all modes.

Attributes:	Name	Value	Type
	<b>long_name</b>	'satellite_longitude' (static)	NC_STRING
	<b>units</b>	'degrees_east' (static)	NC_STRING
	<b>comment</b>	'Longitude of the geodetic sub satellite point on the WGS84 reference ellipsoid' (static)	NC_STRING
	<b>valid_min</b>	-180.0 (static)	NC_FLOAT
	<b>valid_max</b>	180.0 (static)	NC_FLOAT

---

**satellite\_altitude** in FRESCO/PRODUCT/SUPPORT\_DATA/GEOLOCATIONS

Description:	The altitude of the satellite with respect to the geodetic sub satellite point on the WGS84 reference ellipsoid.		
Dimensions:	time, scanline.		
Type:	NC_FLOAT.		
Source:	L1B.		
Mode:	Present in all modes.		
Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>long_name</b>	'satellite altitude' (static)	NC_STRING
	<b>units</b>	'm' (static)	NC_STRING
	<b>comment</b>	'The altitude of the satellite with respect to the geodetic sub satellite point on the WGS84 reference ellipsoid' (static)	NC_STRING
	<b>valid_min</b>	700000.0 (static)	NC_FLOAT
	<b>valid_max</b>	900000.0 (static)	NC_FLOAT
<b>satellite_orbit_phase</b> in FRESCO/PRODUCT/SUPPORT_DATA/GEOLOCATIONS			
Description:	Relative offset [0.0, ..., 1.0] of the measurement in the orbit.		
Dimensions:	time, scanline.		
Type:	NC_FLOAT.		
Source:	L1B.		
Mode:	Present in all modes.		
Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>long_name</b>	'fractional satellite orbit phase' (static)	NC_STRING
	<b>units</b>	'1' (static)	NC_STRING
	<b>comment</b>	'Relative offset [0.0, ..., 1.0] of the measurement in the orbit' (static)	NC_STRING
	<b>valid_min</b>	-0.02 (static)	NC_FLOAT
	<b>valid_max</b>	1.02 (static)	NC_FLOAT
<b>solar_zenith_angle</b> in FRESCO/PRODUCT/SUPPORT_DATA/GEOLOCATIONS			
Description:	Solar zenith angle $\vartheta_0$ at the ground pixel location on the reference ellipsoid. Angle is measured away from the vertical. ESA definition of day side: $\vartheta_0 < 92^\circ$ . Pixels are processed when $\vartheta_0 \leq \vartheta_0^{\max}$ with $80^\circ \leq \vartheta_0^{\max} \leq 88^\circ$ , depending on the algorithm. The actual value for $\vartheta_0^{\max}$ can be found in the algorithm metadata settings.		
Dimensions:	time, scanline, ground_pixel.		
Type:	NC_FLOAT.		
Source:	L1B.		
Mode:	Present in all modes.		
Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>long_name</b>	'solar zenith angle' (static)	NC_STRING
	<b>standard_name</b>	'solar_zenith_angle' (static)	NC_STRING
	<b>units</b>	'degree' (static)	NC_STRING
	<b>valid_min</b>	0.0 (static)	NC_FLOAT
	<b>valid_max</b>	180.0 (static)	NC_FLOAT
	<b>coordinates</b>	'/PRODUCT/longitude /PRODUCT/latitude' (static)	NC_STRING
		The latitude and longitude are in a different group. How to specify the related geospatial coordinates in this case is not specified in the climate and forecast metadata conventions [ER5].	
	<b>comment</b>	'Solar zenith angle at the ground pixel location on the reference ellipsoid. Angle is measured away from the vertical' (static)	NC_STRING

**solar\_azimuth\_angle** in FRESCO/PRODUCT/SUPPORT\_DATA/GEOLOCATIONS

Description: The solar azimuth angle at the ground pixel location on the reference ellipsoid. The angle is measured clockwise from the North (North = 0°, East = 90°, South = 180°, West = 270°). This is the same definition that is use in both OMI and GOME-2 level 1B files.

See the note on the `viewing_azimuth_angle` on the calculation of the relative azimuth angle as used in radiative transfer calculations.

Dimensions: time, scanline, ground\_pixel.

Type: NC\_FLOAT.

Source: L1B.

Mode: Present in all modes.

Attributes:	Name	Value	Type
	<b>long_name</b>	'solar azimuth angle' (static)	NC_STRING
	<b>standard_name</b>	'solar_azimuth_angle' (static)	NC_STRING
	<b>units</b>	'degree' (static)	NC_STRING
	<b>valid_min</b>	-180.0 (static)	NC_FLOAT
	<b>valid_max</b>	180.0 (static)	NC_FLOAT
	<b>coordinates</b>	'/PRODUCT/longitude /PRODUCT/latitude' (static)	NC_STRING
	The latitude and longitude are in a different group. How to specify the related geospatial coordinates in this case is not specified in the climate and forecast metadata conventions [ER5].		
	<b>comment</b>	'Solar azimuth angle at the ground pixel location on the reference ellipsoid. Angle is measured clockwise from the North (East = 90, South = 180, West = 270)' (static)	NC_STRING

**viewing\_zenith\_angle** in FRESCO/PRODUCT/SUPPORT\_DATA/GEOLOCATIONS

Description: Zenith angle of the satellite  $\vartheta$  at the ground pixel location on the reference ellipsoid. Angle is measured away from the vertical.

Dimensions: time, scanline, ground\_pixel.

Type: NC\_FLOAT.

Source: L1B.

Mode: Present in all modes.

Attributes:	Name	Value	Type
	<b>long_name</b>	'viewing zenith angle' (static)	NC_STRING
	<b>standard_name</b>	'viewing_zenith_angle' (static)	NC_STRING
	<b>units</b>	'degree' (static)	NC_STRING
	<b>valid_min</b>	0.0 (static)	NC_FLOAT
	<b>valid_max</b>	180.0 (static)	NC_FLOAT
	<b>coordinates</b>	'/PRODUCT/longitude /PRODUCT/latitude' (static)	NC_STRING
	The latitude and longitude are in a different group. How to specify the related geospatial coordinates in this case is not specified in the climate and forecast metadata conventions [ER5].		
	<b>comment</b>	'Zenith angle of the satellite at the ground pixel location on the reference ellipsoid. Angle is measured away from the vertical' (static)	NC_STRING

**viewing\_azimuth\_angle** in FRESCO/PRODUCT/SUPPORT\_DATA/GEOLOCATIONS

Description: The satellite azimuth angle at the ground pixel location on the reference ellipsoid. The angle is measured clockwise from the North (North = 0°, East = 90°, South = 180°, West = 270°). This is the same definition that is use in both OMI and GOME-2 level 1B files.

---

To calculate the azimuth difference  $\varphi - \varphi_0$  it is not sufficient to just subtract `solar_azimuth_angle` from `viewing_azimuth_angle`. The angle needed for radiative transfer calculations is  $(180^\circ - (\varphi - \varphi_0)) \bmod 360^\circ$ .

Dimensions: time, scanline, ground\_pixel.  
 Type: NC\_FLOAT.  
 Source: L1B.  
 Mode: Present in all modes.

---

Attributes:

<i>Name</i>	<i>Value</i>	<i>Type</i>
<b>long_name</b>	'viewing azimuth angle' (static)	NC_STRING
<b>standard_name</b>	'viewing_azimuth_angle' (static)	NC_STRING
<b>units</b>	'degree' (static)	NC_STRING
<b>valid_min</b>	-180.0 (static)	NC_FLOAT
<b>valid_max</b>	180.0 (static)	NC_FLOAT
<b>coordinates</b>	'/PRODUCT/longitude /PRODUCT/latitude' (static)	NC_STRING

The latitude and longitude are in a different group. How to specify the related geospatial coordinates in this case is not specified in the climate and forecast metadata conventions [ER5].

<b>comment</b>	'Satellite azimuth angle at the ground pixel location on the reference ellipsoid. Angle is measured clockwise from the North (East = 90, South = 180, West = 270)' (static)	NC_STRING
----------------	---	-----------

---

**latitude\_bounds** in FRESKO/PRODUCT/SUPPORT\_DATA/GEOLOCATIONS

Description: The latitude of the pixel corners of the ground pixels in the data. Latitude, longitude coordinates for the ground pixel center and the ground pixel corners are calculated at the WGS84 ellipsoid.

The order of the pixel corners follows the CF-metadata conventions [ER5, section 7.1], i.e. the ordering is counter-clockwise when viewed from above. A graphical representation is given in figure 3.

Dimensions: time, scanline, ground\_pixel, corner.  
 Type: NC\_FLOAT.  
 Source: Processor.  
 Mode: Present in all modes.

---

**longitude\_bounds** in FRESKO/PRODUCT/SUPPORT\_DATA/GEOLOCATIONS

Description: The longitude of the pixel corners of the ground pixels in the data. Latitude, longitude coordinates for the ground pixel center and the ground pixel corners are calculated at the WGS84 ellipsoid.

The order of the pixel corners follows the CF-metadata conventions [ER5, section 7.1], i.e. the ordering is counter-clockwise when viewed from above. A graphical representation is given in figure 3.

Dimensions: time, scanline, ground\_pixel, corner.  
 Type: NC\_FLOAT.  
 Source: Processor.  
 Mode: Present in all modes.

---

**geolocation\_flags** in FRESKO/PRODUCT/SUPPORT\_DATA/GEOLOCATIONS

Description: Additional flags describing the ground pixel, including the influence of a solar eclipse, the possibility of sun glint, whether we are in the descending part of the orbit, whether we are on the night side of the orbit, whether the pixel crosses the dateline (useful for plotting), or if there was some geolocation error.

Dimensions: time, scanline, ground\_pixel.  
 Type: NC\_UBYTE.

---

Source:	Processor.		
Mode:	Present in all modes.		
Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>_FillValue</b>	255 (static)	NC_UBYTE
	<b>coordinates</b>	'/PRODUCT/longitude /PRODUCT/latitude' (static)	NC_STRING
	<b>flag_masks</b>	0, 1, 2, 4, 8, 16, 128 (static)	NC_UBYTE
	<b>flag_meanings</b>	'no_error solar_eclipse sun_glint_possible descending night geo_boundary_crossing geolocation_error' (static)	NC_STRING
	<b>flag_values</b>	0, 1, 2, 4, 8, 16, 128 (static)	NC_UBYTE
	<b>long_name</b>	'ground pixel quality flag' (static)	NC_STRING
	<b>max_val</b>	254 (static)	NC_UBYTE
	<b>min_val</b>	0 (static)	NC_UBYTE
	<b>units</b>	'1' (static)	NC_STRING

### 10.1.1.2 Group “DETAILED\_RESULTS” in “SUPPORT\_DATA”

These are optional variables to store extra output for the fluorescence algorithm. A flag will have to be set in the configuration to add these fields to the output, they are not part of the nominal output of the processors.

#### Variables in FRESCO/PRODUCT/SUPPORT\_DATA/DETAILED\_RESULTS

<b>chi_square</b> in FRESCO/PRODUCT/SUPPORT_DATA/DETAILED_RESULTS			
Description:	Chi square fit error parameter.		
Dimensions:	time, scanline, ground_pixel.		
Type:	NC_FLOAT.		
Source:	Processor.		
Mode:	Present in all modes.		
Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>units</b>	'1' (static)	NC_STRING
	<b>long_name</b>	'chi squared parameter' (static)	NC_STRING
	This is $\chi^2$ . This attribute originates from the CF standard.		
	<b>coordinates</b>	'/PRODUCT/longitude /PRODUCT/latitude' (static)	NC_STRING
<b>error_covariance_matrix_element</b> in FRESCO/PRODUCT/SUPPORT_DATA/DETAILED_RESULTS			
Description:	Covariance matrix element, for the cross correlation between cloud fraction and cloud pressure.		
Dimensions:	time, scanline, ground_pixel.		
Type:	NC_FLOAT.		
Source:	Processor.		
Mode:	Present in all modes.		
Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>units</b>	'1' (static)	NC_STRING
	<b>long_name</b>	'covariance of cloud pressure and cloud fraction' (static)	NC_STRING
	<b>coordinates</b>	'/PRODUCT/longitude /PRODUCT/latitude' (static)	NC_STRING
<b>number_of_iterations</b> in FRESCO/PRODUCT/SUPPORT_DATA/DETAILED_RESULTS			
Description:	The number of iterations needed to achieve convergence.		
Dimensions:	time, scanline, ground_pixel.		
Type:	NC_INT.		
Source:	Processor.		

Mode:	Present in all modes.		
Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>long_name</b>	'number of iterations' (static)	NC_STRING
	<b>units</b>	'1' (static)	NC_STRING
	<b>coordinates</b>	'/PRODUCT/longitude /PRODUCT/latitude' (static)	NC_STRING

**fluorescence** in FRESCO/PRODUCT/SUPPORT\_DATA/DETAILED\_RESULTS

Description: Fluorescence parameters.  
 Dimensions: time, scanline, ground\_pixel, fluorescence\_wavelengths.  
 Type: NC\_FLOAT.  
 Source: Processor.  
 Mode: Present in all modes.

Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>units</b>	'mol s-1 m-2 nm-1 sr-1' (static)	NC_STRING
	<b>long_name</b>	'surface_upwelling_shortwave_flux_in_air_due_to_fluorescence' (static)	NC_STRING
	<b>coordinates</b>	'/PRODUCT/longitude /PRODUCT/latitude' (static)	NC_STRING
	<b>multiplication_factor_to_convert_to_photons_persecond_pernm_percm2_persr</b>	6.022140857e+19 (static)	NC_FLOAT

The quantities in Sentinel 5 precursor files are given in SI units. The radiances for Sentinel 5 precursor are given in  $\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1} \text{sr}^{-1}$ . Traditionally the radiances are given in  $\text{photons s}^{-1} \text{cm}^{-2} \text{nm}^{-1} \text{sr}^{-1}$ , This attribute provides the multiplication factor to calculate the radiance in  $\text{photons s}^{-1} \text{cm}^{-2} \text{nm}^{-1} \text{sr}^{-1}$  from the value in  $\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1} \text{sr}^{-1}$ . This is provided as a convenience to users who have tools that work in  $\text{photons s}^{-1} \text{cm}^{-2} \text{nm}^{-1} \text{sr}^{-1}$ .

**fluorescence\_precision** in FRESCO/PRODUCT/SUPPORT\_DATA/DETAILED\_RESULTS

Description: Precision of the fluorescence retrieval.  
 Dimensions: time, scanline, ground\_pixel, fluorescence\_wavelengths.  
 Type: NC\_FLOAT.  
 Source: Processor.  
 Mode: Present in all modes.

Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>units</b>	'mol s-1 m-2 nm-1 sr-1' (static)	NC_STRING
	<b>long_name</b>	'surface_upwelling_shortwave_flux_in_air_due_to_fluorescence_standard_error' (static)	NC_STRING
	<b>coordinates</b>	'/PRODUCT/longitude /PRODUCT/latitude' (static)	NC_STRING
	<b>multiplication_factor_to_convert_to_photons_persecond_pernm_percm2_persr</b>	6.022140857e+19 (static)	NC_FLOAT

The quantities in Sentinel 5 precursor files are given in SI units. The radiances for Sentinel 5 precursor are given in  $\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1} \text{sr}^{-1}$ . Traditionally the radiances are given in  $\text{photons s}^{-1} \text{cm}^{-2} \text{nm}^{-1} \text{sr}^{-1}$ , This attribute provides the multiplication factor to calculate the radiance in  $\text{photons s}^{-1} \text{cm}^{-2} \text{nm}^{-1} \text{sr}^{-1}$  from the value in  $\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1} \text{sr}^{-1}$ . This is provided as a convenience to users who have tools that work in  $\text{photons s}^{-1} \text{cm}^{-2} \text{nm}^{-1} \text{sr}^{-1}$ .

**chi\_square\_fluorescence** in FRESCO/PRODUCT/SUPPORT\_DATA/DETAILED\_RESULTS

Description: Chi square fit error parameter for the fluorescence retrieval.

Dimensions:	time, scanline, ground_pixel.		
Type:	NC_FLOAT.		
Source:	Processor.		
Mode:	Present in all modes.		
Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>units</b>	'1' (static)	NC_STRING
	<b>long_name</b>	'chi squared parameter of fluorescence' (static)	NC_STRING
		This is $\chi^2$ for the fluorescence retrieval. This attribute originates from the CF standard.	
	<b>coordinates</b>	'/PRODUCT/longitude /PRODUCT/latitude' (static)	NC_STRING
<b>degrees_of_freedom_fluorescence</b> in FRESCO/PRODUCT/SUPPORT_DATA/DETAILED_RESULTS			
Description:	Degrees of freedom for signal for fluorescence		
Dimensions:	time, scanline, ground_pixel.		
Type:	NC_FLOAT.		
Source:	Processor.		
Mode:	Present in all modes.		
Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>units</b>	'1' (static)	NC_STRING
	<b>long_name</b>	'degrees of freedom for signal of fluorescence' (static)	NC_STRING
	<b>coordinates</b>	'/PRODUCT/longitude /PRODUCT/latitude' (static)	NC_STRING
<b>fluorescence_albedo</b> in FRESCO/PRODUCT/SUPPORT_DATA/DETAILED_RESULTS			
Description:	The surface albedo as retrieved in the fluorescence retrieval.		
Dimensions:	time, scanline, ground_pixel, albedo_wavelengths.		
Type:	NC_FLOAT.		
Source:	Processor.		
Mode:	Present in all modes.		
Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>units</b>	'1' (static)	NC_STRING
	<b>standard_name</b>	'surface_albedo' (static)	NC_STRING
	<b>long_name</b>	'albedo of the surface' (static)	NC_STRING
	<b>coordinates</b>	'/PRODUCT/longitude /PRODUCT/latitude' (static)	NC_STRING
<b>fluorescence_albedo_precision</b> in FRESCO/PRODUCT/SUPPORT_DATA/DETAILED_RESULTS			
Description:	The precision of the surface albedo as retrieved in the fluorescence retrieval.		
Dimensions:	time, scanline, ground_pixel, albedo_wavelengths.		
Type:	NC_FLOAT.		
Source:	Processor.		
Mode:	Present in all modes.		
Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>units</b>	'1' (static)	NC_STRING
	<b>standard_name</b>	'surface_albedo standard_error' (static)	NC_STRING
		A standard name for this parameter does not exist. This attribute originates from the CF standard.	
	<b>long_name</b>	'albedo precision' (static)	NC_STRING
	<b>coordinates</b>	'/PRODUCT/longitude /PRODUCT/latitude' (static)	NC_STRING
<b>processing_quality_flags</b> in FRESCO/PRODUCT/SUPPORT_DATA/DETAILED_RESULTS			

---

Description: Processing quality flag. This flag indicates processing errors or reasons for not processing a particular pixel (collectively 'errors', leading to a fill value in the output) and warnings that occurred while processing this pixel (warnings which may affect the quality of the retrieval result). A detailed description is provided in appendix A.

Dimensions: time, scanline, ground\_pixel.

Type: NC\_UINT.

Source: Processor.

Mode: Present in all modes.

---

Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>long_name</b>	'Processing quality flags' (static)	NC_STRING
	<b>comment</b>	'Flags indicating conditions that affect quality of the retrieval.' (static)	NC_STRING

---

---

<b>flag_meanings</b>	'success radiance_missing irradiance_missing input_spectrum_missing reflectance_range_error ler_range_error snr_range_error sza_range_error vza_range_error lut_range_error ozone_range_ error wavelength_offset_error initialization_error memory_error assertion_error io_error numer- ical_error lut_error ISRF_error convergence_error cloud_filter_convergence_error max_iteration_ convergence_error aot_lower_boundary_conver- gence_error other_boundary_convergence_error geolocation_error ch4_noscat_zero_error h2o_ noscat_zero_error max_optical_thickness_error aerosol_boundary_error boundary_hit_error chi2_ error svd_error dfs_error radiative_transfer_error optimal_estimation_error profile_error cloud_error model_error number_of_input_data_points_too_ low_error cloud_pressure_spread_too_low_error cloud_too_low_level_error generic_range_er- ror generic_exception input_spectrum_align- ment_error abort_error wrong_input_type_error wavelength_calibration_error coregistration_error slant_column_density_error airmass_factor_error vertical_column_density_error signal_to_noise_ ratio_error solar_eclipse_filter cloud_filter alti- tude_consistency_filter altitude_roughness_filter sun_glint_filter mixed_surface_type_filter snow_ ice_filter aai_filter cloud_fraction_fresco_filter aai_scene_albedo_filter small_pixel_radiance_ std_filter cloud_fraction_viirs_filter cirrus_re- flectance_viirs_filter cf_viirs_swir_ifov_filter cf_viirs_swir_ofova_filter cf_viirs_swir_ofovb_filter cf_viirs_swir_ofovc_filter cf_viirs_nir_ifov_filter cf_viirs_nir_ofova_filter cf_viirs_nir_ofovb_filter cf_viirs_nir_ofovc_filter refl_cirrus_viirs_swir_filter refl_cirrus_viirs_nir_filter diff_refl_cirrus_viirs_filter ch4_noscat_ratio_filter ch4_noscat_ratio_std_filter h2o_noscat_ratio_filter h2o_noscat_ratio_std_filter diff_psurf_fresco_ecmwf_filter psurf_fresco_ stdv_filter ocean_filter time_range_filter pixel_ or_scanline_index_filter geographic_region_filter input_spectrum_warning wavelength_calibration_ warning extrapolation_warning sun_glint_warning south_atlantic_anomaly_warning sun_glint_ correction snow_ice_warning cloud_warning AAI_warning pixel_level_input_data_missing data_range_warning low_cloud_fraction_warn- ing altitude_consistency_warning signal_to_ noise_ratio_warning deconvolution_warning so2_volcanic_origin_likely_warning so2_volcanic_ origin_certain_warning interpolation_warning' (static)	NC_STRING
----------------------	--	-----------

---



<b>wavelength_fit_-window_start</b>	0.0 (static)	NC_FLOAT
The start wavelength of the wavelength fit window.		
<b>wavelength_fit_-window_end</b>	0.0 (static)	NC_FLOAT
The end wavelength of the wavelength fit window.		
<b>coordinates</b>	'/PRODUCT/longitude /PRODUCT/latitude' (static)	NC_STRING
The latitude and longitude are in a different group. How to specify the related geospatial coordinates in this case is not specified in the climate and forecast metadata conventions [ER5].		
<b>ancillary_variables</b>	'wavelength_calibration_offset_precision' (static)	NC_STRING
<b>comment</b>	'true wavelength = nominal wavelength + wavelength offset + wavelength stretch * scaled wavelength' (static)	NC_STRING

**wavelength\_calibration\_offset\_precision** in FRESCO/PRODUCT/SUPPORT\_DATA/DETAILED\_RESULTS

Description: A posteriori precision of the fitted wavelength offset.  
 Dimensions: time, scanline, ground\_pixel.  
 Type: NC\_FLOAT.  
 Source: Processor.  
 Mode: Present in all modes.

Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>long_name</b>	'wavelength offset precision' (static)	NC_STRING
	<b>units</b>	'nm' (static)	NC_STRING
	<b>coordinates</b>	'/PRODUCT/longitude /PRODUCT/latitude' (static)	NC_STRING
The latitude and longitude are in a different group. How to specify the related geospatial coordinates in this case is not specified in the climate and forecast metadata conventions [ER5].			

**wavelength\_calibration\_stretch** in FRESCO/PRODUCT/SUPPORT\_DATA/DETAILED\_RESULTS

Description: Fitted wavelength stretch  $q$  from the wavelength calibration pre-fit in the Level 2 processor.

$$\lambda_{\text{true}} = \lambda_{\text{nominal}} + \delta\lambda + q\lambda^* \quad (2)$$

with  $\lambda^*$  a scaled wavelength to the range  $[-1, 1]$  over the full fit window. This is an optional fit parameter.

Dimensions: time, scanline, ground\_pixel.  
 Type: NC\_FLOAT.  
 Source: Processor.  
 Mode: Present in all modes.

Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>long_name</b>	'wavelength stretch' (static)	NC_STRING
	<b>units</b>	'1' (static)	NC_STRING
	<b>coordinates</b>	'/PRODUCT/longitude /PRODUCT/latitude' (static)	NC_STRING
The latitude and longitude are in a different group. How to specify the related geospatial coordinates in this case is not specified in the climate and forecast metadata conventions [ER5].			
	<b>ancillary_variables</b>	'wavelength_calibration_stretch_precision' (static)	NC_STRING

---

<b>comment</b>	'true wavelength = nominal wavelength + NC_STRING wavelength offset + wavelength stretch * scaled wavelength' (static)
----------------	--

---

**wavelength\_calibration\_stretch\_precision** in FRESCO/PRODUCT/SUPPORT\_DATA/DETAILED\_RESULTS

Description: A posteriori precision of the fitted wavelength stretch.  
 Dimensions: time, scanline, ground\_pixel.  
 Type: NC\_FLOAT.  
 Source: Processor.  
 Mode: Present in all modes.

---

Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>long_name</b>	'wavelength stretch precision' (static)	NC_STRING
	<b>units</b>	'1' (static)	NC_STRING
	<b>coordinates</b>	'/PRODUCT/longitude /PRODUCT/latitude' (static)	NC_STRING

The latitude and longitude are in a different group. How to specify the related geospatial coordinates in this case is not specified in the climate and forecast metadata conventions [ER5].

---

**wavelength\_calibration\_chi\_square** in FRESCO/PRODUCT/SUPPORT\_DATA/DETAILED\_RESULTS

Description: The  $\chi^2$  from the wavelength calibration pre-fit in the Level 2 processor.  
 Dimensions: time, scanline, ground\_pixel.  
 Type: NC\_FLOAT.  
 Source: Processor.  
 Mode: Present in all modes.

---

Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>long_name</b>	'wavelength calibration chi square' (static)	NC_STRING
	<b>units</b>	'1' (static)	NC_STRING
	<b>coordinates</b>	'/PRODUCT/longitude /PRODUCT/latitude' (static)	NC_STRING

The latitude and longitude are in a different group. How to specify the related geospatial coordinates in this case is not specified in the climate and forecast metadata conventions [ER5].

---

**wavelength\_calibration\_irradiance\_offset** in FRESCO/PRODUCT/SUPPORT\_DATA/DETAILED\_RESULTS

Description: Fitted wavelength offset from the irradiance wavelength calibration pre-fit in the Level 2 processor.

$$\lambda_{\text{true}} = \lambda_{\text{nominal}} + \delta\lambda \quad (3)$$

See [RD41] for details about the wavelength fit.

Dimensions: time, ground\_pixel.  
 Type: NC\_FLOAT.  
 Source: Processor.  
 Mode: Present in all modes.

---

Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>long_name</b>	'wavelength offset' (static)	NC_STRING
	<b>units</b>	'nm' (static)	NC_STRING
	<b>wavelength_fit_window_start</b>	0.0 (static)	NC_FLOAT

The start wavelength of the irradiance wavelength fit window.

---

	<b>wavelength_fit_window_end</b>	0.0 (static)	NC_FLOAT
--	----------------------------------	--------------	----------

The end wavelength of the irradiance wavelength fit window.

---

<b>ancillary_variables</b>	'wavelength_calibration_offset_precision' (static)	NC_STRING
<b>comment</b>	'true wavelength = nominal wavelength + wavelength offset + wavelength stretch * scaled wavelength' (static)	

**wavelength\_calibration\_irradiance\_offset\_precision** in FRESCO/PRODUCT/SUPPORT\_DATA/DETAILED\_RESULTS

Description: A posteriori precision of the fitted wavelength offset for the irradiance spectrum.

Dimensions: time, ground\_pixel.

Type: NC\_FLOAT.

Source: Processor.

Mode: Present in all modes.

Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>long_name</b>	'irradiance wavelength offset precision' (static)	NC_STRING
	<b>units</b>	'nm' (static)	NC_STRING

**wavelength\_calibration\_irradiance\_chi\_square** in FRESCO/PRODUCT/SUPPORT\_DATA/DETAILED\_RESULTS

Description: The  $\chi^2$  from the irradiance wavelength calibration pre-fit in the Level 2 processor.

Dimensions: time, ground\_pixel.

Type: NC\_FLOAT.

Source: Processor.

Mode: Present in all modes.

Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>long_name</b>	'wavelength calibration irradiance chi squared' (static)	NC_STRING
	<b>units</b>	'1' (static)	NC_STRING

**number\_of\_spectral\_points\_in\_retrieval\_fluorescence** in FRESCO/PRODUCT/SUPPORT\_DATA/DETAILED\_RESULTS

Description: The number of points in the spectrum that were used in the fluorescence retrieval.

Dimensions: time, scanline, ground\_pixel.

Type: NC\_USHORT.

Source: Processor.

Mode: Present in all modes.

Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>long_name</b>	'number of spectral points used in the fluorescence retrieval' (static)	NC_STRING
	<b>comment</b>	'Flags indicating conditions that affect quality of the retrieval' (static)	NC_STRING
	<b>coordinates</b>	'/PRODUCT/longitude /PRODUCT/latitude' (static)	NC_STRING
	The latitude and longitude are in a different group. How to specify the related geospatial coordinates in this case is not specified in the climate and forecast metadata conventions [ER5].		

10.1.1.3 Group "INPUT\_DATA" in "SUPPORT\_DATA"

Variables in FRESCO/PRODUCT/SUPPORT\_DATA/INPUT\_DATA

**surface\_altitude** in FRESCO/PRODUCT/SUPPORT\_DATA/INPUT\_DATA

**Description:** The mean of the sub-pixels of the surface altitude within the approximate field of view, based on the GMTED2010 surface elevation database. The surface altitude is referenced to the Earth Gravitational Model 1996 (EGM96) geoid. The WGS84 ellipsoid is the best fitting ellipsoid to the EGM96 geoid model, but the altitude presented here is the orthometric height not an ellipsoid height.

**Dimensions:** time, scanline, ground\_pixel.

**Type:** NC\_FLOAT.

**Source:** surface elevation database.

**Mode:** Present in all modes.

Attributes:	Name	Value	Type
	<b>long_name</b>	'surface altitude' (static)	NC_STRING
	<b>standard_name</b>	'surface_altitude' (static)	NC_STRING
	<b>units</b>	'm' (static)	NC_STRING
	<b>coordinates</b>	'/PRODUCT/longitude /PRODUCT/latitude' (static)	NC_STRING
	<b>source</b>	'http://topotools.cr.usgs.gov/gmted_viewer/' (static)	NC_STRING
	<b>comment</b>	'The mean of the sub-pixels of the surface altitude- within the approximate field of view, based on the GMTED2010 surface elevation database' (static)	NC_STRING

**surface\_altitude\_precision** in FRESCO/PRODUCT/SUPPORT\_DATA/INPUT\_DATA

**Description:** The standard deviation of sub-pixels used in calculating the mean surface altitude, based on the GMTED2010 surface elevation database. See the description of the `surface_altitude` variable for details.

**Dimensions:** time, scanline, ground\_pixel.

**Type:** NC\_FLOAT.

**Source:** surface elevation database.

**Mode:** Present in all modes.

Attributes:	Name	Value	Type
	<b>long_name</b>	'surface altitude precision' (static)	NC_STRING
	<b>standard_name</b>	'surface_altitude_standard_error' (static)	NC_STRING
	<b>units</b>	'm' (static)	NC_STRING
	<b>standard_error_- multiplier</b>	1.0 (static)	NC_FLOAT
	<b>coordinates</b>	'/PRODUCT/longitude /PRODUCT/latitude' (static)	NC_STRING
	<b>source</b>	'http://topotools.cr.usgs.gov/gmted_viewer/' (static)	NC_STRING
	<b>comment</b>	'The standard deviation of sub-pixels used in calculating the mean surface altitude, based on the GMTED2010 surface elevation database' (static)	NC_STRING

**surface\_classification** in FRESCO/PRODUCT/SUPPORT\_DATA/INPUT\_DATA

**Description:** This is a combined land/water mask and surface classification data field. For land the "Global Land Cover Characteristics Data Base Version 2.0" is used [ER8], specifically the "USGS Land Use/Land Cover System (Modified Level 2)" classification. Over water the classification from the NASA SDP toolkit [ER9], which is based on [RD42].

**Dimensions:** time, scanline, ground\_pixel.

**Type:** NC\_UBYTE.

**Source:** surface elevation database (including flag attributes).

**Mode:** Present in all modes.

Attributes:	Name	Value	Type
	<b>long_name</b>	'land-water mask' (static)	NC_STRING
	<b>comment</b>	'flag indicating land/water and further surface clas- sifications for the ground pixel' (static)	NC_STRING



**Description:** For an lcID (see the `instrument_configuration_identifier` above), it is possible to have multiple versions, identified by the instrument configuration version or lcVersion. The combination of lcID and lcVersion uniquely identifies the set of configuration settings of the instrument. At a given time, only one lcVersion of an lcID can be active within the instrument. The lcVersion allows to have multiple versions of a measurement with the same purpose, but with different settings. As a result of, for example, instrument degradation, it may be required to change the settings for a measurement. In that case, it is not necessary to create a new lcID, instead the same lcID can be using with a new lcVersion.

**Dimensions:** time, scanline.  
**Type:** NC\_SHORT.  
**Source:** L1B.  
**Mode:** Present in all modes.

Attributes:	Name	Value	Type
	<b>long_name</b>	'lcVersion' (static)	NC_STRING
	<b>comment</b>	'Version of the instrument_configuration_identifier' (static)	NC_STRING

**scaled\_small\_pixel\_variance** in FRESKO/PRODUCT/SUPPORT\_DATA/INPUT\_DATA

**Description:** The scaled variance of the small pixel values for each ground pixel.

$$\langle R(t, r, c) \rangle = \frac{1}{N_{\text{small pixels}}} \sum_{i=0}^{N_{\text{small pixels}}-1} R(t, r, c, i) \quad (4)$$

$$V(t, r, c) = \frac{1}{N_{\text{small pixels}}} \sum_{i=0}^{N_{\text{small pixels}}-1} (R(t, r, c, i) - \langle R(t, r, c) \rangle)^2 \quad (5)$$

$$V_{\text{scaled}}(t, r, c) = \frac{V(t, r, c)}{\langle R(t, r, c) \rangle^2} \quad (6)$$

with  $\langle R(t, r, c) \rangle$  the mean reflectance for small pixels of ground pixel  $(t, r, c)$ ,  $V(t, r, c)$  the variance of the small pixels,  $V_{\text{scaled}}(t, r, c)$  the scaled small pixel variance, and  $R(t, r, c, i)$  with  $i = [0, \dots, N_{\text{small pixels}} - 1]$  the small pixel reflectance of ground pixel  $(t, r, c)$ . The reflectance  $R$  is calculated as  $R = (\pi I) / (\mu_0 E_0)$ , with  $I$  the radiance,  $E_0$  the irradiance and  $\mu_0 = \cos(\vartheta_0)$ , where  $\vartheta_0$  is the solar zenith angle.

**Dimensions:** time, scanline, ground\_pixel.  
**Type:** NC\_FLOAT.  
**Source:** Processor.  
**Mode:** Present in all modes.

Attributes:	Name	Value	Type
	<b>long_name</b>	'scaled small pixel variance' (static)	NC_STRING
	<b>units</b>	'1' (static)	NC_STRING
	<b>coordinates</b>	'/PRODUCT/longitude /PRODUCT/latitude' (static)	NC_STRING
	The latitude and longitude are in a different group. How to specify the related geospatial coordinates in this case is not specified in the climate and forecast metadata conventions [ER5].		
	<b>comment</b>	'The scaled variance of the reflectances of the small pixels' (static)	NC_STRING
	<b>radiation_wavelength</b>		NC_FLOAT
	The approximate wavelength of the small pixel column in nm. Note that due to the spectral smile this wavelength will depend on the ground_pixel index.		

**surface\_albedo\_assumed** in FRESKO/PRODUCT/SUPPORT\_DATA/INPUT\_DATA

**Description:** The surface albedo used in the cloud retrieval after correcting for snow or ice at the surface. The retrieval uses the surface albedo at both sides of the oxygen A-band and interpolates linearly between them. Because the wavelength used by FRESCO are at around 758, 760 and 765 nm, we only report the value at 758 nm here.

**Dimensions:** time, scanline, ground\_pixel.

**Type:** NC\_FLOAT.

**Source:** Processor.

**Mode:** Present in all modes.

Attributes:	Name	Value	Type
	<b>units</b>	'1' (static)	NC_STRING
	<b>standard_name</b>	'surface_albedo' (static)	NC_STRING
	<b>long_name</b>	'assumed surface albedo at 758 nm' (static)	NC_STRING
	<b>radiation_-wavelength</b>	758 (static)	NC_FLOAT
		The wavelength at which the surface albedo is given.	
	<b>coordinates</b>	'/PRODUCT/longitude /PRODUCT/latitude' (static)	NC_STRING

**snow\_ice\_flag** in FRESCO/PRODUCT/SUPPORT\_DATA/INPUT\_DATA

**Description:** This is a snow/ice classification data field.

**Dimensions:** time, scanline, ground\_pixel.

**Type:** NC\_UBYTE.

**Source:** Processor.

**Mode:** Present in all modes.

Attributes:	Name	Value	Type
	<b>long_name</b>	'snow-ice mask' (static)	NC_STRING
	<b>_FillValue</b>	254 (static)	NC_UBYTE
	<b>comment</b>	'flag indicating snow/ice at center of ground pixel' (static)	NC_STRING
	<b>source</b>		NC_STRING
		Possible values: NSIDC/NISE, ECMWF	

<b>flag_meanings</b>	'snow-free_land sea_ice_1_percent sea_ice_2_percent sea_ice_3_percent sea_ice_4_percent sea_ice_5_percent sea_ice_6_percent sea_ice_7_percent sea_ice_8_percent sea_ice_9_percent sea_ice_10_percent sea_ice_11_percent sea_ice_12_percent sea_ice_13_percent sea_ice_14_percent sea_ice_15_percent sea_ice_16_percent sea_ice_17_percent sea_ice_18_percent sea_ice_19_percent sea_ice_20_percent sea_ice_21_percent sea_ice_22_percent sea_ice_23_percent sea_ice_24_percent sea_ice_25_percent sea_ice_26_percent sea_ice_27_percent sea_ice_28_percent sea_ice_29_percent sea_ice_30_percent sea_ice_31_percent sea_ice_32_percent sea_ice_33_percent sea_ice_34_percent sea_ice_35_percent sea_ice_36_percent sea_ice_37_percent sea_ice_38_percent sea_ice_39_percent sea_ice_40_percent sea_ice_41_percent sea_ice_42_percent sea_ice_43_percent sea_ice_44_percent sea_ice_45_percent sea_ice_46_percent sea_ice_47_percent sea_ice_48_percent sea_ice_49_percent sea_ice_50_percent sea_ice_51_percent sea_ice_52_percent sea_ice_53_percent sea_ice_54_percent sea_ice_55_percent sea_ice_56_percent sea_ice_57_percent sea_ice_58_percent sea_ice_59_percent sea_ice_60_percent sea_ice_61_percent sea_ice_62_percent sea_ice_63_percent sea_ice_64_percent sea_ice_65_percent sea_ice_66_percent sea_ice_67_percent sea_ice_68_percent sea_ice_69_percent sea_ice_70_percent sea_ice_71_percent sea_ice_72_percent sea_ice_73_percent sea_ice_74_percent sea_ice_75_percent sea_ice_76_percent sea_ice_77_percent sea_ice_78_percent sea_ice_79_percent sea_ice_80_percent sea_ice_81_percent sea_ice_82_percent sea_ice_83_percent sea_ice_84_percent sea_ice_85_percent sea_ice_86_percent sea_ice_87_percent sea_ice_88_percent sea_ice_89_percent sea_ice_90_percent sea_ice_91_percent sea_ice_92_percent sea_ice_93_percent sea_ice_94_percent sea_ice_95_percent sea_ice_96_percent sea_ice_97_percent sea_ice_98_percent sea_ice_99_percent sea_ice_100_percent permanent_ice snow mixed_pixels_at_coastlines suspect_ice_value corners ocean' (static)	NC_STRING
<b>flag_values</b>	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 103, 252, 253, 254, 255 (static)	NC_UBYTE
<b>coordinates</b>	'/PRODUCT/longitude /PRODUCT/latitude' (static)	NC_STRING

## 10.2 Group “METADATA” in “FRESCO”

This is a group to collect metadata items, such as the items that also appear in the header file and items required by Inspire [ER4]. Most metadata will be stored as attributes. Grouping attributes that belong to a specific standard is done by using sub-groups in the Metadata group. Included in this group are the granule description, algorithm settings and quality assurance parameters. Note that some metadata attributes are required to be attached to the global level by convention, such as the CF-Metadata convention [ER5] and the NetCDF user guide [ER7].

### 10.2.1 Group “QA\_STATISTICS” in “METADATA”

Quality assurance statistics are gathered in variables located in this group. These can include histograms of the main parameters and event occurrence statistics. The contents of this group is under discussion. Note that the QA statistics may be stored as scalar variables rather than attributes. The former allow attributes to be attached to them, providing a more meaningful description than just the name.

#### Attributes in FRESCO/METADATA/QA\_STATISTICS

Group attributes attached to QA_STATISTICS		
Name	Value	Type
<b>number_of_groundpixels</b>		NC_INT
Number of ground pixels in the file.		
<b>number_of_processed_pixels</b>		NC_INT
Number of ground pixels where a retrieval was attempted. This is the <code>number_of_groundpixels</code> minus the pixels that were rejected based on time or configuration (range and step-size in scanline or ground_pixel index).		
<b>number_of_successfully_processed_pixels</b>		NC_INT
Number of ground pixels where a retrieval was successful.		
<b>number_of_rejected_pixels_not_enough_spectrum</b>		NC_INT
Number of pixels where processing was not attempted because after filtering for bad and missing pixels there were not enough spectral pixels left in either the radiance, irradiance or after calculating the reflectance.		
<b>number_of_failed_retrievals</b>		NC_INT
Number of pixels where processing failed for whatever reason.		
<b>number_of_ground_pixels_with_warnings</b>		NC_INT
Number of pixels with one or more warnings.		
<b>number_of_radiance_missing_occurrences</b>		NC_INT
Number of ground pixels where processing error “the number of spectral pixels in the radiance due to flagging is too small to perform the fitting” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “1”.		
<b>number_of_irradiance_missing_occurrences</b>		NC_INT
Number of ground pixels where processing error “the number of spectral pixels in the irradiance due to flagging is too small to perform the fitting” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “2”.		
<b>number_of_input_spectrum_missing_occurrences</b>		NC_INT
Number of ground pixels where processing error “the reflectance spectrum does not contain enough points to perform the retrieval. This is different from (ir)radiance_missing in that the missing points may not be aligned” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “3”.		
<b>number_of_reflectance_range_error_occurrences</b>		NC_INT
Number of ground pixels where processing error “any of the reflectances is out of bounds ( $R < 0$ or $R > R_{max}$ )” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “4”.		
<b>number_of_ler_range_error_occurrences</b>		NC_INT
Number of ground pixels where processing error “lambert-equivalent reflectivity out of range error” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “5”.		

---

<b>number_of_snr_range_error_occurrences</b>	NC_INT
Number of ground pixels where processing error “too low signal to noise to perform retrieval” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “6”.	
<b>number_of_sza_range_error_occurrences</b>	NC_INT
Number of ground pixels where processing error “solar zenith angle out of range, maximum value from configuration” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “7”.	
<b>number_of_vza_range_error_occurrences</b>	NC_INT
Number of ground pixels where processing error “viewing zenith angle out of range, maximum value from configuration” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “8”.	
<b>number_of_lut_range_error_occurrences</b>	NC_INT
Number of ground pixels where processing error “extrapolation in lookup table (airmass factor, cloud radiances)” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “9”.	
<b>number_of_ozone_range_error_occurrences</b>	NC_INT
Number of ground pixels where processing error “ozone column significantly out of range of profile climatology” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “10”.	
<b>number_of_wavelength_offset_error_occurrences</b>	NC_INT
Number of ground pixels where processing error “wavelength offset exceeds maximum from configuration” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “11”.	
<b>number_of_initialization_error_occurrences</b>	NC_INT
Number of ground pixels where processing error “an error occurred during the processing of the pixel, no output was generated. The following errors raise this flag: Mismatch between irradiance and radiance wavelengths; The on-ground distance between band 1 and band 2 ground pixels exceeds a threshold set in the configuration. Derived a-priori information does not validate, no processing is possible” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “12”.	
<b>number_of_memory_error_occurrences</b>	NC_INT
Number of ground pixels where processing error “memory allocation or deallocation error” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “13”.	
<b>number_of_assertion_error_occurrences</b>	NC_INT
Number of ground pixels where processing error “error in algorithm detected during assertion” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “14”.	
<b>number_of_io_error_occurrences</b>	NC_INT
Number of ground pixels where processing error “error detected during transfer of data between algorithm and framework” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “15”.	
<b>number_of_numerical_error_occurrences</b>	NC_INT
Number of ground pixels where processing error “general fatal numerical error occurred during inversion” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “16”.	
<b>number_of_lut_error_occurrences</b>	NC_INT
Number of ground pixels where processing error “error in accessing the lookup table” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “17”.	
<b>number_of_ISRF_error_occurrences</b>	NC_INT
Number of ground pixels where processing error “error detected in the input instrument spectral response function input data” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “18”.	
<b>number_of_convergence_error_occurrences</b>	NC_INT
Number of ground pixels where processing error “the main algorithm did not converge” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “19”.	
<b>number_of_cloud_filter_convergence_error_occurrences</b>	NC_INT

---

Number of ground pixels where processing error “the cloud filter did not converge” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “20”.

---

**number\_of\_max\_iteration\_convergence\_error\_occurrences** NC\_INT

Number of ground pixels where processing error “no convergence because retrieval exceeds maximum number of iterations. Maximum value from configuration” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “21”.

---

**number\_of\_aot\_lower\_boundary\_convergence\_error\_occurrences** NC\_INT

Number of ground pixels where processing error “no convergence because the aerosol optical thickness crosses lower boundary twice in succession” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “22”.

---

**number\_of\_other\_boundary\_convergence\_error\_occurrences** NC\_INT

Number of ground pixels where processing error “no convergence because a state vector element crosses boundary twice in succession. Note that a separate failure flag is defined for non-convergence due to crossing of lower AOT boundary” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “23”.

---

**number\_of\_geolocation\_error\_occurrences** NC\_INT

Number of ground pixels where processing error “geolocation out of range” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “24”.

---

**number\_of\_ch4\_noscat\_zero\_error\_occurrences** NC\_INT

Number of ground pixels where processing error “the CH<sub>4</sub> column retrieved by the non-scattering CO algorithm from the weak band or strong band is 0” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “25”.

---

**number\_of\_h2o\_noscat\_zero\_error\_occurrences** NC\_INT

Number of ground pixels where processing error “the H<sub>2</sub>O column retrieved by the non-scattering CO algorithm from the weak band or strong band is 0” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “26”.

---

**number\_of\_max\_optical\_thickness\_error\_occurrences** NC\_INT

Number of ground pixels where processing error “maximum optical thickness exceeded during iterations” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “27”.

---

**number\_of\_aerosol\_boundary\_error\_occurrences** NC\_INT

Number of ground pixels where processing error “boundary hit of aerosol parameters at last iteration” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “28”.

---

**number\_of\_boundary\_hit\_error\_occurrences** NC\_INT

Number of ground pixels where processing error “fatal boundary hit during iterations” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “29”.

---

**number\_of\_chi2\_error\_occurrences** NC\_INT

Number of ground pixels where processing error “ $\chi^2$  is not-a-number or larger than 10<sup>10</sup>” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “30”.

---

**number\_of\_svd\_error\_occurrences** NC\_INT

Number of ground pixels where processing error “singular value decomposition failure” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “31”.

---

**number\_of\_dfs\_error\_occurrences** NC\_INT

Number of ground pixels where processing error “degree of freedom is not-a-number” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “32”.

---

**number\_of\_radiative\_transfer\_error\_occurrences** NC\_INT

Number of ground pixels where processing error “errors occurred during the radiative transfer computations, no processing possible” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “33”.

---

**number\_of\_optimal\_estimation\_error\_occurrences** NC\_INT

---

Number of ground pixels where processing error “errors occurred during the optimal estimation, processing has been terminated” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “34”.

---

**number\_of\_profile\_error\_occurrences** NC\_INT

Number of ground pixels where processing error “flag that indicates if there were any errors during the computation of the ozone profile” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “35”.

---

**number\_of\_cloud\_error\_occurrences** NC\_INT

Number of ground pixels where processing error “no cloud data” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “36”.

---

**number\_of\_model\_error\_occurrences** NC\_INT

Number of ground pixels where processing error “forward model failure” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “37”.

---

**number\_of\_number\_of\_input\_data\_points\_too\_low\_error\_occurrences** NC\_INT

Number of ground pixels where processing error “not enough input ozone columns to calculate a tropospheric column” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “38”.

---

**number\_of\_cloud\_pressure\_spread\_too\_low\_error\_occurrences** NC\_INT

Number of ground pixels where processing error “cloud pressure variability too low to estimate a tropospheric column” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “39”.

---

**number\_of\_cloud\_too\_low\_level\_error\_occurrences** NC\_INT

Number of ground pixels where processing error “clouds are too low in the atmosphere to assume sufficient shielding” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “40”.

---

**number\_of\_generic\_range\_error\_occurrences** NC\_INT

Number of ground pixels where processing error “generic range error” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “41”.

---

**number\_of\_generic\_exception\_occurrences** NC\_INT

Number of ground pixels where processing error “catch all generic error” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “42”.

---

**number\_of\_input\_spectrum\_alignment\_error\_occurrences** NC\_INT

Number of ground pixels where processing error “input radiance and irradiance spectra are not aligned correctly” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “43”.

---

**number\_of\_abort\_error\_occurrences** NC\_INT

Number of ground pixels where processing error “not processed because processor aborted prematurely (time out or user abort)” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “44”.

---

**number\_of\_wrong\_input\_type\_error\_occurrences** NC\_INT

Number of ground pixels where processing error “wrong input type error, mismatch between expectation and received data” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “45”.

---

**number\_of\_wavelength\_calibration\_error\_occurrences** NC\_INT

Number of ground pixels where processing error “an error occurred in the wavelength calibration of this pixel” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “46”.

---

**number\_of\_coregistration\_error\_occurrences** NC\_INT

Number of ground pixels where processing error “no colocated pixels found in a supporting band” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “47”.

---

**number\_of\_slant\_column\_density\_error\_occurrences** NC\_INT

Number of ground pixels where processing error “slant column fit returned error, no values can be computed” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “48”.

---

**number\_of\_airsass\_factor\_error\_occurrences** NC\_INT

---

Number of ground pixels where processing error “airmass factor could not be compute” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “49”.

**number\_of\_vertical\_column\_density\_error\_occurrences** NC\_INT

Number of ground pixels where processing error “vertical column density could not be compute” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “50”.

**number\_of\_signal\_to\_noise\_ratio\_error\_occurrences** NC\_INT

Number of ground pixels where processing error “the signal to noise ratio for this spectrum is too low for processin” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “51”.

**number\_of\_solar\_eclipse\_filter\_occurrences** NC\_INT

Number of ground pixels where input filter “solar eclipse” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “64”.

**number\_of\_cloud\_filter\_occurrences** NC\_INT

Number of ground pixels where input filter “the cloud filter triggered causing the pixel to be skipped” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “65”.

**number\_of\_altitude\_consistency\_filter\_occurrences** NC\_INT

Number of ground pixels where input filter “too large difference between ECMWF altitude and DEM altitude value” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “66”.

**number\_of\_altitude\_roughness\_filter\_occurrences** NC\_INT

Number of ground pixels where input filter “too large standard deviation of altitude in DEM” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “67”.

**number\_of\_sun\_glint\_filter\_occurrences** NC\_INT

Number of ground pixels where input filter “for pixels over water, viewing direction inside sun glint region. Definition of sun glint angle and threshold value from ATBD” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “68”.

**number\_of\_mixed\_surface\_type\_filter\_occurrences** NC\_INT

Number of ground pixels where input filter “pixel contains land and water areas (e.g. coastal pixel)” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “69”.

**number\_of\_snow\_ice\_filter\_occurrences** NC\_INT

Number of ground pixels where input filter “pixel contains snow/ice: Snow/ice flag according to dynamic input OR climatological surface albedo at VIS wavelength is larger than 0.5” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “70”.

**number\_of\_aai\_filter\_occurrences** NC\_INT

Number of ground pixels where input filter “aAI smaller than 2.0” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “71”.

**number\_of\_cloud\_fraction\_fresco\_filter\_occurrences** NC\_INT

Number of ground pixels where input filter “pixel contains clouds: The FRESCO effective cloud fraction is larger than threshold. Threshold value from ATBD” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “72”.

**number\_of\_aai\_scene\_albedo\_filter\_occurrences** NC\_INT

Number of ground pixels where input filter “pixel contains clouds: The difference between scene albedo at 380 nm from AAI calculation and the climatological surface albedo exceeds threshold. Threshold value from ATBD. This test filters out clouds” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “73”.

**number\_of\_small\_pixel\_radiance\_std\_filter\_occurrences** NC\_INT

Number of ground pixels where input filter “pixel contains clouds: Standard deviation of radiances in small-pixel column exceeds threshold. Threshold value from ATBD” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “74”.

**number\_of\_cloud\_fraction\_viirs\_filter\_occurrences** NC\_INT

Number of ground pixels where input filter “pixel contains clouds: The cloud fraction from VIIRS / NPP exceeds the threshold. Threshold value from ATBD” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “75”.

<b>number_of_cirrus_reflectance_viirs_filter_occurrences</b>	NC_INT
Number of ground pixels where input filter “pixel contains clouds: Cirrus reflectance from VIIRS / NPP exceeds threshold. Threshold value from ATBD” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “76”.	
<b>number_of_cf_viirs_swir_ifov_filter_occurrences</b>	NC_INT
Number of ground pixels where input filter “fraction of cloudy VIIRS pixels within S5P SWIR ground pixel exceeds a priori threshold from configuration” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “77”.	
<b>number_of_cf_viirs_swir_ofova_filter_occurrences</b>	NC_INT
Number of ground pixels where input filter “fraction of cloudy VIIRS pixels within S5P SWIR OFOVa exceeds a priori threshold from configuration” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “78”.	
<b>number_of_cf_viirs_swir_ofovb_filter_occurrences</b>	NC_INT
Number of ground pixels where input filter “fraction of cloudy VIIRS pixels within S5P SWIR OFOVb exceeds a priori threshold from configuration” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “79”.	
<b>number_of_cf_viirs_swir_ofovc_filter_occurrences</b>	NC_INT
Number of ground pixels where input filter “fraction of cloudy VIIRS pixels within S5P SWIR OFOVc exceeds a priori threshold from configuration” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “80”.	
<b>number_of_cf_viirs_nir_ifov_filter_occurrences</b>	NC_INT
Number of ground pixels where input filter “fraction of cloudy VIIRS pixels within S5P NIR ground pixel exceeds a priori threshold from configuration” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “81”.	
<b>number_of_cf_viirs_nir_ofova_filter_occurrences</b>	NC_INT
Number of ground pixels where input filter “fraction of cloudy VIIRS pixels within S5P NIR OFOVa exceeds a priori threshold from configuration” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “82”.	
<b>number_of_cf_viirs_nir_ofovb_filter_occurrences</b>	NC_INT
Number of ground pixels where input filter “fraction of cloudy VIIRS pixels within S5P NIR OFOVb exceeds a priori threshold from configuration” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “83”.	
<b>number_of_cf_viirs_nir_ofovc_filter_occurrences</b>	NC_INT
Number of ground pixels where input filter “fraction of cloudy VIIRS pixels within S5P NIR OFOVc exceeds a priori threshold from configuration” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “84”.	
<b>number_of_refl_cirrus_viirs_swir_filter_occurrences</b>	NC_INT
Number of ground pixels where input filter “average VIIRS cirrus reflectance within SWIR ground pixel exceeds a priori threshold from configuration” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “85”.	
<b>number_of_refl_cirrus_viirs_nir_filter_occurrences</b>	NC_INT
Number of ground pixels where input filter “average VIIRS cirrus reflectance within NIR ground pixel exceeds a priori threshold from configuration” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “86”.	
<b>number_of_diff_refl_cirrus_viirs_filter_occurrences</b>	NC_INT
Number of ground pixels where input filter “difference in VIIRS average cirrus reflectance between SWIR and NIR ground pixel exceeds a priori threshold from configuration” occurred, i.e. where the lower 8 bits of the <code>processing_quality_flags</code> have the value “87”.	
<b>number_of_ch4_noscat_ratio_filter_occurrences</b>	NC_INT

Number of ground pixels where input filter “the ratio between  $[CH_4]_{weak}$  and  $[CH_4]_{strong}$  is below or exceeds a priori thresholds from configuration” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “88”.

**number\_of\_ch4\_noscat\_ratio\_std\_filter\_occurrences** NC\_INT

Number of ground pixels where input filter “the standard deviation of  $[CH_4]_{weak}/[CH_4]_{strong}$  within the SWIR pixel and the 8 neighbouring pixels exceeds a priori threshold from configuration” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “89”.

**number\_of\_h2o\_noscat\_ratio\_filter\_occurrences** NC\_INT

Number of ground pixels where input filter “the ratio between  $[H_2O]_{weak}$  and  $[H_2O]_{strong}$  is below or exceeds a priori thresholds from configuration” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “90”.

**number\_of\_h2o\_noscat\_ratio\_std\_filter\_occurrences** NC\_INT

Number of ground pixels where input filter “the standard deviation of  $[H_2O]_{weak}/[H_2O]_{strong}$  within the SWIR pixel and the 8 neighbouring pixels exceeds a priori threshold from configuration” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “91”.

**number\_of\_diff\_psurf\_fresco\_ecmwf\_filter\_occurrences** NC\_INT

Number of ground pixels where input filter “difference between the FRESCO apparent surface pressure and the ECMWF surface pressure exceeds a priori threshold from configuration” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “92”.

**number\_of\_psurf\_fresco\_stdv\_filter\_occurrences** NC\_INT

Number of ground pixels where input filter “the standard deviation of the FRESCO apparent surface pressure in the NIR pixel and the 8 surrounding pixels exceeds a priori threshold from configuration” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “93”.

**number\_of\_ocean\_filter\_occurrences** NC\_INT

Number of ground pixels where input filter “the ground pixel is over ocean (and ocean glint retrievals are not switched on)” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “94”.

**number\_of\_time\_range\_filter\_occurrences** NC\_INT

Number of ground pixels where input filter “time is out of the range that is to be processed” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “95”.

**number\_of\_pixel\_or\_scanline\_index\_filter\_occurrences** NC\_INT

Number of ground pixels where input filter “not processed because pixel index does not match general selection criteria” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “96”.

**number\_of\_geographic\_region\_filter\_occurrences** NC\_INT

Number of ground pixels where input filter “pixel falls outside the specified regions of interest” occurred, i.e. where the lower 8 bits of the `processing_quality_flags` have the value “97”.

**number\_of\_input\_spectrum\_warning\_occurrences** NC\_INT

Number of ground pixels where processing warning “number of good pixels in radiance, irradiance or calculated reflectance below threshold from configuration” occurred, i.e. where bit 8 in the `processing_quality_flags` is set to “1”.

**number\_of\_wavelength\_calibration\_warning\_occurrences** NC\_INT

Number of ground pixels where processing warning “offset from wavelength fit is larger than limit set in configuration” occurred, i.e. where bit 9 in the `processing_quality_flags` is set to “1”.

**number\_of\_extrapolation\_warning\_occurrences** NC\_INT

Number of ground pixels where processing warning “pressure or temperature outside cross section LUT range, other lookup table extrapolation” occurred, i.e. where bit 10 in the `processing_quality_flags` is set to “1”.

**number\_of\_sun\_glint\_warning\_occurrences** NC\_INT

Number of ground pixels where processing warning “sun glint possibility warning” occurred, i.e. where bit 11 in the `processing_quality_flags` is set to “1”.

**number\_of\_south\_atlantic\_anomaly\_warning\_occurrences** NC\_INT

Number of ground pixels where processing warning “tROPOMI is inside the south Atlantic anomaly while taking these measurements” occurred, i.e. where bit 12 in the <code>processing_quality_flags</code> is set to “1”.		
<b>number_of_sun_glint_correction_occurrences</b>		NC_INT
Number of ground pixels where processing warning “a sun glint correction has been applied” occurred, i.e. where bit 13 in the <code>processing_quality_flags</code> is set to “1”.		
<b>number_of_snow_ice_warning_occurrences</b>		NC_INT
Number of ground pixels where processing warning “snow/ice flag is set, i.e. using scene data from the cloud support product” occurred, i.e. where bit 14 in the <code>processing_quality_flags</code> is set to “1”.		
<b>number_of_cloud_warning_occurrences</b>		NC_INT
Number of ground pixels where processing warning “cloud filter based on FRESCO apparent surface pressure (VIIRS not available), cloud fraction above threshold or cloud pressure adjusted to force cloud above surface” occurred, i.e. where bit 15 in the <code>processing_quality_flags</code> is set to “1”.		
<b>number_of_AAI_warning_occurrences</b>		NC_INT
Number of ground pixels where processing warning “possible aerosol contamination as indicated by the AAI” occurred, i.e. where bit 16 in the <code>processing_quality_flags</code> is set to “1”.		
<b>number_of_pixel_level_input_data_missing_occurrences</b>		NC_INT
Number of ground pixels where processing warning “dynamic auxiliary input data (e.g.. cloud) is missing for this ground pixel. A fallback option is used” occurred, i.e. where bit 17 in the <code>processing_quality_flags</code> is set to “1”.		
<b>number_of_data_range_warning_occurrences</b>		NC_INT
Number of ground pixels where processing warning “carbon monoxide column tends to negative values; Water column tends to negative values; Heavy water (HDO) column tends to negative values; others” occurred, i.e. where bit 18 in the <code>processing_quality_flags</code> is set to “1”.		
<b>number_of_low_cloud_fraction_warning_occurrences</b>		NC_INT
Number of ground pixels where processing warning “low cloud fraction, therefore no cloud pressure retrieved” occurred, i.e. where bit 19 in the <code>processing_quality_flags</code> is set to “1”.		
<b>number_of_altitude_consistency_warning_occurrences</b>		NC_INT
Number of ground pixels where processing warning “difference between ECMWF surface elevation and high-resolution surface elevation exceeds threshold from configuration” occurred, i.e. where bit 20 in the <code>processing_quality_flags</code> is set to “1”.		
<b>number_of_signal_to_noise_ratio_warning_occurrences</b>		NC_INT
Number of ground pixels where processing warning “signal to noise ratio in SWIR and/or NIR band below threshold from configuration” occurred, i.e. where bit 21 in the <code>processing_quality_flags</code> is set to “1”.		
<b>number_of_deconvolution_warning_occurrences</b>		NC_INT
Number of ground pixels where processing warning “failed deconvolution irradiance spectrum (not pixel-specific, but row-specific)” occurred, i.e. where bit 22 in the <code>processing_quality_flags</code> is set to “1”.		
<b>number_of_so2_volcanic_origin_likely_warning_occurrences</b>		NC_INT
Number of ground pixels where processing warning “warning for SO <sub>2</sub> BL product, UTLS products: volcanic origin except for heavily polluted sites” occurred, i.e. where bit 23 in the <code>processing_quality_flags</code> is set to “1”.		
<b>number_of_so2_volcanic_origin_certain_warning_occurrences</b>		NC_INT
Number of ground pixels where processing warning “warning for SO <sub>2</sub> BL product, UTLS products: volcanic origin certain” occurred, i.e. where bit 24 in the <code>processing_quality_flags</code> is set to “1”.		
<b>number_of_interpolation_warning_occurrences</b>		NC_INT
Number of ground pixels where processing warning “warning for interpolation on partially missing data. In this case the valid available data is used, potentially leading to a bias” occurred, i.e. where bit 25 in the <code>processing_quality_flags</code> is set to “1”.		
<b>global_processing_warnings</b>	‘None’ (static)	NC_STRING

All warning messages, separated by newlines, with duplicates removed.

<b>time_for_algorithm_initialization</b>	-1.0 (static)	NC_DOUBLE
Time in seconds needed for initialization.		
<b>time_for_processing</b>	-1.0 (static)	NC_DOUBLE
Time in seconds needed for processing.		
<b>time_per_pixel</b>	-1.0 (static)	NC_DOUBLE
Time per pixel in seconds needed for processing.		
<b>time_standard_deviation_per_pixel</b>	-1.0 (static)	NC_DOUBLE
Standard deviation of the time per pixel in seconds needed for processing.		

### Dimensions in FRESCO/METADATA/QA\_STATISTICS

**vertices** For the histogram boundaries.

- size** 2 (fixed)
- mode** Present in all modes.

**cloud\_pressure\_crb\_histogram\_axis** Histogram axis for the cloud pressure.

- size** 100 (fixed)
- mode** Present in all modes.

**cloud\_pressure\_crb\_pdf\_axis** Probability density function axis for the cloud pressure.

- size** 400 (fixed)
- mode** Present in all modes.

**cloud\_fraction\_crb\_histogram\_axis** Histogram axis for the cloud fraction.

- size** 100 (fixed)
- mode** Present in all modes.

**cloud\_fraction\_crb\_pdf\_axis** Probability density function axis for the cloud fraction.

- size** 400 (fixed)
- mode** Present in all modes.

**fluorescence\_histogram\_axis** Histogram axis for the cloud pressure.

- size** 100 (fixed)
- mode** Present in all modes.

**fluorescence\_pdf\_axis** Probability density function axis for the cloud pressure.

- size** 400 (fixed)
- mode** Present in all modes.

### Variables in FRESCO/METADATA/QA\_STATISTICS

<b>cloud_fraction_crb_histogram_axis</b> in FRESCO/METADATA/QA_STATISTICS			
Description:	Horizontal axis for the histograms of the cloud fraction.		
Dimensions:	cloud_fraction_crb_histogram_axis (coordinate variable).		
Type:	NC_FLOAT.		
Source:	Processor.		
Mode:	Present in all modes.		
Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>units</b>	'1' (dynamic)	NC_STRING
	Same unit as the main parameter. This attribute originates from the CF standard.		
	<b>comment</b>	'Histogram of the cloud fraction' (static)	NC_STRING

<b>long_name</b>	'Histogram of the cloud fraction' (static)	NC_STRING
<b>bounds</b>	'cloud_fraction_crb_histogram_bounds' (static)	NC_STRING

**cloud\_fraction\_crb\_pdf\_axis** in FRESCO/METADATA/QA\_STATISTICS

Description: Horizontal axis for the probability distribution functions of the cloud fraction.

Dimensions: cloud\_fraction\_crb\_pdf\_axis (coordinate variable).

Type: NC\_FLOAT.

Source: Processor.

Mode: Present in all modes.

Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>units</b>	'1' (dynamic)	NC_STRING
	Same unit as the main parameter. This attribute originates from the CF standard.		
	<b>comment</b>	'Probability density function of cloud fraction' (static)	NC_STRING
	<b>long_name</b>	'Probability density function of cloud fraction' (static)	NC_STRING
	<b>bounds</b>	'cloud_fraction_crb_pdf_bounds' (static)	NC_STRING

**cloud\_fraction\_crb\_histogram\_bounds** in FRESCO/METADATA/QA\_STATISTICS

Dimensions: cloud\_fraction\_crb\_histogram\_axis, vertices.

Type: NC\_FLOAT.

Source: Processor.

Mode: Present in all modes.

**cloud\_fraction\_crb\_pdf\_bounds** in FRESCO/METADATA/QA\_STATISTICS

Dimensions: cloud\_fraction\_crb\_pdf\_axis, vertices.

Type: NC\_FLOAT.

Source: Processor.

Mode: Present in all modes.

**cloud\_pressure\_crb\_histogram\_axis** in FRESCO/METADATA/QA\_STATISTICS

Description: Horizontal axis for the histograms of the cloud pressure.

Dimensions: cloud\_pressure\_crb\_histogram\_axis (coordinate variable).

Type: NC\_FLOAT.

Source: Processor.

Mode: Present in all modes.

Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>units</b>	'Pa' (dynamic)	NC_STRING
	Same unit as the main parameter. This attribute originates from the CF standard.		
	<b>comment</b>	'Histogram of cloud pressure' (static)	NC_STRING
	<b>long_name</b>	'Histogram of cloud pressure' (static)	NC_STRING
	<b>bounds</b>	'cloud_pressure_crb_histogram_bounds' (static)	NC_STRING

**cloud\_pressure\_crb\_pdf\_axis** in FRESCO/METADATA/QA\_STATISTICS

Description: Horizontal axis for the probability distribution functions of the cloud pressure.

Dimensions: cloud\_pressure\_crb\_pdf\_axis (coordinate variable).

Type: NC\_FLOAT.

Source: Processor.

Mode: Present in all modes.

Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>units</b>	'Pa' (dynamic)	NC_STRING
	Same unit as the main parameter. This attribute originates from the CF standard.		

<b>comment</b>	'Probability density function of cloud pressure' (static)	NC_STRING
<b>long_name</b>	'Probability density function of cloud pressure' (static)	NC_STRING
<b>bounds</b>	'cloud_pressure_crb_pdf_bounds' (static)	NC_STRING

**cloud\_pressure\_crb\_histogram\_bounds** in FRESCO/METADATA/QA\_STATISTICS

Dimensions: cloud\_pressure\_crb\_histogram\_axis, vertices.

Type: NC\_FLOAT.

Source: Processor.

Mode: Present in all modes.

**cloud\_pressure\_crb\_pdf\_bounds** in FRESCO/METADATA/QA\_STATISTICS

Dimensions: cloud\_pressure\_crb\_pdf\_axis, vertices.

Type: NC\_FLOAT.

Source: Processor.

Mode: Present in all modes.

**fluorescence\_histogram\_axis** in FRESCO/METADATA/QA\_STATISTICS

Description: Horizontal axis for the histograms of the fluorescence.

Dimensions: fluorescence\_histogram\_axis (coordinate variable).

Type: NC\_FLOAT.

Source: Processor.

Mode: Present in all modes.

Attributes:

<i>Name</i>	<i>Value</i>	<i>Type</i>
<b>units</b>	'mol s-1 m-2 nm-1 sr-1' (dynamic) Same unit as the main parameter. This attribute originates from the CF standard.	NC_STRING
<b>comment</b>	'Histogram of fluorescence' (static)	NC_STRING
<b>long_name</b>	'Histogram of fluorescence' (static)	NC_STRING
<b>bounds</b>	'fluorescence_histogram_bounds' (static)	NC_STRING

**fluorescence\_pdf\_axis** in FRESCO/METADATA/QA\_STATISTICS

Description: Horizontal axis for the probability distribution functions of the fluorescence.

Dimensions: fluorescence\_pdf\_axis (coordinate variable).

Type: NC\_FLOAT.

Source: Processor.

Mode: Present in all modes.

Attributes:

<i>Name</i>	<i>Value</i>	<i>Type</i>
<b>units</b>	'mol s-1 m-2 nm-1 sr-1' (dynamic) Same unit as the main parameter. This attribute originates from the CF standard.	NC_STRING
<b>comment</b>	'Probability density function of fluorescence' (static)	NC_STRING
<b>long_name</b>	'Probability density function of fluorescence' (static)	NC_STRING
<b>bounds</b>	'cloud_pressure_crb_pdf_bounds' (static)	NC_STRING

**fluorescence\_histogram\_bounds** in FRESCO/METADATA/QA\_STATISTICS

Dimensions: fluorescence\_histogram\_axis, vertices.

Type: NC\_FLOAT.

Source: Processor.

Mode: Present in all modes.

**fluorescence\_pdf\_bounds** in FRESCO/METADATA/QA\_STATISTICS

Dimensions: fluorescence\_pdf\_axis, vertices.

Type: NC\_FLOAT.

Source: Processor.  
 Mode: Present in all modes.

**cloud\_pressure\_crb\_histogram** in FRESCO/METADATA/QA\_STATISTICS

Description: Histogram of the cloud pressure in the current granule.  
 Dimensions: cloud\_pressure\_crb\_histogram\_axis.  
 Type: NC\_INT.  
 Source: Processor.  
 Mode: Present in all modes.

Attributes:	Name	Value	Type
	<b>comment</b>	'Histogram of the cloud pressure in the current granule' (static)	NC_STRING
	<b>number_of_overflow_values</b>	0 (dynamic)	NC_INT
	The number of encountered values that are larger than the top of the histogram.		
	<b>number_of_underflow_values</b>	0 (dynamic)	NC_INT
	The number of encountered values that are smaller than the base of the histogram.		

**cloud\_fraction\_crb\_histogram** in FRESCO/METADATA/QA\_STATISTICS

Description: Histogram of the cloud fraction in the current granule.  
 Dimensions: cloud\_fraction\_crb\_histogram\_axis.  
 Type: NC\_INT.  
 Source: Processor.  
 Mode: Present in all modes.

Attributes:	Name	Value	Type
	<b>comment</b>	'Histogram of the cloud fraction in the current granule' (static)	NC_STRING
	<b>number_of_overflow_values</b>	0 (dynamic)	NC_INT
	The number of encountered values that are larger than the top of the histogram.		
	<b>number_of_underflow_values</b>	0 (dynamic)	NC_INT
	The number of encountered values that are smaller than the base of the histogram.		

**fluorescence\_histogram** in FRESCO/METADATA/QA\_STATISTICS

Description: Histogram of the cloud fraction in the current granule.  
 Dimensions: fluorescence\_histogram\_axis.  
 Type: NC\_INT.  
 Source: Processor.  
 Mode: Present in all modes.

Attributes:	Name	Value	Type
	<b>comment</b>	'Histogram of the fluorescence in the current granule' (static)	NC_STRING
	<b>number_of_overflow_values</b>	0 (dynamic)	NC_INT
	The number of encountered values that are larger than the top of the histogram.		
	<b>number_of_underflow_values</b>	0 (dynamic)	NC_INT
	The number of encountered values that are smaller than the base of the histogram.		

**cloud\_pressure\_crb\_pdf** in FRESCO/METADATA/QA\_STATISTICS

Description:	Probability density function of cloud fraction in the current granule. The values are weighted with $\cos(\delta_{\text{geo}})$ and spread out using the error estimate.		
Dimensions:	cloud_pressure_crb_pdf_axis.		
Type:	NC_FLOAT.		
Source:	Processor.		
Mode:	Present in all modes.		
Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>comment</b>	'Probability density function of the cloud fraction in the current granule' (static)	NC_STRING
	<b>geolocation_sampling_total</b>	0 (static)	NC_FLOAT
	The sum of cosine values of latitudes from the pixels that were used in the pdf.		
<b>cloud_fraction_crb_pdf</b> in FRESCO/METADATA/QA_STATISTICS			
Description:	Probability density function of the cloud fraction in the current granule. The values are weighted with $\cos(\delta_{\text{geo}})$ and spread out using the error estimate.		
Dimensions:	cloud_fraction_crb_pdf_axis.		
Type:	NC_FLOAT.		
Source:	Processor.		
Mode:	Present in all modes.		
Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>comment</b>	'Probability density function of the cloud fraction in the current granule' (static)	NC_STRING
	<b>geolocation_sampling_total</b>	0 (static)	NC_FLOAT
	The sum of cosine values of latitudes from the pixels that were used in the pdf.		
<b>fluorescence_pdf</b> in FRESCO/METADATA/QA_STATISTICS			
Description:	Probability density function of the cloud fraction in the current granule. The values are weighted with $\cos(\delta_{\text{geo}})$ and spread out using the error estimate.		
Dimensions:	fluorescence_pdf_axis.		
Type:	NC_FLOAT.		
Source:	Processor.		
Mode:	Present in all modes.		
Attributes:	<i>Name</i>	<i>Value</i>	<i>Type</i>
	<b>comment</b>	'Probability density function of the fluorescence in the current granule' (static)	NC_STRING
	<b>geolocation_sampling_total</b>	0 (static)	NC_FLOAT
	The sum of cosine values of latitudes from the pixels that were used in the pdf.		

### 10.2.2 Group "ALGORITHM\_SETTINGS" in "METADATA"

The algorithm settings are attached as attributes to this group. The current settings are listed here, each item in the list is a string attribute.

#### Configurations in FRESCO/METADATA/ALGORITHM\_SETTINGS

**configuration.version.framework** 0.11.0

Allow the framework to verify that the configuration file is up to date.

**configuration.version.algorithm** 0.10.0

Allow the processor to verify that the configuration file is up to date.

**processing.algorithm** FRESCO

Define the algorithm that is to be loaded.

**processing.nthreads.pass1** 3

Limit for number of threads for this pass

**input.count** 1

Define the number of input files. The IODD defines more input bands, but currently only band 6 is used.

**input.1.type** L1B\_RA\_BD6

Define the input type (band) for the first input (radiance band 6). This key is needed to read from the JobOrder input file.

**input.1.irrType** L1B\_IR\_UVN

Define which irradiance accompanies the first input.

**input.1.band** 6

Which band is this (for selecting the irradiance and coregistration to output).

**input.2.type** L1B\_RA\_BD3

Define the input type (band) for the second input (radiance band 3). This key is needed to read from the JobOrder input file, currently not used.

**input.2.irrType** L1B\_IR\_UVN

Define which irradiance accompanies the second input.

**input.2.band** 3

Which band is this (for selecting the irradiance and coregistration to output).

**input.3.type** L1B\_RA\_BD4

Define the input type (band) for the third input (radiance band 4). This key is needed to read from the JobOrder input file, currently not used.

**input.3.irrType** L1B\_IR\_UVN

Define which irradiance accompanies the third input.

**input.3.band** 4

Which band is this (for selecting the irradiance and coregistration to output).

**output.count** 1

Define the number of output products (should be 1).

**output.useFletcher32** true

Boolean to indicate status of Fletcher32 filter (default is on).

**output.useCompression** true

Boolean to set status of compression (default is on).

**output.useShuffleFilter** true

Boolean to set status of shuffle filter (default is on).

**output.compressionLevel** 3

Integer value to set compression level, default is 3.

**output.1.type** L2\_\_FRESCO

Output product short name. This key is needed to read from the JobOrder input file.

**output.1.config** product.FRESCO.xml

Output product specification.

**output.1.band** 6

Geolocation in output follows this band.

**output.histogram.cloud\_pressure\_crb.range** 15000, 105000

Range for the histogram of the cloud pressure in Pa.

**output.histogram.cloud\_fraction\_crb.range** 0.0, 1.0

Range for the histogram of the cloud fraction.

**output.histogram.fluorescence.range** 0, 2E-9

Range for the histogram of the fluorescence.

**output.histogram.fluorescence.fluorescence\_wavelengths** 745.0

Which of the 4 wavelengths should be used for the histogram.

**processing.snowIceAgeMax** 7

Maximum allowed age of NISE information in days. Older points replaced by fallback (ECMWF).

**processing.threadStackSize** 50000000

Minimum threadStackSize = 50000000 (50 MB). A lower threadStackSize will cause a segmentation fault during the execution.

**processing.groupLer** GOME2

Which LER database to use.

**processing.vzaMin** 0.0

**processing.vzaMax** 75.0

Maximum viewing zenith angle (full swath)

**processing.szaMin** 0.0

**processing.szaMax** 88.0

Maximum solar zenith angle.

**wavelength\_calibration.perform\_wavelength\_fit** yes

Master switch for the wavelength calibration.

**wavelength\_calibration.polynomial\_order** 2

The wavelength calibration fit uses a background polynomial. This is the order for this polynomial, 2 for FRESKO and fluorescence retrieval, as the window is short.

**wavelength\_calibration.include\_stretch** no

For FRESKO and fluorescence retrieval we do not include a stretch/squeeze parameter as we extrapolate the result.

**wavelength\_calibration.include\_ring** no

Ring effect is insignificant in the NIR.

**wavelength\_calibration.initial\_guess.a0** 1.0

Initial guess for the parameters of the polynomial in the wavelength fit. 1, 0.1, 0.01, 0.01, ... for a0, a1, a2, a3, ... as appropriate.

**wavelength\_calibration.initial\_guess.a1** 0.1

**wavelength\_calibration.initial\_guess.a2** 0.01

**wavelength\_calibration.sigma.a0** 1.0

a priori precision of the polynomial coefficients. 1, 0.1, 0.1, 0.1, ... for a0, a1, a2, a3, ... as appropriate.

**wavelength\_calibration.sigma.a1** 0.1

**wavelength\_calibration.initial\_guess.shift** 0.0

Initial guess for the wavelength shift.

**wavelength\_calibration.initial\_guess.ring** 0.06

**wavelength\_calibration.initial\_guess.stretch** 0.0

**wavelength\_calibration.window** 738.0, 757.0

The wavelength calibration window. This window excludes the oxygen A band itself.

**wavelength\_calibration.rad.max\_iterations** 12

**wavelength\_calibration.irr.max\_iterations** 20

**wavelength\_calibration.convergence\_threshold** 1.0

Convergence criterium (auto scaled).

**processing.signal\_to\_noise.test** yes

lag pixels when signal to noise ratio is below threshold. Default no testing, unless processing.signal\_to\_noise.window.range is set.

**processing.signal\_to\_noise.window.range** 740.0, 745.0

wavelength pixel range for testing signal to noise ratio. Default range is all wavelengths, but only if processing.signal\_to\_noise.test is set

**processing.signal\_to\_noise.threshold** 12

Threshold value for signal to noise ratio, in decibel. Ground-pixel is flagged when majority wavelength pixels has signal to noise below threshold. Default is 12.

**processing.radiancePixelsMinError** 10

Minimum number of valid spectral pixels required for processing ground-pixel. With less pixels a PQF\_E\_INPUT\_SPECTRUM\_MISSING is generated.

**processing.radiancePixelsMinWarning** 15

With less valid spectral pixels a PQF\_W\_INPUT\_SPECTRUM\_WARNING is generated. The ground-pixel can still be processed.

**processing.fresco.cldalb** 0.8

cloud albedo in the retrieval. Code contains default of 0.8.

**processing.fresco.nitermax** 30

**processing.fresco.chisq\_limit\_low** 25.0

FRESKO uses a limit on  $\chi^2$  that depends linearly on the cloud fraction. This is the  $\chi^2$  limit for cloud-free scenes.

**processing.fresco.chisq\_limit\_high** 75.0

FRESKO uses a limit on  $\chi^2$  that depends linearly on the cloud fraction. This is the  $\chi^2$  limit for fully cloud covered scenes.

**processing.fresco.maximum\_cloud\_height** 15000.0

Maximum cloud height (clip value) in meter

**processing.fresco.albedo\_wavelengths** 758.0, 772.0  
Surface albedo to be retrieved at these wavelengths

**processing.fluor.isrf\_channel\_1** band\_6  
Map fluorescence retrieval channel index on to a particular band.

**processing.fluor.isrf\_integrate** False  
Boolean flag for using ISRF integration perspective. Default false

**processing.fluor.order\_albedo** 1  
order of the albedo polynomial.

**processing.fluor.order\_fluorescence** 3  
order of the fluorescence polynomial.

**processing.fluor.outputwave\_albedo** 740.0, 755.0  
wavelengths where the albedo is evaluated and written to output.

**processing.fluor.outputwave\_fluorescence** 740.0, 745.0, 750.0, 755.0  
wavelengths where the fluorescence is evaluated and written to output.

**debugoutputlevel** 0  
Unsure where this is used.

**processing.fluor.wavelength\_start** 735  
Start of wavelength range for fluorescence retrieval.

**processing.fluor.wavelength\_end** 758  
End of wavelength range for fluorescence retrieval.

**processing.fluor.wavelength\_shift\_range** 0.05  
Maximum considered wavelength shift between radiance and irradiance [nm].

**processing.fluor.wavelength\_shift\_sampling** 0.01  
LUT sampling of wavelength shift between radiance and irradiance [nm].

**processing.fluor.minimum\_pixels** 1  
Minimum number of living reflectance pixels to perform the retrieval.

**processing.fluor.processing.fluor.minimum\_pixels\_nowarning** 2  
Minimum number of living reflectance pixels to perform the retrieval without raising a warning.

**qa\_value.input\_spectrum\_warning** 70.0  
he qa\_value multiplication factor (in percent) for when the number of pixels in the input spectrum is below nominal.

**qa\_value.wavelength\_calibration\_warning** 70.0  
he qa\_value multiplication factor (in percent) for when the wavelength calibration offset is larger than a configured threshold.

**qa\_value.extrapolation\_warning** 70.0  
he qa\_value multiplication factor (in percent) for when extrapolation was used in the retrieval.

**qa\_value.sun\_glint\_warning** 90.0  
he qa\_value multiplication factor (in percent) for when the pixel is potentially affected by sun glint.

**qa\_value.south\_atlantic\_anomaly\_warning** 100.0  
he qa\_value multiplication factor (in percent) for when the instrument was flying through the South Atlantic Anomaly while taking this measurement.

**qa\_value.sun\_glint\_correction** 100.0  
he qa\_value multiplication factor (in percent) for when the cloud fraction was corrected for sun glint.

**qa\_value.snow\_ice\_warning** 100.0  
he qa\_value multiplication factor (in percent) for when the snow\_ice\_warning flag is raised.

**qa\_value.cloud\_warning** 100.0  
he qa\_value multiplication factor (in percent) for when the cloud\_warning flag is raised.

**qa\_value.AAI\_warning** 100.0  
he qa\_value multiplication factor (in percent) for when the AAI\_warning flag is raised.

**qa\_value.pixel\_level\_input\_data\_missing** 90.0  
he qa\_value multiplication factor (in percent) for when the pixel\_level\_input\_data\_missing flag is raised.

**qa\_value.data\_range\_warning** 90.0  
he qa\_value multiplication factor (in percent) for when the data\_range\_warning flag is raised.

**qa\_value.low\_cloud\_fraction\_warning** 100.0  
he qa\_value multiplication factor (in percent) for when the low\_cloud\_fraction\_warning flag is raised.

**qa\_value.altitude\_consistency\_warning** 100.0  
he qa\_value multiplication factor (in percent) for when the altitude\_consistency\_warning flag is raised.

**qa\_value.signal\_to\_noise\_ratio\_warning** 100.0

- he qa\_value multiplication factor (in percent) for when the signal\_to\_noise\_ratio\_warning flag is raised.  
**qa\_value.deconvolution\_warning** 100.0
- he qa\_value multiplication factor (in percent) for when the deconvolution\_warning flag is raised.  
**qa\_value.so2\_volcanic\_origin\_likely\_warning** 100.0
- he qa\_value multiplication factor (in percent) for when the so2\_volcanic\_origin\_likely\_warning flag is raised.  
**qa\_value.so2\_volcanic\_origin\_certain\_warning** 100.0
- he qa\_value multiplication factor (in percent) for when the so2\_volcanic\_origin\_certain\_warning flag is raised.  
**qa\_value.interpolation\_warning** 90.0
- he qa\_value multiplication factor (in percent) for when the interpolation\_warning flag is raised.

### 10.2.3 Group “GRANULE\_DESCRIPTION” in “METADATA”

Common granule level metadata.

#### Attributes in FRESCO/METADATA/GRANULE\_DESCRIPTION

Group attributes attached to GRANULE_DESCRIPTION		
Name	Value	Type
<b>GranuleStart</b>		NC_STRING
Start of the granule as ISO date/time string in UTC: YYYY-MM-DDTHH:MM:SS.mmmmmmZ. The formal definition of ISO date/time strings is given in [RD35].		
<b>GranuleEnd</b>		NC_STRING
End of the granule as ISO date/time string in UTC: YYYY-MM-DDTHH:MM:SS.mmmmmmZ. The formal definition of ISO date/time strings is given in [RD35].		
<b>InstrumentName</b>	'TROPOMI' (static)	NC_STRING
The name of the instrument, fixed to “TROPOMI”.		
<b>MissionName</b>	'Sentinel-5 precursor' (static)	NC_STRING
The name of the mission, fixed to “Sentinel-5 precursor”.		
<b>MissionShortName</b>	'S5P' (static)	NC_STRING
The short name of the mission, fixed to “S5P”.		
<b>ProcessLevel</b>	'2' (static)	NC_STRING
This is a level 2 product.		
<b>ProcessingCenter</b>	'%(processingcenter)s' (dynamic)	NC_STRING
Where was the processor run? The source is the probably the joborder, the most likely value for operational use is “DLR/Oberpfaffenhofen”.		
<b>ProcessingNode</b>		NC_STRING
The name of the machine that processed the data. This may aid in diagnosing failures in the processing.		
<b>ProcessorVersion</b>	'%(version)s' (dynamic)	NC_STRING
The version number of the processor used to produce the file. This is a string formatted as “major.minor.bugfix”.		
<b>ProductFormatVersion</b>	1 (static)	NC_INT
The version of the format of the product file. This should be incremented whenever a datafield is added to the files.		
<b>ProcessingMode</b>		NC_STRING
This attribute indicates the mode of the processor. Possible values: Near-realtime, Offline, Reprocessing, Test, SyntheticTest		
<b>LongitudeOfDaysideNadirEquatorCrossing</b>		NC_FLOAT
The longitude of the nadir-point at the day-side equator crossing. This gives a rough indication where the orbit is located. The value is calculated using an orbit propagator before the observation, so that a consistent value is used for all processing stages.		

<b>ProductShortName</b>	'L2__FRESCO' (static)	NC_STRING
-------------------------	-----------------------	-----------

The short product name. For the cloud support product this is fixed to "L2\_\_FRESCO".

### 10.2.3.1 Group "ISO\_METADATA" in "iso\_metadata"

Metadata that is structured following the ISO metadata standards [RD29, RD43], especially part 2. The metadata in this group is structured using the methods from Level 1B, which is described in the Level 1B metadata specification [RD34].

All "objectType" attributes indicate the XML object when generating an ISO 19139 [RD43] compliant XML metadata file.

Note that this group is meant to be treated as a 'black box'. The information is collected here so that it can be extracted into XML side-files for ingestion into data search tools and metadata collections.

#### Attributes in FRESCO/METADATA/ISO\_METADATA

Group attributes attached to ISO_METADATA		
Name	Value	Type
<b>gmd:dateStamp</b>	'2015-10-16' (static)	NC_STRING
Date of creation of the metadata, as ISO 8601 [RD35] string specifying year, month and day.		
<b>gmd:fileIdentifier</b>	'urn:ogc:def:EOP:ESA:SENTINEL.S5P_TROP_-%(shortname)s' (dynamic)	NC_STRING
Unique identifier for metadata file, see the Level 1B metadata specification [RD34, table 5] for a discussion of the value.		
Replace %(...)s with the "ProductShortName" value from the Level 2 "/METADATA/GRANULE_DESCRIPTION" metadata group.		
<b>gmd:hierarchyLevelName</b>	'EO Product Collection' (static)	NC_STRING
Name of the hierarchy levels for which the metadata is provided.		
<b>gmd:metadataStandardName</b>	'ISO 19115-2 Geographic Information - Metadata Part 2 Extensions for imagery and gridded data' (static)	NC_STRING
Name of the metadata standard.		
<b>gmd:metadataStandardVersion</b>	'ISO 19115-2:2009(E), S5P profile' (static)	NC_STRING
Version (profile) of the metadata standard used.		
<b>objectType</b>	'gmi:MI_Metadata' (static)	NC_STRING
Name of the metadata class [RD34, table 5].		

### 10.2.3.2 Group "gmd:language" in "ISO\_METADATA"

Language used for the metadata, fixed to English.

#### Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:language

Group attributes attached to gmd:language		
Name	Value	Type
<b>codeList</b>	'http://www.loc.gov/standards/iso639-2/' (static)	NC_STRING
<b>codeListValue</b>	'eng' (static)	NC_STRING
<b>objectType</b>	'gmd:LanguageCode' (static)	NC_STRING

### 10.2.3.3 Group "gmd:characterSet" in "ISO\_METADATA"

The character encoding used for the metadata. This is fixed to UTF-8, but the climate and forecasting conventions, version 1.6 limits this further to 7-bit ASCII (which is a subset of UTF-8).

#### Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:characterSet

Group attributes attached to gmd:characterSet		
Name	Value	Type
<b>codeList</b>	'http://www.isotc211.org/2005/resources/Codelist/gmxCodelists.xml#MD_CharacterSetCode' (static)	NC_STRING
<b>codeListValue</b>	'utf8' (static)	NC_STRING
<b>objectType</b>	'gmd:MD_CharacterSetCode' (static)	NC_STRING

#### 10.2.3.4 Group “gmd:hierarchyLevel” in “ISO\_METADATA”

Scope to which metadata applies.

##### Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:hierarchyLevel

Group attributes attached to gmd:hierarchyLevel		
Name	Value	Type
<b>codeList</b>	'http://www.isotc211.org/2005/resources/Codelist/gmxCodelists.xml#MD_ScopeCode' (static)	NC_STRING
<b>codeListValue</b>	'series' (static)	NC_STRING
<b>objectType</b>	'gmd:MD_ScopeCode' (static)	NC_STRING

#### 10.2.3.5 Group “gmd:contact” in “ISO\_METADATA”

Contact information for the product.

##### Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:contact

Group attributes attached to gmd:contact		
Name	Value	Type
<b>gmd:organisationName</b>	'Copernicus Space Component Data Access System, ESA, Services Coordinated Interface' (static)	NC_STRING
<b>objectType</b>	'gmd:CI_ResponsibleParty' (static)	NC_STRING

#### 10.2.3.6 Group “gmd:contactInfo” in “gmd:contact”

The detailed contact information.

##### Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:contact/gmd:contactInfo

Group attributes attached to gmd:contactInfo		
Name	Value	Type
<b>objectType</b>	'gmd:CI_Contact' (static)	NC_STRING

#### 10.2.3.7 Group “gmd:address” in “gmd:contactInfo”

The actual email address.

##### Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:contact/gmd:contactInfo/gmd:address

Group attributes attached to gmd:address		
Name	Value	Type
<b>gmd:electronicMailAddress</b>	'EOSupport@copernicus.esa.int' (static)	NC_STRING
<b>objectType</b>	'gmd:CI_Address' (static)	NC_STRING

#### 10.2.3.8 Group “gmd:role” in “gmd:contact”

The role of the address provided in this group.

##### Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:contact/gmd:role

Group attributes attached to gmd:role		
Name	Value	Type
<b>codeList</b>	'http://www.isotc211.org/2005/resources/Codelist/gmxCodetemplates.xml#CI_RoleCode' (static)	NC_STRING
<b>codeListValue</b>	'pointOfContact' (static)	NC_STRING
<b>objectType</b>	'gmd:CI_RoleCode' (static)	NC_STRING

### 10.2.3.9 Group “gmd:identificationInfo” in “ISO\_METADATA”

Identification information contains information to uniquely identify the data. Identification information includes information about the citation for the resource, an abstract, the purpose, credit, the status and points of contact. The MD\_Identification entity is mandatory. The MD\_Identification entity is specified (subclassed) as MD\_DataIdentification because in this case it is used to identify data.

#### Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:identificationInfo

Group attributes attached to gmd:identificationInfo		
Name	Value	Type
<b>gmd:abstract</b>		NC_STRING
Brief narrative summary of the content of the resource. This is product specific.		
<b>L2_AER_AI (KNMI)</b>	Aerosol index with a spatial resolution of $7 \times 7 \text{ km}^2$ observed at about 13:30 local solar time from spectra measured by TROPOMI	
<b>L2_AER_LH (KNMI)</b>	Altitude of elevated aerosol layer for cloud-free observations with a spatial resolution of $7 \times 7 \text{ km}^2$ observed at about 13:30 local solar time from spectra measured by TROPOMI	
<b>L2_NO2 (KNMI)</b>	Nitrogen dioxide tropospheric column with a spatial resolution of $7 \times 7 \text{ km}^2$ observed at about 13:30 local solar time from spectra measured by TROPOMI	
<b>L2_O3_PR (KNMI)</b>	Ozone profile with a vertical resolution of 6 km and a horizontal resolution of $28 \times 21 \text{ km}^2$ observed at about 13:30 local solar time from spectra measured by TROPOMI	
<b>L2_O3_TPR (KNMI)</b>	Tropospheric ozone profile with a vertical resolution of 6 km and a horizontal resolution of $7 \times 7 \text{ km}^2$ observed at about 13:30 local solar time from spectra measured by TROPOMI	
<b>L2_CH4 (SRON)</b>	Dry-air mixing ratio of methane for cloud-free observations over land with a spatial resolution of $7 \times 7 \text{ km}^2$ observed at about 13:30 local solar time from spectra measured by TROPOMI	
<b>L2_CO (SRON)</b>	Carbon monoxide column over land with a spatial resolution of $7 \times 7 \text{ km}^2$ observed at about 13:30 local solar time from spectra measured by TROPOMI	
<b>L2_FRESCO (KNMI)</b>	Cloud fraction and cloud pressure with a spatial resolution of $3.5 \times 7 \text{ km}^2$ observed at about 13:30 local solar time from spectra measured by TROPOMI (KNMI cloud support product)	
<b>gmd:credit</b>	'%(credit)s' (static)	NC_STRING
Recognition of those who contributed to the resource(s).		
<b>gmd:language</b>	'eng' (static)	NC_STRING
<b>gmd:topicCategory</b>	'climatologyMeteorologyAtmosphere' (static)	NC_STRING
Main theme(s) of the dataset.		
<b>objectType</b>	'gmd:MD_DataIdentification' (static)	NC_STRING
Name of the metadata class [RD34, table 10].		

### 10.2.3.10 Group “gmd:citation” in “gmd:identificationInfo”

Citation data for the resource.

#### Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:identificationInfo/gmd:citation

---

Group attributes attached to gmd:citation

---

<i>Name</i>	<i>Value</i>	<i>Type</i>
<b>gmd:title</b>		NC_STRING
Name by which the cited resource is known. This is the same as the global “title” attribute.		
<b>objectType</b>	‘gmd:CI_Citation’ (static)	NC_STRING
Name of the metadata class [RD34, table 11].		

---

### 10.2.3.11 Group “gmd:date” in “gmd:citation”

#### Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:identificationInfo/gmd:citation/gmd:date

---

Group attributes attached to gmd:date

---

<i>Name</i>	<i>Value</i>	<i>Type</i>
<b>gmd:date</b>	‘%(processor_release_date)s’ (static)	NC_STRING
<b>objectType</b>	‘gmd:CI_Date’ (static)	NC_STRING

---

### 10.2.3.12 Group “gmd:dateType” in “gmd:date”

Event used for reference date.

#### Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:identificationInfo/gmd:citation/gmd:date/gmd:dateType

---

Group attributes attached to gmd:dateType

---

<i>Name</i>	<i>Value</i>	<i>Type</i>
<b>codeList</b>	‘http://www.isotc211.org/2005/resources/Codelist/gmxCodetlists.xml#CI_DateTypeCode’ (static)	NC_STRING
<b>codeListValue</b>	‘creation’ (static)	NC_STRING
<b>objectType</b>	‘gmd:CI_DateTypeCode’ (static)	NC_STRING

---

### 10.2.3.13 Group “gmd:identifier” in “gmd:citation”

Unique identifier for metadata file, see the Level 1B metadata specification [RD34, table 5] for a discussion of the value.

#### Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:identificationInfo/gmd:citation/gmd:identifier

---

Group attributes attached to gmd:identifier

---

<i>Name</i>	<i>Value</i>	<i>Type</i>
<b>gmd:code</b>	‘urn:ogc:def:EOP:ESA:SENTINEL.S5P_TROP_-%(shortname)s’ (dynamic)	NC_STRING
Replace “%(shortname)s” with the “ProductShortName” value from the Level 2 “/METADATA/GRANULE_DESCRIPTION” metadata group.		
<b>objectType</b>	‘gmd:MD_Identifier’ (static)	NC_STRING

---

### 10.2.3.14 Group “gmd:pointOfContact” in “gmd:identificationInfo”

See description of the “gmd:contact” attribute above.

#### Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:identificationInfo/gmd:pointOfContact

---

Group attributes attached to gmd:pointOfContact

---

<i>Name</i>	<i>Value</i>	<i>Type</i>
<b>gmd:organisationName</b>	‘Copernicus Space Component Data Access System, ESA, Services Coordinated Interface’ (static)	NC_STRING
<b>objectType</b>	‘gmd:CI_ResponsibleParty’ (static)	NC_STRING

---

### 10.2.3.15 Group “gmd:contactInfo” in “gmd:pointOfContact”

#### Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:identificationInfo/gmd:pointOfContact/gmd:contactInfo

Group attributes attached to gmd:contactInfo		
Name	Value	Type
<b>objectType</b>	'gmd:CI_Contact' (static)	NC_STRING

### 10.2.3.16 Group “gmd:address” in “gmd:contactInfo”

#### Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:identificationInfo/gmd:pointOfContact/gmd:contactInfo/gmd:address

Group attributes attached to gmd:address		
Name	Value	Type
<b>gmd:electronicMailAddress</b>	'EOSupport@copernicus.esa.int' (static)	NC_STRING
<b>objectType</b>	'gmd:CI_Address' (static)	NC_STRING

### 10.2.3.17 Group “gmd:role” in “gmd:pointOfContact”

#### Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:identificationInfo/gmd:pointOfContact/gmd:role

Group attributes attached to gmd:role		
Name	Value	Type
<b>codeList</b>	'http://www.isotc211.org/2005/resources/Codelist/gmxCodelists.xml#CI_RoleCode' (static)	NC_STRING
<b>codeListValue</b>	'distributor' (static)	NC_STRING
<b>objectType</b>	'gmd:CI_RoleCode' (static)	NC_STRING

### 10.2.3.18 Group “gmd:descriptiveKeywords#1” in “gmd:identificationInfo”

Provides category keywords, their type, and reference source. Within the framework of GEMET the choice of keywords is very limited. More meaningful keywords can be derived from the Climate and Forecast metadata conventions' standard name list, see “gmd:descriptiveKeywords#2” below.

#### Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:identificationInfo/gmd:descriptiveKeywords#1

Group attributes attached to gmd:descriptiveKeywords#1		
Name	Value	Type
<b>gmd:keyword#1</b>	'Atmospheric conditions' (static)	NC_STRING
<b>objectType</b>	'gmd:MD_Keywords' (static)	NC_STRING

### 10.2.3.19 Group “gmd:type” in “gmd:descriptiveKeywords#1”

Subject matter used to group similar keywords.

#### Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:identificationInfo/gmd:descriptiveKeywords#1/gmd:type

Group attributes attached to gmd:type		
Name	Value	Type
<b>codeList</b>	'http://www.isotc211.org/2005/resources/Codelist/gmxCodelists.xml#MD_KeywordTypeCode' (static)	NC_STRING

<b>codeListValue</b>	'theme' (static)	NC_STRING
<b>objectType</b>	'gmd:MD_KeywordTypeCode' (static)	NC_STRING

### 10.2.3.20 Group “gmd:thesaurusName” in “gmd:descriptiveKeywords#1”

Name by which the cited resource is known.

#### Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:identificationInfo/gmd:descriptiveKeywords#1/gmd:thesaurusName

Group attributes attached to gmd:thesaurusName		
Name	Value	Type
<b>gmd:title</b>	'GEMET - INSPIRE themes, version 1.0' (static)	NC_STRING
<b>objectType</b>	'gmd:CI_Citation' (static)	NC_STRING

### 10.2.3.21 Group “gmd:date” in “gmd:thesaurusName”

Reference date for the cited resource.

#### Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:identificationInfo/gmd:descriptiveKeywords#1/gmd:thesaurusName/gmd:date

Group attributes attached to gmd:date		
Name	Value	Type
<b>gmd:date</b>	'2008-06-01' (static)	NC_STRING
<b>objectType</b>	'gmd:CI_Date' (static)	NC_STRING

### 10.2.3.22 Group “gmd:dateType” in “gmd:date”

What date is used for the reference date.

#### Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:identificationInfo/gmd:descriptiveKeywords#1/gmd:thesaurusName/gmd:date/gmd:dateType

Group attributes attached to gmd:dateType		
Name	Value	Type
<b>codeList</b>	'http://www.isotc211.org/2005/resources/Codelist/gmxCodetlists.xml#CI_DateTypeCode' (static)	NC_STRING
<b>codeListValue</b>	'publication' (static)	NC_STRING
<b>objectType</b>	'gmd:CI_DateTypeCode' (static)	NC_STRING

### 10.2.3.23 Group “gmd:descriptiveKeywords#2” in “gmd:identificationInfo”

Provides category keywords, their type, and reference source. These keywords are taken from the Climate and Forecast metadata conventions' standard name list [ER5]. The keywords listed below identify the most important parameters in the product.

**L2\_AER\_AI (KNMI)** ultraviolet\_aerosol\_index

**L2\_AER\_LH (KNMI)** height\_of\_elevated\_aerosol\_layer

**L2\_NO2\_\_ (KNMI)** troposphere\_mole\_content\_of\_nitrogen\_dioxide, stratosphere\_mole\_content\_of\_nitrogen\_dioxide, atmosphere\_mole\_content\_of\_nitrogen\_dioxide

**L2\_O3\_PR (KNMI)** mole\_fraction\_of\_ozone\_in\_air

**L2\_O3\_TPR (KNMI)** mole\_fraction\_of\_ozone\_in\_air

**L2\_CH4\_\_ (SRON)** atmosphere\_mole\_fraction\_of\_methane\_in\_dry\_air

**L2\_CO\_\_\_ (SRON)** atmosphere\_mole\_content\_of\_carbon\_monoxide

**L2\_FRESCO (KNMI)** air\_pressure\_at\_cloud\_optical\_centroid, effective\_cloud\_area\_fraction\_assuming\_fixed\_cloud\_albedo, cloud\_albedo\_assuming\_completely\_cloudy\_sky, air\_pressure\_at\_cloud\_optical\_centroid\_assuming\_completely\_cloudy\_sky

**Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:identificationInfo/gmd:descriptiveKeywords#2**

Group attributes attached to gmd:descriptiveKeywords#2		
Name	Value	Type
<b>gmd:keyword#1</b>		NC_STRING
<b>objectType</b>	'gmd:MD_Keywords' (static)	NC_STRING

**10.2.3.24 Group “gmd:thesaurusName” in “gmd:descriptiveKeywords#2”**

Name by which the cited resource is known.

**Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:identificationInfo/gmd:descriptiveKeywords#2/gmd:thesaurusName**

Group attributes attached to gmd:thesaurusName		
Name	Value	Type
<b>gmd:title</b>	'CF Standard Name Table v29' (static)	NC_STRING
<b>xlink:href</b>	'http://cfconventions.org/standard-names.html' (dynamic)	NC_STRING
<b>objectType</b>	'gmd:CI_Citation' (static)	NC_STRING

**10.2.3.25 Group “gmd:date” in “gmd:thesaurusName”**

Reference date for the cited resource.

**Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:identificationInfo/gmd:descriptiveKeywords#2/gmd:thesaurusName/gmd:date**

Group attributes attached to gmd:date		
Name	Value	Type
<b>gmd:date</b>	'2015-07-08' (static)	NC_STRING
<b>objectType</b>	'gmd:CI_Date' (static)	NC_STRING

**10.2.3.26 Group “gmd:dateType” in “gmd:date”**

What date is used for the reference date.

**Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:identificationInfo/gmd:descriptiveKeywords#2/gmd:thesaurusName/gmd:date/gmd:dateType**

Group attributes attached to gmd:dateType		
Name	Value	Type
<b>codeList</b>	'http://www.isotc211.org/2005/resources/Codelist/gmxCodetlists.xml#CI_DateTypeCode' (static)	NC_STRING
<b>codeListValue</b>	'publication' (static)	NC_STRING
<b>objectType</b>	'gmd:CI_DateTypeCode' (static)	NC_STRING

**10.2.3.27 Group “gmd:resourceConstraints” in “gmd:identificationInfo”**

Provides information about constraints which apply to the resource.

**Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:identificationInfo/gmd:resourceConstraints**

Group attributes attached to gmd:resourceConstraints		
Name	Value	Type
<b>gmd:useLimitation</b>	'no conditions apply' (static)	NC_STRING
Limitation affecting the fitness for use of the resource or metadata.		
<b>objectType</b>	'gmd:MD_LegalConstraints' (static)	NC_STRING

### 10.2.3.28 Group “gmd:accessConstraints” in “gmd:resourceConstraints”

Access constraints applied to assure the protection of privacy or intellectual property, and any special restrictions or limitations on obtaining the resource or metadata.

#### Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:identificationInfo/gmd:resourceConstraints/gmd:accessCons

Group attributes attached to gmd:accessConstraints		
Name	Value	Type
<b>codeList</b>	'http://www.isotc211.org/2005/resources/Codelist/gmxCodelists.xml#MD_RestrictionCode' (static)	NC_STRING
<b>codeListValue</b>	'copyright' (static)	NC_STRING
<b>objectType</b>	'gmd:MD_RestrictionCode' (static)	NC_STRING

### 10.2.3.29 Group “gmd:spatialRepresentationType” in “gmd:identificationInfo”

Method used to spatially represent geographic information.

#### Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:identificationInfo/gmd:spatialRepresentationType

Group attributes attached to gmd:spatialRepresentationType		
Name	Value	Type
<b>codeList</b>	'http://www.isotc211.org/2005/resources/Codelist/gmxCodelists.xml#MD_SpatialRepresentation-TypeCode' (static)	NC_STRING
<b>codeListValue</b>	'grid' (static)	NC_STRING
<b>objectType</b>	'gmd:MD_SpatialRepresentationTypeCode' (static)	NC_STRING

### 10.2.3.30 Group “gmd:spatialResolution” in “gmd:identificationInfo”

Ground sample distance.

#### Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:identificationInfo/gmd:spatialResolution

Group attributes attached to gmd:spatialResolution		
Name	Value	Type
<b>gmd:distance</b>	7.0 (dynamic)	NC_FLOAT
<b>uom</b>	'km' (static)	NC_STRING
<b>objectType</b>	'gmd:MD_Resolution' (static)	NC_STRING

### 10.2.3.31 Group “gmd:characterSet” in “gmd:identificationInfo”

#### Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:identificationInfo/gmd:characterSet

Group attributes attached to gmd:characterSet		
Name	Value	Type
<b>codeList</b>	'http://www.isotc211.org/2005/resources/Codelist/gmxCodelists.xml#MD_CharacterSetCode' (static)	NC_STRING
<b>codeListValue</b>	'utf8' (static)	NC_STRING

<b>objectType</b>	'gmd:MD_CharacterSetCode' (static)	NC_STRING
-------------------	------------------------------------	-----------

### 10.2.3.32 Group “gmd:extent” in “gmd:identificationInfo”

Extent information including the bounding box, bounding polygon, vertical, and temporal extent of the dataset.

#### Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:identificationInfo/gmd:extent

Group attributes attached to gmd:extent		
Name	Value	Type
<b>objectType</b>	'gmd:EX_Extent' (static)	NC_STRING

### 10.2.3.33 Group “gmd:geographicElement” in “gmd:extent”

Geographic position of the granule. This is only an approximate reference so specifying the coordinate reference system is unnecessary. The usual limitations apply:  $-180^\circ \leq \vartheta \leq 180^\circ$  and  $-90^\circ \leq \delta \leq 90^\circ$ . Note that for full orbits these values provide little information as at least one pole will be present in the data, ensuring full longitudinal coverage.

#### Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:identificationInfo/gmd:extent/gmd:geographicElement

Group attributes attached to gmd:geographicElement		
Name	Value	Type
<b>gmd:eastBoundLongitude</b>	180.0 (dynamic)	NC_FLOAT
<b>gmd:northBoundLatitude</b>	90.0 (dynamic)	NC_FLOAT
<b>gmd:southBoundLatitude</b>	-90.0 (dynamic)	NC_FLOAT
<b>gmd:westBoundLongitude</b>	-180.0 (dynamic)	NC_FLOAT
<b>gmd:extentTypeCode</b>	'true' (static)	NC_STRING
Indication of whether the bounding polygon encompasses an area covered by the data or an area where data is not present. The value “true” indicates <i>inclusion</i> .		
<b>objectType</b>	'gmd:EX_GeographicBoundingBox' (static)	NC_STRING

### 10.2.3.34 Group “gmd:temporalElement” in “gmd:extent”

#### Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:identificationInfo/gmd:extent/gmd:temporalElement

Group attributes attached to gmd:temporalElement		
Name	Value	Type
<b>objectType</b>	'gmd:EX_TemporalExtent' (static)	NC_STRING

### 10.2.3.35 Group “gmd:extent” in “gmd:temporalElement”

Time period covered by the content of the dataset.

#### Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:identificationInfo/gmd:extent/gmd:temporalElement/gmd:extent

Group attributes attached to gmd:extent		
Name	Value	Type
<b>gml:beginPosition</b>	'2014-11-14T19:58:00' (dynamic)	NC_STRING
Time of the start of the granule, expressed as ISO 8601 [RD35] date-time string.		
<b>gml:endPosition</b>	'2014-11-14T20:08:00' (dynamic)	NC_STRING
Time of the end of the granule, expressed as ISO 8601 [RD35] date-time string.		
<b>objectType</b>	'gml:TimePeriod' (static)	NC_STRING

### 10.2.3.36 Group “gmd:dataQualityInfo” in “ISO\_METADATA”

This group contains a general assessment of the quality of the dataset. In addition, the package contains information about the sources and production processes used in producing a dataset, which is of particular importance for imagery and gridded data.

For the TROPOMI 2 products the use of the contained class LI\_Lineage (group “gmd:lineage”, section 10.2.3.44 on page 76) is important for describing the sources which are either used or produced (output) in a series of process steps. The sources refer to the various L1b data products used as inputs (and the L0 products used in producing *those* products) and the auxiliary data (static and especially dynamic) when producing the L2 products.

#### Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:dataQualityInfo

Group attributes attached to gmd:dataQualityInfo		
Name	Value	Type
<b>objectType</b>	'gmd:DQ_DataQuality' (static)	NC_STRING

### 10.2.3.37 Group “gmd:scope” in “gmd:dataQualityInfo”

The specific data to which the data quality information applies.

#### Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:scope

Group attributes attached to gmd:scope		
Name	Value	Type
<b>objectType</b>	'gmd:DQ_Scope' (static)	NC_STRING

### 10.2.3.38 Group “gmd:level” in “gmd:scope”

Hierarchical level of the data specified by the scope.

#### Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:scope/gmd:level

Group attributes attached to gmd:level		
Name	Value	Type
<b>codeList</b>	'http://www.isotc211.org/2005/resources/Codelist/gmxCodetlists.xml#MD_ScopeCode' (static)	NC_STRING
<b>codeListValue</b>	'dataset' (static)	NC_STRING
<b>objectType</b>	'gmd:MD_ScopeCode' (static)	NC_STRING

### 10.2.3.39 Group “gmd:report” in “gmd:dataQualityInfo”

Value (or set of values) obtained from applying a data quality measure or the outcome of evaluating the obtained value (or set of values) against a specified acceptable conformance quality level.

#### Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:report

Group attributes attached to gmd:report		
Name	Value	Type
<b>objectType</b>	'gmd:DQ_DomainConsistency' (static)	NC_STRING

### 10.2.3.40 Group “gmd:result” in “gmd:report”

Value (or set of values) obtained from applying a data quality measure or the outcome of evaluating the obtained value (or set of values) against a specified acceptable conformance quality level.

#### Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:report/gmd:result

Group attributes attached to gmd:result		
Name	Value	Type
<b>objectType</b>	'gmd:DQ_ConformanceResult' (static)	NC_STRING
<b>gmd:pass</b>	'true' (static)	NC_STRING
Indication of conformance result. The value "true" indicates "pass".		
<b>gmd:explanation</b>	'INSPIRE Data specification for orthoimagery is not yet officially published so conformity has not yet been evaluated' (static)	NC_STRING
Explanation of the meaning of conformance for this result. Within the context of INSPIRE conformance can currently not be determined.		

#### 10.2.3.41 Group "gmd:specification" in "gmd:result"

Citation of product specification or user requirement against which data is being evaluated.

#### Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:report/gmd:result/gmd:specification

Group attributes attached to gmd:specification		
Name	Value	Type
<b>objectType</b>	'gmd:CI_Citation' (static)	NC_STRING
<b>gmd:title</b>	'INSPIRE Data Specification on Orthoimagery - Guidelines, version 3.0rc3' (static)	NC_STRING

#### 10.2.3.42 Group "gmd:date" in "gmd:specification"

Reference date for the cited resource.

#### Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:report/gmd:result/gmd:specification/gmd:date

Group attributes attached to gmd:date		
Name	Value	Type
<b>gmd:date</b>	'2013-02-04' (static)	NC_STRING
<b>objectType</b>	'gmd:CI_Date' (static)	NC_STRING

#### 10.2.3.43 Group "gmd:dateType" in "gmd:date"

Meaning of the reference date for the cited resource.

#### Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:report/gmd:result/gmd:specification/gmd:date/gmd:dateType

Group attributes attached to gmd:dateType		
Name	Value	Type
<b>codeList</b>	'http://www.isotc211.org/2005/resources/Codelist/gmxCodeLists.xml#CI_DateTypeCode' (static)	NC_STRING
<b>codeListValue</b>	'publication' (static)	NC_STRING
<b>objectType</b>	'gmd:CI_DateTypeCode' (static)	NC_STRING

#### 10.2.3.44 Group "gmd:lineage" in "gmd:dataQualityInfo"

Non-quantitative quality information about the lineage of the data specified by the scope.

#### Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:lineage

Group attributes attached to gmd:lineage		
Name	Value	Type

<b>objectType</b>	'gmd:LI_Lineage' (static)	NC_STRING
<b>gmd:statement</b>	'L2 %(product)s dataset produced by %(processingcenter)s from the S5P/TROPOMI L1B product' (dynamic)	NC_STRING

General explanation of the data producer's knowledge about the lineage of a dataset. Insert short description of the actual Level 2 product in this string (at the %(...)s).

#### 10.2.3.45 Group "gmd:processStep" in "gmd:lineage"

Information about an event or transformation in the life of the dataset including details of the algorithm and software used for processing.

#### Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:lineage/gmd:processStep

Group attributes attached to gmd:processStep		
Name	Value	Type
<b>objectType</b>	'gmi:LE_ProcessStep' (static)	NC_STRING
<b>gmd:description</b>	'Processing of L1b to L2 %(product)s data for orbit %(orbit)d using the %(institute)s processor version %(version)s' (dynamic)	NC_STRING

Description of the event, including related parameters or tolerances. Insert short description of the actual Level 2 product, the orbit number, the name of the institute responsible for the CFI and the software version in this string (at the respective %(...)s and %(...)d).

#### 10.2.3.46 Group "gmi:output" in "gmd:processStep"

Description of the output.

#### Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:lineage/gmd:processStep/gmi:output

Group attributes attached to gmi:output		
Name	Value	Type
<b>gmd:description</b>	Short description of the output, a copy of the global 'title' attribute.	NC_STRING
<b>objectType</b>	'gmi:LE_Source' (static)	NC_STRING

#### 10.2.3.47 Group "gmd:sourceCitation" in "gmi:output"

Reference to the actual filename of the output data and production date and time.

#### Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:lineage/gmd:processStep/gmi:output/gmd:sourceCitation

Group attributes attached to gmd:sourceCitation		
Name	Value	Type
<b>gmd:title</b>	'%(logical_filename)s' (dynamic)	NC_STRING
	Output file name without extension.	
<b>objectType</b>	'gmd:CI_Citation' (static)	NC_STRING

#### 10.2.3.48 Group "gmd:date" in "gmd:sourceCitation"

Production date and time of the output file.

#### Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:lineage/gmd:processStep/gmi:output/gmd:sourceCitation/gmd:date

Group attributes attached to gmd:date		
Name	Value	Type
<b>gmd:date</b>		NC_STRING
Production date and time of the output file. Note that the definition in the XML schema appears to allow the use of a “CI_DateTime” instead of a “CI_Date”.		
<b>objectType</b>	‘gmd:CI_DateTime’ (static)	NC_STRING

#### 10.2.3.49 Group “gmd:dateType” in “gmd:date”

Meaning of the reference date for the cited resource.

**Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:lineage/gmd:processStep/gmi:output/gmd:sourceCitation/gmd:date/gmd:dateType**

Group attributes attached to gmd:dateType		
Name	Value	Type
<b>codeList</b>	‘http://www.isotc211.org/2005/resources/Codelist/gmxCodeLists.xml#CI_DateTypeCode’ (static)	NC_STRING
<b>codeListValue</b>	‘creation’ (static)	NC_STRING
<b>objectType</b>	‘gmd:CI_DateTypeCode’ (static)	NC_STRING

#### 10.2.3.50 Group “gmd:identifier” in “gmd:sourceCitation”

Identification of the output product.

**Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:lineage/gmd:processStep/gmi:output/gmd:sourceCitation/gmd:identifier**

Group attributes attached to gmd:identifier		
Name	Value	Type
<b>gmd:code</b>	‘%(shortname)s’ (dynamic)	NC_STRING
The product short name, a copy of the ‘ProductShortName’ attribute in ‘/METADATA/GRANULE_DESCRIPTION’.		
<b>objectType</b>	‘gmd:MD_Identifier’ (static)	NC_STRING

#### 10.2.3.51 Group “gmi:processedLevel” in “gmi:output”

Process level of the output file.

**Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:lineage/gmd:processStep/gmi:output/gmi:processedLevel**

Group attributes attached to gmi:processedLevel		
Name	Value	Type
<b>gmd:code</b>	‘L2’ (static)	NC_STRING
<b>objectType</b>	‘gmd:MD_Identifier’ (static)	NC_STRING

#### 10.2.3.52 Group “gmi:processingInformation” in “gmd:processStep”

Description of the processor in more detail.

**Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:lineage/gmd:processStep/gmi:processingInformation**

Group attributes attached to gmi:processingInformation		
Name	Value	Type
<b>objectType</b>	‘gmi:LE_Processing’ (static)	NC_STRING

### 10.2.3.53 Group “gmi:identifier” in “gmi:processingInformation”

Identification of the processor.

**Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:lineage/gmd:processStep/gmi:processingInformation/gmi:identifier**

Group attributes attached to gmi:identifier		
Name	Value	Type
<b>gmd:code</b>	'%(institute)s L2 %(product)s processor, version %(version)s' (dynamic)	NC_STRING
	Descriptive name of the processor, with the %(... )s placeholders replaced with the responsible institute's name, product name and software release version.	
<b>objectType</b>	'gmd:MD_Identifier' (static)	NC_STRING

### 10.2.3.54 Group “gmi:softwareReference” in “gmi:processingInformation”

Reference to document describing processing software.

**Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:lineage/gmd:processStep/gmi:processingInformation/gmi:softwareReference**

Group attributes attached to gmi:softwareReference		
Name	Value	Type
<b>gmd:title</b>	'L2 %(product)s processor description' (dynamic)	NC_STRING
	Title of processor description.	
<b>objectType</b>	'gmd:CI_Citation' (static)	NC_STRING

### 10.2.3.55 Group “gmd:date” in “gmi:softwareReference”

Release date (compile date) of the processor.

**Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:lineage/gmd:processStep/gmi:processingInformation/gmi:softwareReference/gmd:date**

Group attributes attached to gmd:date		
Name	Value	Type
<b>gmd:date</b>		NC_STRING
	Release date of the processor expressed as an ISO 8601 date string [RD35].	
<b>objectType</b>	'gmd:CI_DateTime' (static)	NC_STRING

### 10.2.3.56 Group “gmd:dateType” in “gmd:date”

Confirm that this is the release date of the processor.

**Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:lineage/gmd:processStep/gmi:processingInformation/gmi:softwareReference/gmd:date/gmd:dateType**

Group attributes attached to gmd:dateType		
Name	Value	Type
<b>codeList</b>	'http://www.isotc211.org/2005/resources/Codelist/gmxCodetlists.xml#CI_DateTypeCode' (static)	NC_STRING
<b>codeListValue</b>	'creation' (static)	NC_STRING
<b>objectType</b>	'gmd:CI_DateTypeCode' (static)	NC_STRING

### 10.2.3.57 Group “gmi:documentation#1” in “gmi:processingInformation”

Reference to the ATBD of the product.

**Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:lineage/gmd:processStep/gmi:processingInformation/gmi:documentation#1**

Group attributes attached to gmi:documentation#1		
Name	Value	Type
<b>objectType</b>	'gmd:CI_Citation' (static)	NC_STRING
<b>gmd:title</b>	'%(title_atbd)s' (dynamic)	NC_STRING
The filename of the current release of the ATBD of the current product.		
<b>doi</b>	'%(atbd_doi)s' (dynamic)	NC_STRING
DOI for the algorithm theoretical basis document.		

**10.2.3.58 Group “gmd:date” in “gmi:documentation#1”**

Release date of the ATBD.

**Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:lineage/gmd:processStep/gmi:processingInformation/gmi:documentation#1/gmd:date**

Group attributes attached to gmd:date		
Name	Value	Type
<b>gmd:date</b>	'%(date_atbd)s' (dynamic)	NC_STRING
Release date of the ATBD expressed as an ISO 8601 date string [RD35].		
<b>objectType</b>	'gmd:CI_Date' (static)	NC_STRING

**10.2.3.59 Group “gmd:dateType” in “gmd:date”**

Confirm that this is the date of publication.

**Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:lineage/gmd:processStep/gmi:processingInformation/gmi:documentation#1/gmd:date/gmd:dateType**

Group attributes attached to gmd:dateType		
Name	Value	Type
<b>codeList</b>	'http://www.isotc211.org/2005/resources/Codelist/gmxCodetlists.xml#CI_DateTypeCode' (static)	NC_STRING
<b>codeListValue</b>	'publication' (static)	NC_STRING
<b>objectType</b>	'gmd:CI_DateTypeCode' (static)	NC_STRING

**10.2.3.60 Group “gmi:documentation#2” in “gmi:processingInformation”**

Reference to the PUM of the product.

**Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:lineage/gmd:processStep/gmi:processingInformation/gmi:documentation#2**

Group attributes attached to gmi:documentation#2		
Name	Value	Type
<b>objectType</b>	'gmd:CI_Citation' (static)	NC_STRING
<b>gmd:title</b>	'%(title_pum)s' (dynamic)	NC_STRING
The filename of the current release of the PUM of the current product.		
<b>doi</b>	'%(pum_doi)s' (dynamic)	NC_STRING
DOI for the product user manual.		

**10.2.3.61 Group “gmd:date” in “gmi:documentation#2”**

Release date of the PUM.

**Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:lineage/gmd:processStep/gmi:processingInformation/gmi:documentation#2/gmd:date**

Group attributes attached to gmd:date		
Name	Value	Type
<b>gmd:date</b>	'%(date_pum)s' (dynamic) Release date of the PUM expressed as an ISO 8601 date string [RD35].	NC_STRING
<b>objectType</b>	'gmd:CI_Date' (static)	NC_STRING

**10.2.3.62 Group “gmd:dateType” in “gmd:date”**

Confirm that this is the date of publication.

**Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:lineage/gmd:processStep/gmi:processingInformation/gmi:documentation#2/gmd:date/gmd:dateType**

Group attributes attached to gmd:dateType		
Name	Value	Type
<b>codeList</b>	'http://www.isotc211.org/2005/resources/Codelist/gmxCodetlists.xml#CI_DateTypeCode' (static)	NC_STRING
<b>codeListValue</b>	'publication' (static)	NC_STRING
<b>objectType</b>	'gmd:CI_DateTypeCode' (static)	NC_STRING

**10.2.3.63 Group “gmi:report” in “gmd:processStep”**

Short report of what occurred during the process step.

**Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:lineage/gmd:processStep/gmi:report**

Group attributes attached to gmi:report		
Name	Value	Type
<b>gmi:description</b>	'Sentinel 5-precursor TROPOMI L1b processed to L2 data using the %(institute)s L2 %(product)s processor' (dynamic) Textual description of what occurred during the process step. Replace %(... )s as indicated.	NC_STRING
<b>gmi:fileType</b>	'netCDF' (static) Type of file that contains the processing report, in our case the processing report is contained in the main output file.	NC_STRING
<b>gmi:name</b>	'%(logical_filename)s.nc' (dynamic)	NC_STRING
<b>objectType</b>	'gmi:LE_ProcessStepReport' (dynamic)	NC_STRING

**10.2.3.64 Group “gmd:source#1” in “gmd:processStep”**

Information about the source data used in creating the data specified by the scope. Repeat group as needed, incrementing the number of the source (after the # mark).

**Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:lineage/gmd:processStep/gmd:source#1**

Group attributes attached to gmd:source#1		
Name	Value	Type
<b>objectType</b>	'gmi:LE_Source' (static)	NC_STRING
<b>gmd:description</b>		NC_STRING

Description of the input data, including L1B, L2, dynamic auxiliary input data and semi-static auxiliary input data. Base strings are “TROPOMI L1B %s radiance product”, “TROPOMI L1B %s irradiance product”, “TROPOMI L2 %s product”, “Auxiliary ECMWF %s Meteorological forecast data”, “Processor %s configuration file”, “Auxiliary %s reference data”, “Auxiliary %s algorithm lookup table”, “Auxiliary CTM %s model input data”, “Auxiliary snow and ice input data” and “Auxiliary NPP/VIIRS cloud screening input data”. The %s to be replaced with specific descriptors.

### 10.2.3.65 Group “gmi:processedLevel” in “gmd:source#1”

**Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:lineage/gmd:processStep/gmd:source#1/gmi:processedLevel**

Group attributes attached to gmi:processedLevel		
Name	Value	Type
<b>gmd:code</b>	Empty!	NC_STRING
<b>objectType</b>	‘gmd:MD_Identifier’ (static)	NC_STRING

### 10.2.3.66 Group “gmd:sourceCitation” in “gmd:source#1”

Reference to the actual filename of the input data.

**Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:lineage/gmd:processStep/gmd:source#1/gmd:sourceCitation**

Group attributes attached to gmd:sourceCitation		
Name	Value	Type
<b>objectType</b>	‘gmd:CI_Citation’ (static)	NC_STRING

### 10.2.3.67 Group “gmd:date” in “gmd:sourceCitation”

**Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:lineage/gmd:processStep/gmd:source#1/gmd:sourceCitation/gmd:date**

Group attributes attached to gmd:date		
Name	Value	Type
<b>gmd:date</b>		NC_STRING
	Production date and time of the input file(s) in this group expressed as an ISO 8601 date-time string [RD35]. Note that the definition in the XML schema appears to allow the use of a “CI_DateTime” instead of a “CI_Date”.	
<b>objectType</b>	‘gmd:CI_Date’ (static)	NC_STRING

### 10.2.3.68 Group “gmd:dateType” in “gmd:date”

Meaning of the reference date for the cited resource.

**Attributes in FRESKO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:lineage/gmd:processStep/gmd:source#1/gmd:sourceCitation/gmd:date/gmd:dateType**

Group attributes attached to gmd:dateType		
Name	Value	Type
<b>codeList</b>	‘http://www.isotc211.org/2005/resources/Codelist/gmxCodetlists.xml#CI_DateTypeCode’ (static)	NC_STRING
<b>codeListValue</b>	‘creation’ (static)	NC_STRING
<b>objectType</b>	‘gmd:CI_DateTypeCode’ (static)	NC_STRING

### 10.2.3.69 Group “gmd:title” in “gmd:sourceCitation”

#### Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:lineage/gmd:processStep/gmd:source#1/gmd:sourceCitation/gmd:title

Group attributes attached to gmd:title		
Name	Value	Type
<b>gco:characterString</b>		NC_STRING
Textual description of the input file group (same as the “gmd:description” attribute in the “gmi:LE_Source” object).		

### 10.2.3.70 Group “gmd:alternateTitle#1” in “gmd:sourceCitation”

All filenames in this group, in case more files of a particular file type are delivered, for instance for meteorological or model input. Repeat group as needed, incrementing the number of the input file (after the # mark).

#### Attributes in FRESCO/METADATA/ISO\_METADATA/gmd:dataQualityInfo/gmd:lineage/gmd:processStep/gmd:source#1/gmd:sourceCitation/gmd:alternateTitle#1

Group attributes attached to gmd:alternateTitle#1		
Name	Value	Type
<b>gmx:FileName</b>	Empty!	NC_STRING
The basename of the input file.		

### 10.2.3.71 Group “gmi:acquisitionInformation” in “ISO\_METADATA”

Metadata regarding the acquisition of the original data.

#### Attributes in FRESCO/METADATA/ISO\_METADATA/gmi:acquisitionInformation

Group attributes attached to gmi:acquisitionInformation		
Name	Value	Type
<b>objectType</b>	‘gmi:MI_AcquisitionInformation’ (static)	NC_STRING

### 10.2.3.72 Group “gmi:platform” in “gmi:acquisitionInformation”

The platform we are on.

#### Attributes in FRESCO/METADATA/ISO\_METADATA/gmi:acquisitionInformation/gmi:platform

Group attributes attached to gmi:platform		
Name	Value	Type
<b>gmi:description</b>	‘Sentinel 5 Precursor’ (static)	NC_STRING
<b>objectType</b>	‘gmi:MI_Platform’ (static)	NC_STRING

### 10.2.3.73 Group “gmi:identifier” in “gmi:platform”

Short identifier of the platform.

#### Attributes in FRESCO/METADATA/ISO\_METADATA/gmi:acquisitionInformation/gmi:platform/gmi:identifier

Group attributes attached to gmi:identifier		
Name	Value	Type
<b>gmd:code</b>	‘S5P’ (static)	NC_STRING
<b>gmd:codeSpace</b>	‘http://www.esa.int/’ (static)	NC_STRING
<b>objectType</b>	‘gmd:RS_Identifier’ (static)	NC_STRING

### 10.2.3.74 Group “gmi:instrument” in “gmi:platform”

The instrument used for the observations.

#### Attributes in FRESCO/METADATA/ISO\_METADATA/gmi:acquisitionInformation/gmi:platform/gmi:instrument

Group attributes attached to gmi:instrument		
Name	Value	Type
<b>objectType</b>	‘gmi:MI_Instrument’ (static)	NC_STRING
<b>gmi:type</b>	‘UV-VIS-NIR-SWIR imaging spectrometer’ (static)	NC_STRING
Type of the instrument.		

### 10.2.3.75 Group “gmi:identifier” in “gmi:instrument”

Unique identifier for the instrument.

#### Attributes in FRESCO/METADATA/ISO\_METADATA/gmi:acquisitionInformation/gmi:platform/gmi:instrument/gmi:identifier

Group attributes attached to gmi:identifier		
Name	Value	Type
<b>gmd:code</b>	‘TROPOMI’ (static)	NC_STRING
The actual identifier.		
<b>gmd:codeSpace</b>	‘http://www.esa.int/’ (static)	NC_STRING
Name or identifier of the organization responsible for the namespace.		
<b>objectType</b>	‘gmd:RS_Identifier’ (static)	NC_STRING

### 10.2.3.76 Group “EOP\_METADATA” in “EOP\_metadata”

Based on the OGC 10-025 standard for Observations & Measurements [RD44], an Earth Observation Product (EOP) schema was developed which refines an observation into the feature type earth observation. This schema was then extended with sensor-specific thematic schemas.

#### Attributes in FRESCO/METADATA/EOP\_METADATA

Group attributes attached to EOP_METADATA		
Name	Value	Type
<b>gml:id</b>	‘%(logical_filename)s.ID’ (dynamic)	NC_STRING
Unique ID for this “atm:EarthObservation” object. Constructed from the logical output filename and the extension “ID” separated by a dot.		
<b>objectType</b>	‘atm:EarthObservation’ (static)	NC_STRING

### 10.2.3.77 Group “om:phenomenonTime” in “EOP\_METADATA”

Time coverage of the granule.

#### Attributes in FRESCO/METADATA/EOP\_METADATA/om:phenomenonTime

Group attributes attached to om:phenomenonTime		
Name	Value	Type
<b>gml:beginPosition</b>		NC_STRING
Start of time coverage of the data in the granule expressed as an ISO 8601 date-time string [RD35].		
<b>gml:endPosition</b>		NC_STRING
End of time coverage of the data in the granule expressed as an ISO 8601 date-time string [RD35].		
<b>objectType</b>	‘gml:TimePeriod’ (static)	NC_STRING

### 10.2.3.78 Group “om:procedure” in “EOP\_METADATA”

Platform, instrument and sensor used for the acquisition and the acquisition parameters.

#### Attributes in FRESCO/METADATA/EOP\_METADATA/om:procedure

Group attributes attached to om:procedure		
Name	Value	Type
<b>gml:id</b>	'%(logical_filename)s.EOE' (dynamic)	NC_STRING
Unique ID for this “eop:EarthObservationEquipment” object. Constructed from the logical output filename and the extension “EOE” separated by a dot.		
<b>objectType</b>	'eop:EarthObservationEquipment' (static)	NC_STRING

### 10.2.3.79 Group “eop:platform” in “om:procedure”

Platform name and orbit type.

#### Attributes in FRESCO/METADATA/EOP\_METADATA/om:procedure/eop:platform

Group attributes attached to eop:platform		
Name	Value	Type
<b>eop:shortName</b>	'Sentinel-5p' (static)	NC_STRING
<b>objectType</b>	'eop:Platform' (static)	NC_STRING

### 10.2.3.80 Group “eop:instrument” in “om:procedure”

Instrument descriptor.

#### Attributes in FRESCO/METADATA/EOP\_METADATA/om:procedure/eop:instrument

Group attributes attached to eop:instrument		
Name	Value	Type
<b>eop:shortName</b>	'TROPOMI' (static)	NC_STRING
<b>objectType</b>	'eop:Instrument' (static)	NC_STRING

### 10.2.3.81 Group “eop:sensor” in “om:procedure”

Sensor description.

#### Attributes in FRESCO/METADATA/EOP\_METADATA/om:procedure/eop:sensor

Group attributes attached to eop:sensor		
Name	Value	Type
<b>eop:sensorType</b>	'ATMOSPHERIC' (static)	NC_STRING
<b>objectType</b>	'eop:Sensor' (static)	NC_STRING

### 10.2.3.82 Group “eop:acquisitionParameters” in “om:procedure”

Additional parameters describing the data acquisition. Only an orbit number is used here.

#### Attributes in FRESCO/METADATA/EOP\_METADATA/om:procedure/eop:acquisitionParameters

Group attributes attached to eop:acquisitionParameters		
Name	Value	Type
<b>eop:orbitNumber</b>	0 (dynamic)	NC_INT
<b>objectType</b>	'eop:Acquisition' (static)	NC_STRING

### 10.2.3.83 Group “om:observedProperty” in “EOP\_METADATA”

An xlink to the observed property definition.

#### Attributes in FRESCO/METADATA/EOP\_METADATA/om:observedProperty

Group attributes attached to om:observedProperty		
Name	Value	Type
<b>nilReason</b>	‘inapplicable’ (dynamic)	NC_STRING
This element should use the attribute ‘nilReason=“inapplicable”’.		

### 10.2.3.84 Group “om:featureOfInterest” in “EOP\_METADATA”

#### Attributes in FRESCO/METADATA/EOP\_METADATA/om:featureOfInterest

Group attributes attached to om:featureOfInterest		
Name	Value	Type
<b>objectType</b>	‘eop:FootPrint’ (static)	NC_STRING
<b>gml:id</b>	‘%(logical_filename)s.FP’ (dynamic)	NC_STRING
Unique ID for this “eop:FootPrint” object. Constructed from the logical output filename and the extension “FP” separated by a dot.		

### 10.2.3.85 Group “eop:multiExtentOf” in “om:featureOfInterest”

Acquisition footprint coordinates, described by a closed polygon – the last point is equal to the first point, using latitude, longitude pairs. The expected structure is “gml:Polygon/gml:exterior/gml:LinearRing/gml:posList”.

#### Attributes in FRESCO/METADATA/EOP\_METADATA/om:featureOfInterest/eop:multiExtentOf

Group attributes attached to eop:multiExtentOf		
Name	Value	Type
<b>objectType</b>	‘gml:MultiSurface’ (static)	NC_STRING

### 10.2.3.86 Group “gml:surfaceMembers” in “eop:multiExtentOf”

#### Attributes in FRESCO/METADATA/EOP\_METADATA/om:featureOfInterest/eop:multiExtentOf/gml:surfaceMembers

Group attributes attached to gml:surfaceMembers		
Name	Value	Type
<b>objectType</b>	‘gml:Polygon’ (static)	NC_STRING

### 10.2.3.87 Group “gml:exterior” in “gml:surfaceMembers”

#### Attributes in FRESCO/METADATA/EOP\_METADATA/om:featureOfInterest/eop:multiExtentOf/gml:surfaceMembers/gml:exterior

Group attributes attached to gml:exterior		
Name	Value	Type
<b>gml:posList</b>		NC_STRING
The Polygon geometry shall be encoded in the EPSG:4326 geographic coordinate reference system (WGS-84) and the coordinate pairs shall be ordered as latitude/longitude. Polygons enclose areas with points listed in counter-clockwise direction.		
<b>objectType</b>	‘gml:LinearRing’ (static)	NC_STRING

### 10.2.3.88 Group “eop:metaDataProperty” in “EOP\_METADATA”

This group contains all the metadata relative to the Earth observation product that do not fit inside one of the other groups, i.e. metadata that do not describe the time, the mechanism, the location or the result of the observation.

These metadata are mainly the EarthObservation identifier, the acquisition type and information relative to the downlink and archiving centers.

#### Attributes in FRESCO/METADATA/EOP\_METADATA/eop:metaDataProperty

Group attributes attached to eop:metaDataProperty		
Name	Value	Type
<b>objectType</b>	'eop:EarthObservationMetaData' (static)	NC_STRING
<b>eop:acquisitionType</b>	'NOMINAL' (dynamic)	NC_STRING
	Used to distinguish at a high level the appropriateness of the acquisition for “general” use, whether the product is a nominal acquisition, special calibration product or other. Copy from L1b. For Level 2 this should <i>always</i> be 'NOMINAL'.	
<b>eop:identifier</b>	'%(logical_filename)s' (dynamic)	NC_STRING
	Logical file name.	
<b>eop:doi</b>	'%(product_doi)s' (dynamic)	NC_STRING
	Digital Object Identifier identifying the product (see <a href="http://www.datacite.org">http://www.datacite.org</a> for DOIs for datasets).	
<b>eop:parentIdentifier</b>	'urn:ogc:def:EOP:ESA:SENTINEL.S5P_TROP_-%(shortname)s' (dynamic)	NC_STRING
	Unique collection identifier for metadata file, see the Level 1B metadata specification [RD34, table 5] for a discussion of the value. This is a copy of the “gmd:fileIdentifier” attribute in the “/METADATA/ISO_METADATA” group.	
<b>eop:productType</b>	'S5P_%(mode)s_%(product)s' (dynamic)	NC_STRING
	Product type identifier. Replace %(mode)s with the operational mode the processor is running in ('NRTI', 'OFFL' or 'RPRO', as per [RD27]) and %(product)s with the 10 character output file name semantic descriptors as given in [RD45, RD46, RD47].	
<b>eop:status</b>	'ACQUIRED' (dynamic)	NC_STRING
	Refers to product status. Values listed in the standard: 'ARCHIVED', 'ACQUIRED', 'CANCELLED', 'FAILED', 'PLANNED', 'POTENTIAL', 'REJECTED', 'QUALITY-DEGRADED'. Copied from L1B.	
<b>eop:productQualityStatus</b>	'NOMINAL' (dynamic)	NC_STRING
	Indicator that specifies whether the product quality is degraded or not. Allowed values: 'DEGRADED', 'NOMINAL'.	
<b>eop:productQualityDegradationText</b>	'NOT APPLICABLE' (dynamic)	NC_STRING
	Contains further textual information concerning the quality degradation. According to the metadata standards it shall be provided <i>only</i> if “eop:productQualityStatus” value is set to 'DEGRADED'. Because the way we generate out output files, this attribute will always be present, even when “eop:productQualityStatus” value is 'NOMINAL'. In those cases the value shall be set to “NOT APPLICABLE”. Possible values are “MISSING AUXILIARY INPUT” and “NOT APPLICABLE”. Note that Level 1B does not set this value, so only problems detectable in the processor are covered.	

### 10.2.3.89 Group “eop:processing” in “eop:metaDataProperty”

Processing information.

#### Attributes in FRESCO/METADATA/EOP\_METADATA/eop:metaDataProperty/eop:processing

Group attributes attached to eop:processing		
Name	Value	Type
<b>objectType</b>	'eop:ProcessingInformation' (static)	NC_STRING
<b>eop:processingCenter</b>	'%(processingcenter)s' (dynamic)	NC_STRING

The processing center, taken from the “Processing\_Station” key in the joborder.

<b>eop:processingDate</b>	‘YYYY-mm-ddTHH:MM:SSZ’ (dynamic)	NC_STRING
The processing date, as an ISO 8601 date-time string [RD35].		
<b>eop:processingLevel</b>	‘L2’ (static)	NC_STRING
These are all Level 2 products.		
<b>eop:processorName</b>	‘%(processor_name)s’ (static)	NC_STRING
The name of the processor, “tropn112dp.exe” for KNMI and “upas-12” for DLR.		
<b>eop:processorVersion</b>	‘%(version)s’ (dynamic)	NC_STRING
Version of the processor, as “major.minor.bugfix”.		
<b>eop:nativeProductFormat</b>	‘netCDF’ (static)	NC_STRING
Native product format.		
<b>eop:processingMode</b>	‘%(mode)s’ (dynamic)	NC_STRING
Processing mode taken from mission specific code list. For S5P we use the <i>File Class</i> identifiers [RD27, section 4.1.2]: ‘TEST’, ‘OGCA’, ‘GSOV’, ‘OPER’, ‘NRTI’, ‘OFFL’, ‘RPRO’.		

### 10.2.3.90 Group “ESA\_METADATA” in “ESA\_metadata”

Metadata defined in the ESA file format standard [RD28].

### 10.2.3.91 Group “earth\_explorer\_header” in “ESA\_METADATA”

#### Attributes in FRESCO/METADATA/ESA\_METADATA/earth\_explorer\_header

Group attributes attached to earth_explorer_header		
Name	Value	Type
<b>objectType</b>	‘Earth_Explorer_Header’ (static)	NC_STRING

### 10.2.3.92 Group “fixed\_header” in “earth\_explorer\_header”

The fixed header. We do not use a variable header, so only the fixed header is present.

#### Attributes in FRESCO/METADATA/ESA\_METADATA/earth\_explorer\_header/fixed\_header

Group attributes attached to fixed_header		
Name	Value	Type
<b>objectType</b>	‘Fixed_Header’ (static)	NC_STRING
<b>File_Name</b>	‘%(logical_filename)s’ (dynamic)	NC_STRING
The <i>logical</i> file name, i.e. the file name without extension.		
<b>File_Description</b>		NC_STRING
This is a copy of the global “title” attribute.		
<b>Notes</b>		NC_STRING
This is a copy of the global “comment” attribute.		
<b>Mission</b>	‘S5P’ (static)	NC_STRING
The mission identifier for the Sentinel 5-precursor mission is “S5P”.		
<b>File_Class</b>	‘%(mode)s’ (dynamic)	NC_STRING
The file class of the output. Values are taken from the tailoring of the EO file format tailoring for S5P [RD27, section 4.1.2].		
<b>File_Type</b>	‘%(shortname)s’ (dynamic)	NC_STRING
Following the EO file format tailoring for S5P [RD27, sections 4.1.3.1 and 4.1.3.2].		
<b>File_Version</b>	0 (dynamic)	NC_INT

The file version information is not part of the file name conventions for S5P. If a file version number is to be recorded in this attribute, then it has to be provided by the PDGS via the job order. If provided, then the value is  $\geq 1$ . If not provided the fill value is 0.

### 10.2.3.93 Group “validity\_period” in “fixed\_header”

#### Attributes in FRESCO/METADATA/ESA\_METADATA/earth\_explorer\_header/fixed\_header/validity\_period

Group attributes attached to validity_period		
Name	Value	Type
<b>objectType</b>	‘Validity_Period’ (static)	NC_STRING
<b>Validity_Start</b>		NC_STRING
The value is the string “UTC=” concatenated with the <code>time_coverage_start</code> global attribute. This attribute corresponds to the “Validity_Start” element in the “Validity_Period” XML structure in the header file.		
<b>Validity_Stop</b>		NC_STRING
The value is the string “UTC=” concatenated with the <code>time_coverage_end</code> global attribute. This attribute corresponds to the “Validity_Stop” element in the “Validity_Period” XML structure in the header file.		

### 10.2.3.94 Group “source” in “fixed\_header”

#### Attributes in FRESCO/METADATA/ESA\_METADATA/earth\_explorer\_header/fixed\_header/source

Group attributes attached to source		
Name	Value	Type
<b>objectType</b>	‘Source’ (static)	NC_STRING
<b>System</b>	‘%(processingcenter)s’ (dynamic)	NC_STRING
Name of the Ground Segment element creating the file. For Level 2 files, this is the PDGS, but for testing a different value may be used. This attribute corresponds to the “System” element in the “Source” XML structure in the header file.		
<b>Creator</b>	‘%(processor_name)s’ (dynamic)	NC_STRING
Name of the facility or tool, within the Ground Segment element, creating the file. This attribute corresponds to the “Creator” element in the “Source” XML structure in the header file.		
<b>Creator_Version</b>	‘%(version)s’ (dynamic)	NC_STRING
Version number of the tool that created the file. This attribute corresponds to the “Creator_Version” element in the “Source” XML structure in the header file.		
<b>Creation_Date</b>		NC_STRING
The start date and time of processing, as a string: “UTC=YYYY-MM-DDThh:mm:ss”. This attribute corresponds to the “Creation_Date” element in the “Source” XML structure in the header file.		

### 10.2.3.95 Group “variable\_header” in “earth\_explorer\_header”

#### Attributes in FRESCO/METADATA/ESA\_METADATA/earth\_explorer\_header/variable\_header

Group attributes attached to variable_header		
Name	Value	Type
<b>objectType</b>	‘Variable_Header’ (static)	NC_STRING

### 10.2.3.96 Group “gmd:lineage” in “variable\_header”

Non-quantitative quality information about the lineage of the data specified by the scope.

#### Attributes in FRESCO/METADATA/ESA\_METADATA/earth\_explorer\_header/variable\_header/gmd:lineage

Group attributes attached to gmd:lineage

<i>Name</i>	<i>Value</i>	<i>Type</i>
<b>objectType</b>	'gmd:LI_Lineage' (static)	NC_STRING
<b>gmd:statement</b>	'L2 %(product)s dataset produced by %(processingcenter)s from the S5P/TROPOMI L1B product' (dynamic)	NC_STRING

General explanation of the data producer's knowledge about the lineage of a dataset. Insert short description of the actual Level 2 product in this string (at the %(...)s).

### 10.2.3.97 Group "gmd:processStep" in "gmd:lineage"

Information about an event or transformation in the life of the dataset including details of the algorithm and software used for processing.

**Attributes in FRESCO/METADATA/ESA\_METADATA/earth\_explorer\_header/variable\_header/gmd:lineage/gmd:processStep**

Group attributes attached to gmd:processStep

<i>Name</i>	<i>Value</i>	<i>Type</i>
<b>objectType</b>	'gmi:LE_ProcessStep' (static)	NC_STRING
<b>gmd:description</b>	'Processing of L1b to L2 %(product)s data for orbit %(orbit)d using the %(institute)s processor version %(version)s' (dynamic)	NC_STRING

Description of the event, including related parameters or tolerances. Insert short description of the actual Level 2 product, the orbit number, the name of the institute responsible for the CFI and the software version in this string (at the respective %(...)s and %(...)d).

### 10.2.3.98 Group "gmi:output" in "gmd:processStep"

Description of the output.

**Attributes in FRESCO/METADATA/ESA\_METADATA/earth\_explorer\_header/variable\_header/gmd:lineage/gmd:processStep/gmi:output**

Group attributes attached to gmi:output

<i>Name</i>	<i>Value</i>	<i>Type</i>
<b>gmd:description</b>		NC_STRING
Short description of the output, a copy of the global 'title' attribute.		
<b>objectType</b>	'gmi:LE_Source' (static)	NC_STRING

### 10.2.3.99 Group "gmd:sourceCitation" in "gmi:output"

Reference to the actual filename of the output data and production date and time.

**Attributes in FRESCO/METADATA/ESA\_METADATA/earth\_explorer\_header/variable\_header/gmd:lineage/gmd:processStep/gmi:output/gmd:sourceCitation**

Group attributes attached to gmd:sourceCitation

<i>Name</i>	<i>Value</i>	<i>Type</i>
<b>gmd:title</b>	'%(logical_filename)s' (dynamic)	NC_STRING
Output file name without extension.		
<b>objectType</b>	'gmd:CI_Citation' (static)	NC_STRING

### 10.2.3.100 Group "gmd:date" in "gmd:sourceCitation"

Production date and time of the output file.

**Attributes in FRESCO/METADATA/ESA\_METADATA/earth\_explorer\_header/variable\_header/gmd:lineage/gmd:processStep/gmi:output/gmd:sourceCitation/gmd:date**

Group attributes attached to gmd:date		
Name	Value	Type
<b>gmd:date</b>		NC_STRING
Production date and time of the output file. Note that the definition in the XML schema appears to allow the use of a “CI_DateTime” instead of a “CI_Date”.		
<b>objectType</b>	‘gmd:CI_DateTime’ (static)	NC_STRING

### 10.2.3.101 Group “gmd:dateType” in “gmd:date”

Meaning of the reference date for the cited resource.

**Attributes in FRESCO/METADATA/ESA\_METADATA/earth\_explorer\_header/variable\_header/gmd:lineage/gmd:processStep/gmi:output/gmd:sourceCitation/gmd:date/gmd:dateType**

Group attributes attached to gmd:dateType		
Name	Value	Type
<b>codeList</b>	‘http://www.isotc211.org/2005/resources/Codelist/gmxCodetlists.xml#CI_DateTypeCode’ (static)	NC_STRING
<b>codeListValue</b>	‘creation’ (static)	NC_STRING
<b>objectType</b>	‘gmd:CI_DateTypeCode’ (static)	NC_STRING

### 10.2.3.102 Group “gmd:identifier” in “gmd:sourceCitation”

Identification of the output product.

**Attributes in FRESCO/METADATA/ESA\_METADATA/earth\_explorer\_header/variable\_header/gmd:lineage/gmd:processStep/gmi:output/gmd:sourceCitation/gmd:identifier**

Group attributes attached to gmd:identifier		
Name	Value	Type
<b>gmd:code</b>	‘%(shortname)s’ (dynamic)	NC_STRING
The product short name, a copy of the ‘ProductShortName’ attribute in ‘/METADATA/GRANULE_DESCRIPTION’.		
<b>objectType</b>	‘gmd:MD_Identifier’ (static)	NC_STRING

### 10.2.3.103 Group “gmi:processedLevel” in “gmi:output”

Process level of the output file.

**Attributes in FRESCO/METADATA/ESA\_METADATA/earth\_explorer\_header/variable\_header/gmd:lineage/gmd:processStep/gmi:output/gmi:processedLevel**

Group attributes attached to gmi:processedLevel		
Name	Value	Type
<b>gmd:code</b>	‘L2’ (static)	NC_STRING
<b>objectType</b>	‘gmd:MD_Identifier’ (static)	NC_STRING

### 10.2.3.104 Group “gmi:processingInformation” in “gmd:processStep”

Description of the processor in more detail.

**Attributes in FRESCO/METADATA/ESA\_METADATA/earth\_explorer\_header/variable\_header/gmd:lineage/gmd:processStep/gmi:processingInformation**

Group attributes attached to gmi:processingInformation		
Name	Value	Type
<b>objectType</b>	‘gmi:LE_Processing’ (static)	NC_STRING

### 10.2.3.105 Group “gmi:identifier” in “gmi:processingInformation”

Identification of the processor.

**Attributes in FRESKO/METADATA/ESA\_METADATA/earth\_explorer\_header/variable\_header/gmd:lineage/gmd:processStep/gmi:processingInformation/gmi:identifier**

Group attributes attached to gmi:identifier		
Name	Value	Type
<b>gmd:code</b>	'%(institute)s L2 %(product)s processor, version %(version)s' (dynamic)	NC_STRING
	Descriptive name of the processor, with the %(... )s placeholders replaced with the responsible institute's name, product name and software release version.	
<b>objectType</b>	'gmd:MD_Identifier' (static)	NC_STRING

### 10.2.3.106 Group “gmi:softwareReference” in “gmi:processingInformation”

Reference to document describing processing software.

**Attributes in FRESKO/METADATA/ESA\_METADATA/earth\_explorer\_header/variable\_header/gmd:lineage/gmd:processStep/gmi:processingInformation/gmi:softwareReference**

Group attributes attached to gmi:softwareReference		
Name	Value	Type
<b>gmd:title</b>	'L2 %(product)s processor description' (dynamic)	NC_STRING
	Title of processor description.	
<b>objectType</b>	'gmd:CI_Citation' (static)	NC_STRING

### 10.2.3.107 Group “gmd:date” in “gmi:softwareReference”

Release date (compile date) of the processor.

**Attributes in FRESKO/METADATA/ESA\_METADATA/earth\_explorer\_header/variable\_header/gmd:lineage/gmd:processStep/gmi:processingInformation/gmi:softwareReference/gmd:date**

Group attributes attached to gmd:date		
Name	Value	Type
<b>gmd:date</b>		NC_STRING
	Release date of the processor expressed as an ISO 8601 date string [RD35].	
<b>objectType</b>	'gmd:CI_DateTime' (static)	NC_STRING

### 10.2.3.108 Group “gmd:dateType” in “gmd:date”

Confirm that this is the release date of the processor.

**Attributes in FRESKO/METADATA/ESA\_METADATA/earth\_explorer\_header/variable\_header/gmd:lineage/gmd:processStep/gmi:processingInformation/gmi:softwareReference/gmd:date/gmd:dateType**

Group attributes attached to gmd:dateType		
Name	Value	Type
<b>codeList</b>	'http://www.isotc211.org/2005/resources/Codelist/gmxCodetlists.xml#CI_DateTypeCode' (static)	NC_STRING
<b>codeListValue</b>	'creation' (static)	NC_STRING
<b>objectType</b>	'gmd:CI_DateTypeCode' (static)	NC_STRING

### 10.2.3.109 Group “gmi:documentation#1” in “gmi:processingInformation”

Reference to the ATBD of the product.

**Attributes in FRESCO/METADATA/ESA\_METADATA/earth\_explorer\_header/variable\_header/gmd:lineage/gmd:processStep/gmi:processingInformation/gmi:documentation#1**

Group attributes attached to gmi:documentation#1		
Name	Value	Type
<b>objectType</b>	'gmd:CI_Citation' (static)	NC_STRING
<b>gmd:title</b>	'%(title_atbd)s' (dynamic)	NC_STRING
The filename of the current release of the ATBD of the current product.		

**10.2.3.110 Group “gmd:date” in “gmi:documentation#1”**

Release date of the ATBD.

**Attributes in FRESCO/METADATA/ESA\_METADATA/earth\_explorer\_header/variable\_header/gmd:lineage/gmd:processStep/gmi:processingInformation/gmi:documentation#1/gmd:date**

Group attributes attached to gmd:date		
Name	Value	Type
<b>gmd:date</b>	'%(date_atbd)s' (dynamic)	NC_STRING
Release date of the ATBD expressed as an ISO 8601 date string [RD35].		
<b>objectType</b>	'gmd:CI_Date' (static)	NC_STRING

**10.2.3.111 Group “gmd:dateType” in “gmd:date”**

Confirm that this is the date of publication.

**Attributes in FRESCO/METADATA/ESA\_METADATA/earth\_explorer\_header/variable\_header/gmd:lineage/gmd:processStep/gmi:processingInformation/gmi:documentation#1/gmd:date/gmd:dateType**

Group attributes attached to gmd:dateType		
Name	Value	Type
<b>codeList</b>	'http://www.isotc211.org/2005/resources/Codelist/gmxCodelists.xml#CI_DateTypeCode' (static)	NC_STRING
<b>codeListValue</b>	'publication' (static)	NC_STRING
<b>objectType</b>	'gmd:CI_DateTypeCode' (static)	NC_STRING

**10.2.3.112 Group “gmi:documentation#2” in “gmi:processingInformation”**

Reference to the PUM of the product.

**Attributes in FRESCO/METADATA/ESA\_METADATA/earth\_explorer\_header/variable\_header/gmd:lineage/gmd:processStep/gmi:processingInformation/gmi:documentation#2**

Group attributes attached to gmi:documentation#2		
Name	Value	Type
<b>objectType</b>	'gmd:CI_Citation' (static)	NC_STRING
<b>gmd:title</b>	'%(title_pum)s' (dynamic)	NC_STRING
The filename of the current release of the PUM of the current product.		

**10.2.3.113 Group “gmd:date” in “gmi:documentation#2”**

Release date of the PUM.

**Attributes in FRESCO/METADATA/ESA\_METADATA/earth\_explorer\_header/variable\_header/gmd:lineage/gmd:processStep/gmi:processingInformation/gmi:documentation#2/gmd:date**

---

Group attributes attached to gmd:date

---

Name	Value	Type
<b>gmd:date</b>	'%(date_pum)s' (dynamic)	NC_STRING
	Release date of the PUM expressed as an ISO 8601 date string [RD35].	
<b>objectType</b>	'gmd:CI_Date' (static)	NC_STRING

---

#### 10.2.3.114 Group “gmd:dateType” in “gmd:date”

Confirm that this is the date of publication.

**Attributes in FRESCO/METADATA/ESA\_METADATA/earth\_explorer\_header/variable\_header/gmd:lineage/gmd:processStep/gmi:processingInformation/gmi:documentation#2/gmd:date/gmd:dateType**

---

Group attributes attached to gmd:dateType

---

Name	Value	Type
<b>codeList</b>	'http://www.isotc211.org/2005/resources/Codelist/gmxCodeLists.xml#CI_DateTypeCode' (static)	NC_STRING
<b>codeListValue</b>	'publication' (static)	NC_STRING
<b>objectType</b>	'gmd:CI_DateTypeCode' (static)	NC_STRING

---

#### 10.2.3.115 Group “gmi:report” in “gmd:processStep”

Short report of what occurred during the process step.

**Attributes in FRESCO/METADATA/ESA\_METADATA/earth\_explorer\_header/variable\_header/gmd:lineage/gmd:processStep/gmi:report**

---

Group attributes attached to gmi:report

---

Name	Value	Type
<b>gmi:description</b>	'Sentinel 5-precursor TROPOMI L1b processed to L2 data using the %(institute)s L2 %(product)s processor' (dynamic)	NC_STRING
	Textual description of what occurred during the process step. Replace %(... )s as indicated.	
<b>gmi:fileType</b>	'netCDF' (static)	NC_STRING
	Type of file that contains the processing report, in our case the processing report is contained in the main output file.	
<b>gmi:name</b>	'%(logical_filename)s.nc' (dynamic)	NC_STRING
<b>objectType</b>	'gmi:LE_ProcessStepReport' (dynamic)	NC_STRING

---

#### 10.2.3.116 Group “gmd:source#1” in “gmd:processStep”

Information about the source data used in creating the data specified by the scope. Repeat group as needed, incrementing the number of the source (after the # mark).

**Attributes in FRESCO/METADATA/ESA\_METADATA/earth\_explorer\_header/variable\_header/gmd:lineage/gmd:processStep/gmd:source#1**

---

Group attributes attached to gmd:source#1

---

Name	Value	Type
<b>objectType</b>	'gmi:LE_Source' (static)	NC_STRING
<b>gmd:description</b>		NC_STRING

---

Description of the input data, including L1B, L2, dynamic auxiliary input data and semi-static auxiliary input data. Base strings are “TROPOMI L1B %s radiance product”, “TROPOMI L1B %s irradiance product”, “TROPOMI L2 %s product”, “Auxiliary ECMWF %s Meteorological forecast data”, “Processor %s configuration file”, “Auxiliary %s reference data”, “Auxiliary %s algorithm lookup table”, “Auxiliary CTM %s model input data”, “Auxiliary snow and ice input data” and “Auxiliary NPP/VIIRS cloud screening input data”. The %s to be replaced with specific descriptors.

### 10.2.3.117 Group “gmi:processedLevel” in “gmd:source#1”

**Attributes in FRESKO/METADATA/ESA\_METADATA/earth\_explorer\_header/variable\_header/gmd:lineage/gmd:processStep/gmd:source#1/gmi:processedLevel**

Group attributes attached to gmi:processedLevel		
Name	Value	Type
<b>gmd:code</b>	Empty!	NC_STRING
<b>objectType</b>	‘gmd:MD_Identifier’ (static)	NC_STRING

### 10.2.3.118 Group “gmd:sourceCitation” in “gmd:source#1”

Reference to the actual filename of the input data.

**Attributes in FRESKO/METADATA/ESA\_METADATA/earth\_explorer\_header/variable\_header/gmd:lineage/gmd:processStep/gmd:source#1/gmd:sourceCitation**

Group attributes attached to gmd:sourceCitation		
Name	Value	Type
<b>objectType</b>	‘gmd:CI_Citation’ (static)	NC_STRING

### 10.2.3.119 Group “gmd:date” in “gmd:sourceCitation”

**Attributes in FRESKO/METADATA/ESA\_METADATA/earth\_explorer\_header/variable\_header/gmd:lineage/gmd:processStep/gmd:source#1/gmd:sourceCitation/gmd:date**

Group attributes attached to gmd:date		
Name	Value	Type
<b>gmd:date</b>		NC_STRING
	Production date and time of the input file(s) in this group expressed as an ISO 8601 date-time string [RD35]. Note that the definition in the XML schema appears to allow the use of a “CI_DateTime” instead of a “CI_Date”.	
<b>objectType</b>	‘gmd:CI_Date’ (static)	NC_STRING

### 10.2.3.120 Group “gmd:dateType” in “gmd:date”

Meaning of the reference date for the cited resource.

**Attributes in FRESKO/METADATA/ESA\_METADATA/earth\_explorer\_header/variable\_header/gmd:lineage/gmd:processStep/gmd:source#1/gmd:sourceCitation/gmd:date/gmd:dateType**

Group attributes attached to gmd:dateType		
Name	Value	Type
<b>codeList</b>	‘http://www.isotc211.org/2005/resources/Codelist/gmxCodetlists.xml#CI_DateTypeCode’ (static)	NC_STRING
<b>codeListValue</b>	‘creation’ (static)	NC_STRING
<b>objectType</b>	‘gmd:CI_DateTypeCode’ (static)	NC_STRING

### 10.2.3.121 Group “gmd:title” in “gmd:sourceCitation”

**Attributes in FRESKO/METADATA/ESA\_METADATA/earth\_explorer\_header/variable\_header/gmd:lineage/gmd:processStep/gmd:source#1/gmd:sourceCitation/gmd:title**

Group attributes attached to gmd:title		
Name	Value	Type
<b>gco:characterString</b>		NC_STRING
Textual description of the input file group (same as the “gmd:description” attribute in the “gmi:LE_Source” object).		

### 10.2.3.122 Group “gmd:alternateTitle#1” in “gmd:sourceCitation”

All filenames in this group, in case more files of a particular file type are delivered, for instance for meteorological or model input. Repeat group as needed, incrementing the number of the input file (after the # mark).

**Attributes in FRESKO/METADATA/ESA\_METADATA/earth\_explorer\_header/variable\_header/gmd:lineage/gmd:processStep/gmd:source#1/gmd:sourceCitation/gmd:alternateTitle#1**

Group attributes attached to gmd:alternateTitle#1		
Name	Value	Type
<b>gmx:FileName</b>	<i>Empty!</i>	NC_STRING
The basename of the input file.		

## 11 Units

The `units` attribute originates from the NetCDF-4 users guide [ER7]. This means that the use of this attribute is integral to the use of NetCDF-4 itself, and that the use of the `units` attribute in the NetCDF-4 users guide is a hard requirement. The NetCDF-4 users guide [ER7] strongly suggests to use the UDUnits [ER10] package to handle units. The CF metadata conventions reinforce this requirement [ER5, sections 1.3 and 3.1].

Making the UDUnits package [ER10] a requirement, and thereby forcing all units to be compliant with formal SI units<sup>4</sup> is a good thing for consistency and will help avoid confusion in the long run. In the short term it will require adjustments within the earth observation community, as many of the units that the user community is accustomed to are not SI, and are therefore not available within the UDUnits package. The MAG has decided that Sentinel 5 precursor will represent all level 2 output in SI units. In particular, all column amounts will be given in  $\text{mol m}^{-2}$ .

To make it easier for end-users to adjust to these ‘new’ units, conversion factors are attached to the appropriate variables.

**multiplication\_factor\_to\_convert\_to\_molecules\_percm2** Multiply the contents of the variable with this scale factor ( $6.02214 \times 10^{+19}$ ) to obtain columns in  $\text{molecules cm}^{-2}$

**multiplication\_factor\_to\_convert\_to\_DU** Multiply the contents of the variable with this scale factor (2241.15) to obtain columns in DU.

**multiplication\_factor\_to\_convert\_to\_photons\_persecond\_pernm\_percm2\_persr** Multiply the contents of the variable with this scale factor ( $6.02214 \times 10^{+19}$ ) to obtain a radiance in  $\text{photons s}^{-1} \text{nm}^{-1} \text{cm}^{-2} \text{sr}^{-1}$ .

## 12 Quality Assurance parameters

The Level 2 output will include automated quality assurance parameters. These include ‘event counters’ for each of the flags defined in the processing quality flags, see tables 12 and 13. These processing quality flags are made uniform across all products, and include flags that may not be applicable to a particular algorithm. We still count all flags, so this list is the same for all products, a list is provided in table 4.

<sup>4</sup> And some deeply entrenched non-SI units such as DU.

In addition to these ‘event counters’, we also store a histogram of the main parameters. Storing a histogram of retrieved values is easy during processing, and allows for continuous statistical quality monitoring of the retrieval. It also makes it easy to collect histograms of S5P/TROPOMI data for longer periods. The bins for the histogram depend on the parameter in the Level 2 product, and are defined in the configuration file.

In addition to the histogram an approximation of a probability density function can be created:

$$f_{\text{pdf}}(x_j) = \frac{1}{N} \sum_{i=0}^N \frac{\cos(\delta_{\text{geo},i})}{\sigma_i \sqrt{2\pi}} \exp\left[-\frac{(x_j - x_i)^2}{2\sigma_i^2}\right] \quad (7)$$

This is a discrete approximation of a continuous probability density function, for discrete values  $x_j$  for all successful retrievals  $i = 1, \dots, N$ . The value of  $\cos(\delta_{\text{geo},i})$  is used to make the result less sensitive to the relative oversampling of S5P at high latitude.

The mission performance center for Sentinel 5 precursor maintains a record of quality control/quality assurance parameters for monitoring purposes.

**Table 4:** Quality assurance parameters. This list of parameters is shared across all S5P level 2 products. The number of incident occurrences are stored. Using percentages stored as integers will hide potential issues, especially given the total number of pixels in a S5P/TROPOMI granule.

Name	Description
<code>number_of_groundpixels</code>	Number of ground pixels in the file.
<code>number_of_processed_pixels</code>	Number of ground pixels where a retrieval was attempted. This is the <code>number_of_groundpixels</code> minus the pixels that were rejected on trivial grounds, such as the solar zenith angle.
<code>number_of_successfully_processed_pixels</code>	Number of ground pixels where a retrieval was successful.
<code>number_of_rejected_pixels_not_enough_spectrum</code>	Number of ground pixels where a retrieval was not attempted because too many spectral pixels were flagged as bad.
<code>number_of_failed_retrievals</code>	Number of pixels that were attempted but failed.
<code>number_of_radiance_missing_occurrences</code>	Number of ground pixels where “the number of spectral pixels in the radiance due to flagging is too small to perform the fitting” occurred.
<code>number_of_irradiance_missing_occurrences</code>	Number of ground pixels where “the number of spectral pixels in the irradiance due to flagging is too small to perform the fitting” occurred.
<code>number_of_input_spectrum_missing_occurrences</code>	Number of ground pixels where “the reflectance spectrum does not contain enough points to perform the retrieval. This is different from (ir)radiance_ missing in that the missing points may not be aligned” occurred.
<code>number_of_reflectance_range_error_occurrences</code>	Number of ground pixels where “any of the reflectances is out of bounds ( $R < 0$ or $R > R_{\max}$ )” occurred.
<code>number_of_ler_range_error_occurrences</code>	Number of ground pixels where “lambert-equivalent reflectivity out of range error” occurred.
<code>number_of_snr_range_error_occurrences</code>	Number of ground pixels where “too low signal to noise to perform retrieval” occurred.
<code>number_of_sza_range_error_occurrences</code>	Number of ground pixels where “solar zenith angle out of range, maximum value from configuration” occurred.
<code>number_of_vza_range_error_occurrences</code>	Number of ground pixels where “viewing zenith angle out of range, maximum value from configuration” occurred.
<code>number_of_lut_range_error_occurrences</code>	Number of ground pixels where “extrapolation in lookup table (airmass factor, cloud radiances)” occurred.
<code>number_of_ozone_range_error_occurrences</code>	Number of ground pixels where “ozone column significantly out of range of profile climatology” occurred.

**Table 4:** Common quality assurance parameters. (continued).

Name	Description
<code>number_of_wavelength_offset_error_occurrences</code>	Number of ground pixels where “wavelength offset exceeds maximum from configuration” occurred.
<code>number_of_initialization_error_occurrences</code>	Number of ground pixels where “an error occurred during the processing of the pixel, no output was generated. The following errors raise this flag: Mismatch between irradiance and radiance wavelengths; The on-ground distance between band 1 and band 2 ground pixels exceeds a threshold set in the configuration. Derived a-priori information does not validate, no processing is possible” occurred.
<code>number_of_memory_error_occurrences</code>	Number of ground pixels where “memory allocation or deallocation error” occurred.
<code>number_of_assertion_error_occurrences</code>	Number of ground pixels where “error in algorithm detected during assertion” occurred.
<code>number_of_io_error_occurrences</code>	Number of ground pixels where “error detected during transfer of data between algorithm and framework” occurred.
<code>number_of_numerical_error_occurrences</code>	Number of ground pixels where “general fatal numerical error occurred during inversion” occurred.
<code>number_of_lut_error_occurrences</code>	Number of ground pixels where “error in accessing the lookup table” occurred.
<code>number_of_ISRF_error_occurrences</code>	Number of ground pixels where “error detected in the input instrument spectral response function input data” occurred.
<code>number_of_convergence_error_occurrences</code>	Number of ground pixels where “the main algorithm did not converge” occurred.
<code>number_of_cloud_filter_convergence_error_occurrences</code>	Number of ground pixels where “the cloud filter did not converge” occurred.
<code>number_of_max_iteration_convergence_error_occurrences</code>	Number of ground pixels where “no convergence because retrieval exceeds maximum number of iterations. Maximum value from configuration” occurred.
<code>number_of_aot_lower_boundary_convergence_error_occurrences</code>	Number of ground pixels where “no convergence because the aerosol optical thickness crosses lower boundary twice in succession” occurred.
<code>number_of_other_boundary_convergence_error_occurrences</code>	Number of ground pixels where “no convergence because a state vector element crosses boundary twice in succession. Note that a separate failure flag is defined for non-convergence due to crossing of lower AOT boundary” occurred.
<code>number_of_geolocation_error_occurrences</code>	Number of ground pixels where “geolocation out of range” occurred.

**Table 4:** Common quality assurance parameters. (continued).

Name	Description
number_of_ch4_noscat_zero_error_occurrences	Number of ground pixels where “the CH <sub>4</sub> column retrieved by the non-scattering CO algorithm from the weak band or strong band is 0” occurred.
number_of_h2o_noscat_zero_error_occurrences	Number of ground pixels where “the H <sub>2</sub> O column retrieved by the non-scattering CO algorithm from the weak band or strong band is 0” occurred.
number_of_max_optical_thickness_error_occurrences	Number of ground pixels where “maximum optical thickness exceeded during iterations” occurred.
number_of_aerosol_boundary_error_occurrences	Number of ground pixels where “boundary hit of aerosol parameters at last iteration” occurred.
number_of_boundary_hit_error_occurrences	Number of ground pixels where “fatal boundary hit during iterations” occurred.
number_of_chi2_error_occurrences	Number of ground pixels where “ $\chi^2$ is not-a-number or larger than 10 <sup>10</sup> ” occurred.
number_of_svd_error_occurrences	Number of ground pixels where “singular value decomposition failure” occurred.
number_of_dfs_error_occurrences	Number of ground pixels where “degree of freedom is not-a-number” occurred.
number_of_radiative_transfer_error_occurrences	Number of ground pixels where “errors occurred during the radiative transfer computations, no processing possible” occurred.
number_of_optimal_estimation_error_occurrences	Number of ground pixels where “errors occurred during the optimal estimation, processing has been terminated” occurred.
number_of_profile_error_occurrences	Number of ground pixels where “flag that indicates if there were any errors during the computation of the ozone profile” occurred.
number_of_cloud_error_occurrences	Number of ground pixels where “no cloud data” occurred.
number_of_model_error_occurrences	Number of ground pixels where “forward model failure” occurred.
number_of_number_of_input_data_points_too_low_error_occurrences	Number of ground pixels where “not enough input ozone columns to calculate a tropospheric column” occurred.
number_of_cloud_pressure_spread_too_low_error_occurrences	Number of ground pixels where “cloud pressure variability too low to estimate a tropospheric column” occurred.
number_of_cloud_too_low_level_error_occurrences	Number of ground pixels where “clouds are too low in the atmosphere to assume sufficient shielding” occurred.
number_of_generic_range_error_occurrences	Number of ground pixels where “generic range error” occurred.
number_of_generic_exception_occurrences	Number of ground pixels where “catch all generic error” occurred.

**Table 4:** Common quality assurance parameters. (continued).

Name	Description
number_of_input_spectrum_alignment_error_occurrences	Number of ground pixels where “input radiance and irradiance spectra are not aligned correctly” occurred.
number_of_abort_error_occurrences	Number of ground pixels where “not processed because processor aborted prematurely (time out or user abort)” occurred.
number_of_wrong_input_type_error_occurrences	Number of ground pixels where “wrong input type error, mismatch between expectation and received data” occurred.
number_of_wavelength_calibration_error_occurrences	Number of ground pixels where “an error occurred in the wavelength calibration of this pixel” occurred.
number_of_coregistration_error_occurrences	Number of ground pixels where “no colocated pixels found in a supporting band” occurred.
number_of_slant_column_density_error_occurrences	Number of ground pixels where “slant column fit returned error, no values can be computed” occurred.
number_of_airmass_factor_error_occurrences	Number of ground pixels where “airmass factor could not be computed” occurred.
number_of_vertical_column_density_error_occurrences	Number of ground pixels where “vertical column density could not be computed” occurred.
number_of_signal_to_noise_ratio_error_occurrences	Number of ground pixels where “the signal to noise ratio for this spectrum is too low for processing” occurred.
number_of_solar_eclipse_filter_occurrences	Number of ground pixels where “solar eclipse” occurred.
number_of_cloud_filter_occurrences	Number of ground pixels where “the cloud filter triggered causing the pixel to be skipped” occurred.
number_of_altitude_consistency_filter_occurrences	Number of ground pixels where “too large difference between ECMWF altitude and DEM altitude value” occurred.
number_of_altitude_roughness_filter_occurrences	Number of ground pixels where “too large standard deviation of altitude in DEM” occurred.
number_of_sun_glint_filter_occurrences	Number of ground pixels where “for pixels over water, viewing direction inside sun glint region. Definition of sun glint angle and threshold value from ATBD” occurred.
number_of_mixed_surface_type_filter_occurrences	Number of ground pixels where “pixel contains land and water areas (e.g. coastal pixel)” occurred.

**Table 4:** Common quality assurance parameters. (continued).

Name	Description
number_of_snow_ice_filter_occurrences	Number of ground pixels where “pixel contains snow/ice: Snow/ice flag according to dynamic input OR climatological surface albedo at VIS wavelength is larger than 0.5” occurred.
number_of_aai_filter_occurrences	Number of ground pixels where “AAI smaller than 2.0” occurred.
number_of_cloud_fraction_fresco_filter_occurrences	Number of ground pixels where “pixel contains clouds: The FRESCO effective cloud fraction is larger than threshold. Threshold value from ATBD” occurred.
number_of_aai_scene_albedo_filter_occurrences	Number of ground pixels where “pixel contains clouds: The difference between scene albedo at 380 nm from AAI calculation and the climatological surface albedo exceeds threshold. Threshold value from ATBD. This test filters out clouds” occurred.
number_of_small_pixel_radiance_std_filter_occurrences	Number of ground pixels where “pixel contains clouds: Standard deviation of radiances in small-pixel column exceeds threshold. Threshold value from ATBD” occurred.
number_of_cloud_fraction_viirs_filter_occurrences	Number of ground pixels where “pixel contains clouds: The cloud fraction from VIIRS / NPP exceeds threshold. Threshold value from ATBD” occurred.
number_of_cirrus_reflectance_viirs_filter_occurrences	Number of ground pixels where “pixel contains clouds: Cirrus reflectance from VIIRS / NPP exceeds threshold. Threshold value from ATBD” occurred.
number_of_cf_viirs_swir_ifov_filter_occurrences	Number of ground pixels where “fraction of cloudy VIIRS pixels within S5P SWIR ground pixel exceeds a priori threshold from configuration” occurred.
number_of_cf_viirs_swir_ofova_filter_occurrences	Number of ground pixels where “fraction of cloudy VIIRS pixels within S5P SWIR OFOVa exceeds a priori threshold from configuration” occurred.
number_of_cf_viirs_swir_ofovb_filter_occurrences	Number of ground pixels where “fraction of cloudy VIIRS pixels within S5P SWIR OFOVb exceeds a priori threshold from configuration” occurred.
number_of_cf_viirs_swir_ofovc_filter_occurrences	Number of ground pixels where “fraction of cloudy VIIRS pixels within S5P SWIR OFOVc exceeds a priori threshold from configuration” occurred.
number_of_cf_viirs_nir_ifov_filter_occurrences	Number of ground pixels where “fraction of cloudy VIIRS pixels within S5P NIR ground pixel exceeds a priori threshold from configuration” occurred.
number_of_cf_viirs_nir_ofova_filter_occurrences	Number of ground pixels where “fraction of cloudy VIIRS pixels within S5P NIR OFOVa exceeds a priori threshold from configuration” occurred.
number_of_cf_viirs_nir_ofovb_filter_occurrences	Number of ground pixels where “fraction of cloudy VIIRS pixels within S5P NIR OFOVb exceeds a priori threshold from configuration” occurred.

**Table 4:** Common quality assurance parameters. (continued).

Name	Description
number_of_cf_viirs_nir_ofovc_filter_occurrences	Number of ground pixels where “fraction of cloudy VIIRS pixels within S5P NIR OFOVc exceeds a priori threshold from configuration” occurred.
number_of_refl_cirrus_viirs_swir_filter_occurrences	Number of ground pixels where “average VIIRS cirrus reflectance within SWIR ground pixel exceeds a priori threshold from configuration” occurred.
number_of_refl_cirrus_viirs_nir_filter_occurrences	Number of ground pixels where “average VIIRS cirrus reflectance within NIR ground pixel exceeds a priori threshold from configuration” occurred.
number_of_diff_refl_cirrus_viirs_filter_occurrences	Number of ground pixels where “difference in VIIRS average cirrus reflectance between SWIR and NIR ground pixel exceeds a priori threshold from configuration” occurred.
number_of_ch4_noscat_ratio_filter_occurrences	Number of ground pixels where “the ratio between $[CH_4]_{weak}$ and $[CH_4]_{strong}$ is below or exceeds a priori thresholds from configuration” occurred.
number_of_ch4_noscat_ratio_std_filter_occurrences	Number of ground pixels where “the standard deviation of $[CH_4]_{weak}/[CH_4]_{strong}$ within the SWIR pixel and the 8 neighbouring pixels exceeds a priori threshold from configuration” occurred.
number_of_h2o_noscat_ratio_filter_occurrences	Number of ground pixels where “the ratio between $[H_2O]_{weak}$ and $[H_2O]_{strong}$ is below or exceeds a priori thresholds from configuration” occurred.
number_of_h2o_noscat_ratio_std_filter_occurrences	Number of ground pixels where “the standard deviation of $[H_2O]_{weak}/[H_2O]_{strong}$ within the SWIR pixel and the 8 neighbouring pixels exceeds a priori threshold from configuration” occurred.
number_of_diff_psurf_fresco_ecmwf_filter_occurrences	Number of ground pixels where “difference between the FRESCO apparent surface pressure and the ECMWF surface pressure exceeds a priori threshold from configuration” occurred.
number_of_psurf_fresco_stdv_filter_occurrences	Number of ground pixels where “the standard deviation of the FRESCO apparent surface pressure in the NIR pixel and the 8 surrounding pixels exceeds a priori threshold from configuration” occurred.
number_of_ocean_filter_occurrences	Number of ground pixels where “the ground pixel is over ocean (and ocean glint retrievals are not switched on)” occurred.
number_of_time_range_filter_occurrences	Number of ground pixels where “time is out of the range that is to be processed” occurred.
number_of_pixel_or_scanline_index_filter_occurrences	Number of ground pixels where “not processed because pixel index does not match general selection criteria” occurred.

**Table 4:** Common quality assurance parameters. (continued).

Name	Description
number_of_geographic_region_filter_occurrences	Number of ground pixels where “pixel falls outside the specified regions of interest” occurred.
number_of_input_spectrum_warning_occurrences	Number of ground pixels where “number of good pixels in radiance, irradiance or calculated reflectance below threshold from configuration” occurred.
number_of_wavelength_calibration_warning_occurrences	Number of ground pixels where “offset from wavelength fit is larger than limit set in configuration” occurred.
number_of_extrapolation_warning_occurrences	Number of ground pixels where “pressure or temperature outside cross section LUT range, other lookup table extrapolation” occurred.
number_of_sun_glint_warning_occurrences	Number of ground pixels where “sun glint possibility warning” occurred.
number_of_south_atlantic_anomaly_warning_occurrences	Number of ground pixels where “TROPOMI is inside the south Atlantic anomaly while taking these measurements” occurred.
number_of_sun_glint_correction_occurrences	Number of ground pixels where “A sun glint correction has been applied” occurred.
number_of_snow_ice_warning_occurrences	Number of ground pixels where “snow/ice flag is set, i.e. using scene data from the cloud support product” occurred.
number_of_cloud_warning_occurrences	Number of ground pixels where “cloud filter based on FRESCO apparent surface pressure (VIIRS not available), cloud fraction above threshold or cloud pressure adjusted to force cloud above surface” occurred.
number_of_AAI_warning_occurrences	Number of ground pixels where “possible aerosol contamination as indicated by the AAI” occurred.
number_of_pixel_level_input_data_missing_occurrences	Number of ground pixels where “dynamic auxiliary input data (e.g.. cloud) is missing for this ground pixel. A fallback option is used” occurred.
number_of_data_range_warning_occurrences	Number of ground pixels where “carbon monoxide column tends to negative values; Water column tends to negative values; Heavy water (HDO) column tends to negative values; others” occurred.
number_of_low_cloud_fraction_warning_occurrences	Number of ground pixels where “low cloud fraction, therefore no cloud pressure retrieved” occurred.
number_of_altitude_consistency_warning_occurrences	Number of ground pixels where “difference between ECMWF surface elevation and high-resolution surface elevation exceeds threshold from configuration” occurred.
number_of_signal_to_noise_ratio_warning_occurrences	Number of ground pixels where “signal to noise ratio in SWIR and/or NIR band below threshold from configuration” occurred.

**Table 4:** Common quality assurance parameters. (continued).

Name	Description
number_of_deconvolution_warning_occurrences	Number of ground pixels where “failed deconvolution irradiance spectrum (not pixel-specific, but row-specific)” occurred.
number_of_so2_volcanic_origin_likely_warning_occurrences	Number of ground pixels where “warning for SO <sub>2</sub> BL product, UTLS products: volcanic origin except for heavily polluted sites” occurred.
number_of_so2_volcanic_origin_certain_warning_occurrences	Number of ground pixels where “warning for SO <sub>2</sub> BL product, UTLS products: volcanic origin certain” occurred.
number_of_interpolation_warning_occurrences	Number of ground pixels where “warning for interpolation on partially missing data. In this case the valid available data is used, potentially leading to a bias” occurred.

## 13 Generic metadata and attributes

Metadata gives information about the satellite, algorithms, configuration as well as other parameters useful for the interpretation of the processed data and tracing the production process of the level 2 files. The Sentinel 5 precursor product files, both for level 1B and level 2 contain a rich amount of metadata, both at the variable level and at the granule level. The full description of the metadata in the files for the KNMI level 2 support products product is given in the file format description, in section 10.2. Here we provide some background on what can be found in which location. The abbreviations listed in table 5 are used in the following part of this document to better identify the nature of the attributes.

**Table 5:** The abbreviations used in metadata descriptions to indicate the origin of a specific attribute, and the abbreviations used to indicate the type of an attribute.

Abbreviation	Description
NUG	netCDF-4 Users Guide [ER7]
CF	Climate and Forecast metadata conventions [ER5], which includes the COARDS [ER11] conventions
ISO	ISO standards 19115, 19115-2 and 19157 [RD29, RD30, RD31]
Inspire	Inspire directive [ER4]
ACDD	ESIP-ACDD Attribute convention for dataset discovery [ER6]
CCI	Attributes requested by the ESA climate change initiative project. These largely overlap with the ACDD attributes.
ESA	Fixed ESA Header [RD28]
S5P	Internal use – mostly for retrieval settings, possibly as an extension to ISO 19115 [RD29]
S	Attribute is a string attribute
P	Attribute has the data-type of the variable with which it is associated ('parent' data type).
I	Attribute is an integer value
F	Attribute is a floating point value (either 32-bit or 64-bit).
T	Attribute is a CCSDS-ASCII time representation ("UTC=" + ISO 8601 [RD35])

We follow several metadata conventions in the S5P level 2 files, as can be seen in table 5. These include ISO 19115-2 [RD30], OGC 10.157r3 [RD32], the ESA earth observation header [RD28] and the Climate and Forecast metadata conventions [ER5]. Following ISO 19115-2 also ensures compliance with the Inspire directive, with the provision that a few items that are optional in the ISO standard are required by Inspire. These metadata standards prescribe the generation of XML files as side-files to the main product file. These metadata standards are mostly intended for data discovery and data dissemination. This means that the metadata must be ingested by a server so that it can be stored in a database. This database will end users help to find the data they need. Ingestion of this metadata is facilitated by storing the metadata in a predefined XML format. While it is possible to store the required XML directly in a NetCDF variable or attribute, it is hard to use these directly to extract metadata. Using attributes for the individual metadata fields makes it far easier for users to read the metadata from their programs, as the interface becomes uniform: just netCDF-4.

The then question becomes how to store the metadata for the ISO 19115-2, OGC 10.157r3 and the ESA earth observation header in the NetCDF datafile, in a way that facilitates automated creation of the XML side files for ingestion into the database for dissemination en discovery. Fortunately this problem has already been solved by the S5P L1B team, and a description can be found in the L1B input/output data specification and the metadata specification [RD2, RD34]. The short version is that the attributes in the data file can be exported as NcML [RD48], which can be translated into the desired output using an XSLT transformation. Support attributes are added to the data file to facilitate this. Creating such a transformation script has been declared out of scope for the level 1B and level 2 processor CFI providers.

### 13.1 The Climate and Forecast conventions

The CF metadata conventions [ER5] provide guidelines for attributes for variables so that the link between data and its geolocation and time of observation can be made automatically. Applying the CF-metadata conventions to the output products already limits the number of choices we will have to make. Units and other attributes are

already defined and some structure is provided by the CF-conventions, for instance in linking data fields with geolocation.

### 13.2 NetCDF User Guide Conventions

A full description of the conventions might be found in the NetCDF user manual [ER7]]. In general, names starting with underscore character are always reserved for use by the NetCDF library. NUG conventions are a subset of the CF-conventions.

### 13.3 Global attributes

Global attributes that are present at the `root` level of a S5p L2 product as described in section ???. These are mostly `string` attributes.

### 13.4 ESA earth observation header

The ESA earth observations file format guidelines and tailoring for S5P [RD28, RD27] specify the creation of a header file with a basic description of the contents of an output file. This header file consists of a fixed part and a customizable variable part. The variable part contains the lineage of the product is repeated, see section 10.2.3.44 for a description the the attributes contained in this part of the header. The fixed header is described in tables 6–8.

**Table 6:** Metadata in the fixed header required by the ESA earth observation file format standard. The data types refer to the short list in table 5.

Name	Data type	Definition
File_Name	S	File name of the product without extension.
File_Description	S	Description of the file type.
Notes	S	Any type of notes/comments (multi-lines).
Mission	S	Description of the mission (Fixed to “S5P”)
File_Class	S	Description of the file class. It is redundant with the File Class element embedded in the File Name.(e.g., “NRTI”)
File_Type	S	Description of the file type, for the current product it is set to “L2__-KNMI level 2 support products”. It is redundant with the File Type element embedded in the File Name.
Validity_Period	Group, see table 7	Time coverage of the data.
File_Version	I	It is redundant with the File Version element embedded in the File Name.
Source	Group, see table 8	Information about the ground segment facility where the product was generated.

**Table 7:** Fields in the Validity\_Period group. The data types refer to the short list in table 5.

Name	Data type	Definition
Validity_Start	T	This is the UTC Validity Start Time, the same as the Validity Start Time in the File Name and the <code>time_coverage_start</code> global attribute.
Validity_Stop	T	This is the UTC Validity Stop Time, the same as the Validity Stop Time in the File Name and the <code>time_coverage_end</code> global attribute.

**Table 8:** Fields in the source group. The data types refer to the short list in table 5.

Name	Data type	Definition
System	S	Name of the Ground Segment element creating the file.

**Table 8:** Fields in the source group (continued).

Name	Data type	Definition
Creator	S	Name of the facility or tool, within the Ground Segment element, creating the file.
Creator_Version	S	Version of the tool.
Creation_Date	T	This is the UTC Creation Date. This field also appears in the file name and in the date_created global attribute.

### 13.5 Inspire directive

INSPIRE is based on the infrastructures for spatial information established and operated by the 27 Member States of the European Union. The INSPIRE directive came into force on 15 May 2007 and will be developed in several stages until a complete release with due date set in 2019. The INSPIRE directive aims to create a European Union (EU) spatial data infrastructure. This will enable the sharing of environmental spatial information among public sector organizations and better facilitate public access to spatial information across Europe. The European Commission issued a Metadata Regulation [RD49] which aims at setting the requirements for the creation and maintenance of metadata for spatial data sets, spatial data set series and spatial data services corresponding to the themes listed in the annexes of the regulation.

Since many different standard are involved, collisions may occur. The INSPIRE Metadata Implementing Rules [RD50] define how the Regulation can be implemented using ISO 19115. As also reported in [RD34], the conclusion of the study pointed out the following:

1. The conformance of an ISO 19115 metadata set to the ISO 19115 Core does not guarantee the conformance to INSPIRE.
2. The use of these guidelines to create INSPIRE metadata ensures that the metadata is not in conflict with ISO 19115. However, full conformance to ISO 19115 implies the provision of additional metadata elements which are not required by INSPIRE.

### 13.6 ISO and OGC standards

Two ISOs standards useful for the description of collection of Earth Observation products and to the description of individual EO products are ISO 19115-2 [RD30] and ISO 19156 [RD51], respectively. However, these two ISOs do not provide any encoding syntax but they are merely conceptual models. On the other hand, standards that provide encoding and XML schema for describing, validating and exchanging metadata about geographic datasets and for observations and measurements are:

1. ISO 19139 [RD43]
2. OGC 10-025C [RD52]
3. OGC 10-157 [RD32]

Full description of all above mentioned standard is not part of this document. The S5p L01B development team have addressed and analyzed the complex structure of the application of all those ISOs and OGC standard in the S5P L01B metadata specification [RD34].

### 13.7 Attributes

In Table 10 a list of attributes that can be appended to variables in S5p products. Not all of these attributes will be used on all variables, but for each variables an appropriate selection is made. The different types with their respective abbreviations are shown in Table 5. The NetCDF attribute `_FillValue` which represents missing or undefined data can assume the default values listed in Table 9.

**Table 9:** netCDF-4 type definitions and fill values. In order to avoid rounding errors, it is recommended to use the hexadecimal notation when specifying fill values for float and double types. Note that these are the netCDF-4 default fill values, there should be no need to specify these values explicitly. In some cases the fill value for float or double variables may fall within the valid range of a variable. For those cases an explicit fill value must be set, the value  $-9.9692099683868690 \times 10^{36}$  (hex:  $-0 \times 1 . ep + 122$ ) is recommended for these cases.

Type	Description	Fill value
byte	8-bit signed integer	-127
ubyte	8-bit unsigned integer	255
short	16-bit signed integer	-32767
ushort	16-bit unsigned integer	65535
int	32-bit signed integer	-2147483647
uint	32-bit unsigned integer	4294967295
float	32-bit floating point	$9.9692099683868690 \times 10^{36}$ (hex: $0 \times 1 . ep + 122$ )
double	64-bit floating point	$9.9692099683868690 \times 10^{36}$ (hex: $0 \times 1 . ep + 122$ )

**Table 10:** Attributes for variables used in S5p netCDF-4 files. The data types refer to the short list in table 5.

Name	Type	Std.	Description
ancillary_variables	S	CF	Identifies a variable that contains closely associated data, e.g. the measurement uncertainties of instrument data.
bounds	S	CF	Connects a boundary variable to a coordinate variable.
cell_measures	S	CF	Identifies variables that contain cell areas or volumes. This can be used to connect approximate ground pixel coverage in km <sup>2</sup> to data-fields.
comment	S	CF	Miscellaneous information about the data or methods used to produce it.
coordinates	S	CF	Identifies auxiliary coordinate variables, providing a connection between data and geolocation, time.
_FillValue	P	NUG	Value to represent missing or undefined data. Recommended (default) values are given in table 9.
flag_masks	P	CF	Provides a list of bit fields expressing Boolean or enumerated flags.
flag_meanings	S	CF	Use in conjunction with flag_values to provide descriptive words or phrases for each flag value.
flag_values	P	CF	Provides a list of the flag values. Use in conjunction with flag_meanings.
formula	S	CF	Formula to calculate the values for an adaptive grid, for instance for a dimensionless vertical coordinate. Example: "hyam hybm (mlev=hyam+hybm*aps)".
formula_terms	S	CF	Identifies variables that correspond to the terms in a formula, for instance for a dimensionless vertical coordinate. Example: "ap: hyam b: hybm ps: aps"
institution	S	CF	Specifies where the original data was produced.
long_name	S	CF	A descriptive name that indicates a variable's content. This name is not standardized.
positive	S	CF	Direction of increasing vertical coordinate value ('up' for $z$ in m or 'down' for $p$ in hPa).
references	S	CF	References that describe the data or methods used to produce it.
source	S	CF	Method of production of the original data.

**Table 10:** Attributes for variables used in S5p netCDF-4 files (continued).

<b>Name</b>	<b>Type</b>	<b>Std.</b>	<b>Description</b>
standard_error_multiplier	F	CF	If a data variable with a standard_name modifier of standard_error has this attribute, it indicates that the values are the stated multiple of one standard error. The only allowed value for S5p files is 1, used only to disambiguate.
standard_name	S	CF	A standard name that references a description of a variable's content in the standard name table.
units	S	CF	Units of a variable's content. See section 11 for a detailed discussion.
valid_max	P	NUG	Largest valid value of a variable.
valid_min	P	NUG	Smallest valid value of a variable.
valid_range	P[2]	NUG	Smallest and largest valid values of a variable. This attribute should not be combined with either valid_min or valid_max

## A Flag descriptions

The following tables describe the Measurement flags, Processing quality flags (processing failures and filter conditions, errors and warnings) and surface classifications.

**Table 11:** Measurement flags. These flags indicate conditions that apply to the whole swath at a specific time, for instance whether we are flying through the south Atlantic anomaly. These are copied from the Level 1B input.

Bit #	Mask (hex)	Short name	Description
0	0x01	proc_skipped	One or more Level 1B processing steps (algorithms) were skipped
1	0x02	saa_warning	Measurement was obtained while spacecraft was in South Atlantic Anomaly
2	0x04	spacecraft_manoeuvre	Measurement was obtained during spacecraft manoeuvre
3	0x08	irr_out_of_range	Irradiance measurement outside nominal elevation or azimuth range
4	0x10		Reserved for future use
5	0x20		Reserved for future use
6	0x40		Reserved for future use
7	0x80		Reserved for future use

**Table 12:** Processing quality flags, errors, processing failures and filter conditions for S5P Level 2. Warnings are listed in table 13. The value in the first column is the result of a bitwise ‘and’ of 255 (0xFF) and the value in the “processing\_quality\_flags” variable.

#	Short name	Description	Algorithm
0	success	No failures, output contains value. Warnings still possible.	All
1	radiance_missing	The number of spectral pixels in the radiance due to flagging is too small to perform the fitting.	All
2	irradiance_missing	The number of spectral pixels in the irradiance due to flagging is too small to perform the fitting.	All
3	input_spectrum_missing	The reflectance spectrum does not contain enough points to perform the retrieval. This is different from (ir)radiance_missing in that the missing points may not be aligned.	All
4	reflectance_range_error	Any of the reflectances is out of bounds ( $R < 0$ or $R > R_{max}$ ).	FRESCO
5	ler_range_error	Lambert-equivalent reflectivity out of range error.	CO, CH <sub>4</sub>
6	snr_range_error	Too low signal to noise to perform retrieval.	CO
7	sza_range_error	Solar zenith angle out of range, maximum value from configuration.	All
8	vza_range_error	Viewing zenith angle out of range, maximum value from configuration.	Development phase only
9	lut_range_error	Extrapolation in lookup table (airmass factor, cloud radiances).	NO <sub>2</sub>
10	ozone_range_error	Ozone column significantly out of range of profile climatology.	Total O <sub>3</sub> column
11	wavelength_offset_error	Wavelength offset exceeds maximum from configuration.	FRESCO, NO <sub>2</sub>

**Table 12:** Processing quality flags, errors, processing failures and filter conditions for S5P Level 2 (continued).

#	Short name	Description	Algorithm
12	initialization_error	An error occurred during the processing of the pixel, no output was generated. The following errors raise this flag: Mismatch between irradiance and radiance wavelengths; The on-ground distance between band 1 and band 2 ground pixels exceeds a threshold set in the configuration. Derived a-priori information does not validate, no processing is possible.	All
13	memory_error	Memory allocation or deallocation error.	CO, CH <sub>4</sub>
14	assertion_error	Error in algorithm detected during assertion.	CO
15	io_error	Error detected during transfer of data between algorithm and framework.	CO, ALH, CH <sub>4</sub> , O <sub>3</sub> profile
16	numerical_error	General fatal numerical error occurred during inversion.	CO, FRESCO
17	lut_error	Error in accessing the lookup table.	CH <sub>4</sub>
18	ISRF_error	Error detected in the input instrument spectral response function input data.	CH <sub>4</sub>
19	convergence_error	The main algorithm did not converge.	All
20	cloud_filter_convergence_error	The cloud filter did not converge.	CO
21	max_iteration_convergence_error	No convergence because retrieval exceeds maximum number of iterations. Maximum value from configuration.	ALH
22	aot_lower_boundary_convergence_error	No convergence because the aerosol optical thickness crosses lower boundary twice in succession.	ALH
23	other_boundary_convergence_error	No convergence because a state vector element crosses boundary twice in succession. Note that a separate failure flag is defined for non-convergence due to crossing of lower AOT boundary.	ALH
24	geolocation_error	Geolocation out of range.	
25	ch4_noscat_zero_error	The CH <sub>4</sub> column retrieved by the non-scattering CO algorithm from the weak band or strong band is 0.	CH <sub>4</sub>
26	h2o_noscat_zero_error	The H <sub>2</sub> O column retrieved by the non-scattering CO algorithm from the weak band or strong band is 0.	CH <sub>4</sub>
27	max_optical_thickness_error	Maximum optical thickness exceeded during iterations.	CH <sub>4</sub>
28	aerosol_boundary_error	Boundary hit of aerosol parameters at last iteration.	CH <sub>4</sub>
29	boundary_hit_error	Fatal boundary hit during iterations.	CH <sub>4</sub>
30	chi2_error	$\chi^2$ is not-a-number or larger than 10 <sup>10</sup> .	CH <sub>4</sub>
31	svd_error	Singular value decomposition failure.	CH <sub>4</sub>

**Table 12:** Processing quality flags, errors, processing failures and filter conditions for S5P Level 2 (continued).

#	Short name	Description	Algorithm
32	dfs_error	Degree of freedom is not-a-number.	CH <sub>4</sub>
33	radiative_transfer_error	Errors occurred during the radiative transfer computations, no processing possible.	O <sub>3</sub> profile
34	optimal_estimation_error	Errors occurred during the optimal estimation, processing has been terminated.	O <sub>3</sub> profile
35	profile_error	Flag that indicates if there were any errors during the computation of the ozone profile.	O <sub>3</sub> profile
36	cloud_error	No cloud data.	Cloud
37	model_error	Forward model failure.	Cloud, Total O <sub>3</sub> column
38	number_of_input_data_points_too_low_error	Not enough input ozone columns to calculate a tropospheric column.	Tropospheric O <sub>3</sub> column
39	cloud_pressure_spread_too_low_error	Cloud pressure variability too low to estimate a tropospheric column.	Tropospheric O <sub>3</sub> column
40	cloud_too_low_level_error	Clouds are too low in the atmosphere to assume sufficient shielding.	Tropospheric O <sub>3</sub> column
41	generic_range_error	Generic range error.	All
42	generic_exception	Catch all generic error.	All
43	input_spectrum_alignment_error	Input radiance and irradiance spectra are not aligned correctly.	All
44	abort_error	Not processed because processor aborted prematurely (time out or user abort)	All
45	wrong_input_type_error	Wrong input type error, mismatch between expectation and received data.	All
46	wavelength_calibration_error	An error occurred in the wavelength calibration of this pixel	All
47	coregistration_error	No colocated pixels found in a supporting band	All
48	slant_column_density_error	Slant column fit returned error, no values can be computed	
49	airmass_factor_error	Airmass factor could not be computed	
50	vertical_column_density_error	vertical column density could not be computed	
51	signal_to_noise_ratio_error	The signal to noise ratio for this spectrum is too low for processing	All
64	solar_eclipse_filter	Solar eclipse.	All
65	cloud_filter	The cloud filter triggered causing the pixel to be skipped.	CO, ALH, CH <sub>4</sub>
66	altitude_consistency_filter	Too large difference between ECMWF altitude and DEM altitude value.	CO, CH <sub>4</sub>
67	altitude_roughness_filter	Too large standard deviation of altitude in DEM.	CO, ALH, CH <sub>4</sub>
68	sun_glint_filter	For pixels over water, viewing direction inside sun glint region. Definition of sun glint angle and threshold value from ATBD.	ALH
69	mixed_surface_type_filter	Pixel contains land and water areas (e.g. coastal pixel).	ALH

**Table 12:** Processing quality flags, errors, processing failures and filter conditions for S5P Level 2 (continued).

#	Short name	Description	Algorithm
70	snow_ice_filter	Pixel contains snow/ice: Snow/ice flag according to dynamic input OR climatological surface albedo at VIS wavelength is larger than 0.5.	ALH
71	aai_filter	AAI smaller than 2.0.	ALH
72	cloud_fraction_fresco_filter	Pixel contains clouds: The FRESCO effective cloud fraction is larger than threshold. Threshold value from ATBD.	ALH
73	aai_scene_albedo_filter	Pixel contains clouds: The difference between scene albedo at 380 nm from AAI calculation and the climatological surface albedo exceeds threshold. Threshold value from ATBD. This test filters out clouds.	ALH
74	small_pixel_radiance_std_filter	Pixel contains clouds: Standard deviation of radiances in small-pixel column exceeds threshold. Threshold value from ATBD.	ALH, CH <sub>4</sub>
75	cloud_fraction_viirs_filter	Pixel contains clouds: The cloud fraction from VIIRS / NPP exceeds threshold. Threshold value from ATBD.	ALH
76	cirrus_reflectance_viirs_filter	Pixel contains clouds: Cirrus reflectance from VIIRS / NPP exceeds threshold. Threshold value from ATBD.	ALH
77	cf_viirs_swir_ifov_filter	Fraction of cloudy VIIRS pixels within S5P SWIR ground pixel exceeds a priori threshold from configuration.	CH <sub>4</sub>
78	cf_viirs_swir_ofova_filter	Fraction of cloudy VIIRS pixels within S5P SWIR OFOVa exceeds a priori threshold from configuration.	CH <sub>4</sub>
79	cf_viirs_swir_ofovb_filter	Fraction of cloudy VIIRS pixels within S5P SWIR OFOVb exceeds a priori threshold from configuration.	CH <sub>4</sub>
80	cf_viirs_swir_ofovc_filter	Fraction of cloudy VIIRS pixels within S5P SWIR OFOVc exceeds a priori threshold from configuration.	CH <sub>4</sub>
81	cf_viirs_nir_ifov_filter	Fraction of cloudy VIIRS pixels within S5P NIR ground pixel exceeds a priori threshold from configuration.	CH <sub>4</sub>
82	cf_viirs_nir_ofova_filter	Fraction of cloudy VIIRS pixels within S5P NIR OFOVa exceeds a priori threshold from configuration.	CH <sub>4</sub>
83	cf_viirs_nir_ofovb_filter	Fraction of cloudy VIIRS pixels within S5P NIR OFOVb exceeds a priori threshold from configuration.	CH <sub>4</sub>
84	cf_viirs_nir_ofovc_filter	Fraction of cloudy VIIRS pixels within S5P NIR OFOVc exceeds a priori threshold from configuration.	CH <sub>4</sub>

**Table 12:** Processing quality flags, errors, processing failures and filter conditions for S5P Level 2 (continued).

#	Short name	Description	Algorithm
85	refl_cirrus_viirs_swir_filter	Average VIIRS cirrus reflectance within SWIR ground pixel exceeds a priori threshold from configuration.	CH <sub>4</sub>
86	refl_cirrus_viirs_nir_filter	Average VIIRS cirrus reflectance within NIR ground pixel exceeds a priori threshold from configuration.	CH <sub>4</sub>
87	diff_refl_cirrus_viirs_filter	Difference in VIIRS average cirrus reflectance between SWIR and NIR ground pixel exceeds a priori threshold from configuration.	CH <sub>4</sub>
88	ch4_noscat_ratio_filter	The ratio between [CH <sub>4</sub> ] <sub>weak</sub> and [CH <sub>4</sub> ] <sub>strong</sub> is below or exceeds a priori thresholds from configuration.	CH <sub>4</sub>
89	ch4_noscat_ratio_std_filter	The standard deviation of [CH <sub>4</sub> ] <sub>weak</sub> /[CH <sub>4</sub> ] <sub>strong</sub> within the SWIR pixel and the 8 neighbouring pixels exceeds a priori threshold from configuration.	CH <sub>4</sub>
90	h2o_noscat_ratio_filter	The ratio between [H <sub>2</sub> O] <sub>weak</sub> and [H <sub>2</sub> O] <sub>strong</sub> is below or exceeds a priori thresholds from configuration.	CH <sub>4</sub>
91	h2o_noscat_ratio_std_filter	The standard deviation of [H <sub>2</sub> O] <sub>weak</sub> /[H <sub>2</sub> O] <sub>strong</sub> within the SWIR pixel and the 8 neighbouring pixels exceeds a priori threshold from configuration.	CH <sub>4</sub>
92	diff_psurf_fresco_ecmwf_filter	Difference between the FRESKO apparent surface pressure and the ECMWF surface pressure exceeds a priori threshold from configuration.	CH <sub>4</sub>
93	psurf_fresco_stdv_filter	The standard deviation of the FRESKO apparent surface pressure in the NIR pixel and the 8 surrounding pixels exceeds a priori threshold from configuration.	CH <sub>4</sub>
94	ocean_filter	The ground pixel is over ocean (and ocean glint retrievals are not switched on).	CH <sub>4</sub>
95	time_range_filter	Time is out of the range that is to be processed.	All
96	pixel_or_scanline_index_filter	Not processed because pixel index does not match general selection criteria.	All
97	geographic_region_filter	Pixel falls outside the specified regions of interest.	All

**Table 13:** Processing quality flags, warnings for S5P Level 2. Errors, processing failures and filter conditions are listed in table 12. If a bitwise ‘and’ of the mask value and the value in the “processing\_quality\_flags” variable is not zero, then the warning applies to the specific retrieval.

Bit #	Mask (hex)	Short name	Description	Algorithm
0–7	0x000000FF	error	If non-zero an error has occurred when processing the pixel, see table 12 for details.	All
8	0x00000100	input_spectrum_warning	Number of good pixels in radiance, irradiance or calculated reflectance below threshold from configuration.	All

**Table 13:** Processing quality flags, warnings for S5P Level 2 (continued).

Bit #	Mask (hex)	Short name	Description	Algorithm
9	0x00000200	wavelength_calibration_warning	Offset from wavelength fit is larger than limit set in configuration.	Most
10	0x00000400	extrapolation_warning	Pressure or temperature outside cross section LUT range, other lookup table extrapolation.	CO, CH <sub>4</sub>
11	0x00000800	sun_glint_warning	Sun glint possibility warning.	All
12	0x00001000	south_atlantic_anomaly_warning	TROPOMI is inside the south Atlantic anomaly while taking these measurements.	All
13	0x00002000	sun_glint_correction	A sun glint correction has been applied.	Cloud
14	0x00004000	snow_ice_warning	Snow/ice flag is set, i.e. using scene data from the cloud support product.	NO <sub>2</sub>
15	0x00008000	cloud_warning	Cloud filter based on FRESKO apparent surface pressure (VIIRS not available), cloud fraction above threshold or cloud pressure adjusted to force cloud above surface.	CH <sub>4</sub> , O <sub>3</sub> profile
16	0x00010000	AAI_warning	Possible aerosol contamination as indicated by the AAI.	O <sub>3</sub> profile
17	0x00020000	pixel_level_input_data_missing	Dynamic auxiliary input data (e.g.. cloud) is missing for this ground pixel. A fallback option is used.	All
18	0x00040000	data_range_warning	Carbon monoxide column tends to negative values; Water column tends to negative values; Heavy water (HDO) column tends to negative values; others.	CO, CH <sub>4</sub>
19	0x00080000	low_cloud_fraction_warning	Low cloud fraction, therefore no cloud pressure retrieved.	Cloud
20	0x00100000	altitude_consistency_warning	Difference between ECMWF surface elevation and high-resolution surface elevation exceeds threshold from configuration.	CH <sub>4</sub>
21	0x00200000	signal_to_noise_ratio_warning	Signal to noise ratio in SWIR and/or NIR band below threshold from configuration.	CH <sub>4</sub>
22	0x00400000	deconvolution_warning	Failed deconvolution irradiance spectrum (not pixel-specific, but row-specific).	CO, CH <sub>4</sub>
23	0x00800000	so2_volcanic_origin_likely_warning	Warning for SO <sub>2</sub> BL product, UTLS products: volcanic origin except for heavily polluted sites.	SO <sub>2</sub>
24	0x01000000	so2_volcanic_origin_certain_warning	Warning for SO <sub>2</sub> BL product, UTLS products: volcanic origin certain.	SO <sub>2</sub>
25	0x02000000	interpolation_warning	Warning for interpolation on partially missing data. In this case the valid available data is used, potentially leading to a bias.	All
26	0x04000000		Reserved for future use	
27	0x08000000		Reserved for future use	
28	0x10000000		Reserved for future use	

**Table 13:** Processing quality flags, warnings for S5P Level 2 (continued).

Bit #	Mask (hex)	Short name	Description	Algorithm
29	0x20000000		Reserved for future use	
30	0x40000000		Reserved for future use	
31	0x80000000		Reserved for future use	

**Table 14:** Surface classification for S5P Level 2. This is a combined land/water mask and surface classification data field. For land the “Global Land Cover Characteristics Data Base Version 2.0” is used [ER8], specifically the “USGS Land Use/Land Cover System (Modified Level 2)” classification. Over water the classification from the NASA SDP toolkit [ER9], which is based on [RD42].

Bit #	Mask (hex)	Short name	Description
0	0x03	Land	The pixel is over land, for more than 50 %
1	0x03	Water	The pixel is over water, for more than 50 %
2	0x03	some_water	Pixel contains water (however small the fraction), i.e. at least one of the 15 × 15 arcsecond subpixels in the SDP dataset is classified as water
3	0x03	coastline	Pixel is water, but contains land (coastline)
0	0x04	mixed_surface	Pixel has a mixed surface type. Classification is result of highest bin, not overwhelming majority, i.e. type covers less than 50 % of pixel surface
4	0x04	value_covers_majority_of_pixel	Pixel is dominated by surface type, i.e. type covers more than 50 % of pixel surface
9	0xF9	Water+Shallow_Ocean	Water, shallow ocean
17	0xF9	Water+Shallow_Inland_Water	Water, shallow inland water (lake)
25	0xF9	Water+Ocean_Coastline-Lake_Shoreline	Water, mixed with land; coastline
33	0xF9	Water+Intermittent_Water	Intermittent water, for instance the Wadden Sea
41	0xF9	Water+Deep_Inland_Water	Deep inland water
49	0xF9	Water+Continental_Shelf_Ocean	Water, continental shelf ocean
57	0xF9	Water+Deep_Ocean	Water, deep ocean
8	0xF9	Land+Urban_And_Built-up_Land	Land, urban areas
16	0xF9	Land+Dryland_Cropland_And_Pasture	Land, Dryland Cropland and Pasture
24	0xF9	Land+Irrigated_Cropland_And_Pasture	Land, Irrigated Cropland and Pasture
32	0xF9	Land+Mixed_Dryland-irrigated_Cropland_And_Pasture	Land, Mixed Dryland/Irrigated Cropland and Pasture
40	0xF9	Land+Cropland-grassland_Mosaic	Land, Cropland/Grassland Mosaic

**Table 14:** Surface classification for S5P Level 2 (continued).

<b>Bit #</b>	<b>Mask (hex)</b>	<b>Short name</b>	<b>Description</b>
48	0xF9	Land+Cropland-woodland_Mosaic	Land, Cropland/Woodland Mosaic
56	0xF9	Land+Grassland	Land, Grassland
64	0xF9	Land+Shrubland	Land, Shrubland
72	0xF9	Land+Mixed_Shrubland-grassland	Land, Mixed Shrubland/Grassland
80	0xF9	Land+Savanna	Land, Savanna
88	0xF9	Land+Deciduous_Broadleaf_Forest	Land, Deciduous Broadleaf Forest
96	0xF9	Land+Deciduous_Needleleaf_Forest	Land, Deciduous Needleleaf Forest
104	0xF9	Land+Evergreen_Broadleaf_Forest	Land, Evergreen Broadleaf Forest
112	0xF9	Land+Evergreen_Needleleaf_Forest	Land, Evergreen Needleleaf Forest
120	0xF9	Land+Mixed_Forest	Land, Mixed Forest
128	0xF9	Land+Herbaceous_Wetland	Land, Herbaceous Wetland
136	0xF9	Land+Wooded_Wetland	Land, Wooded Wetland
144	0xF9	Land+Barren_Or_Sparsely_Vegetated	Land, Barren or Sparsely Vegetated
152	0xF9	Land+Herbaceous_Tundra	Land, Herbaceous Tundra
160	0xF9	Land+Wooded_Tundra	Land, Wooded Tundra
168	0xF9	Land+Mixed_Tundra	Land, Mixed Tundra
176	0xF9	Land+Bare_Ground_Tundra	Land, Bare Ground Tundra
184	0xF9	Land+Snow_Or_Ice	Land, Snow or Ice