




# S5P Mission Performance Centre Methane [L2\_\_CH4\_\_\_] Readme



document number	S5P-MPC-SRON-PRF-CH4	
Issue	2.4	
Date	2023-03-15	
product version	V02.05.00	
Status	Released	
Prepared by	J. Landgraf, A. Lorente (SRON) B. Langerock, M. Kumar Sha (BIRA-IASB)	MPC Product leads MPC Validation Coordinators
Reviewed by	J.-C. Lambert (BIRA-IASB) D. Loyola (DLR) D. Stein Zweers (KNMI)	MPC ESL-VAL Lead MPC ESL-L2 Lead MPC Technical Manager
Approved by	A. Dehn (ESA), C. Zehner (ESA)	ESA Data Quality Manager ESA Mission Manager

MPC Contributors	M. Sneep (KNMI) L. Saavedra de Miguel (ESA/Serco)	MPC ESL-L2 Processor Contributor ESA S5p Mission Support
S5PVT Contributors <sup>1</sup>	M. Kumar Sha (BIRA-IASB) E. Kivimäki (FMI) T. Svendby (NILU) J. Liu (AAFC) M. Kumar Sha (BIRA-IASB)	S5PVT, TCCON4S5P, AO 28603 S5PVT, S5PVT, Arctic Methane, AO 28627 S5PVT, AO 45080 FRM4GHG project
Signatures	A. Dehn (ESA) – Data Quality Manager	
	C. Zehner (ESA) – Mission Manager	

<sup>1</sup> The S5PVT AO project summaries can be found at  
<https://earth.esa.int/eogateway/news/announcement-of-opportunity-for-s5pvt>

## CHANGE LOG

Reason for change	Issue	Revision	Date
Cloud mask is based on VIIRS ECM product (instead for VICMO) since orbit 12432 (see section 4.3)	1	4	11/03/2020
Table 2: addition of version 01.04.00 Section 4.1: addition of the "Less valid CH <sub>4</sub> data since the activation of VIIRS ECM" paragraph	1	5	11/12/2020
Table 2: Adapting to V02.02.00 of the processor Section 3.2: Validation results shortened, pointing to the routine Validation reports Section 4.1 & section 4.2: some text moved from section 4.1 (Known Data Issues) to section 4.2 (Solved Data Quality Issues) Section 6.1: added format changes related to version 02.02.00	2	0	05/07/2021
Table 2: addition of version 02.03.01 Section 4.1 & section 4.2: some text moved from section 4.1 (Known Data Issues) to section 4.2 (Solved Data Quality Issues) Section 6.1: added minor format changes related to version 02.03.01	2	1	17/11/2021
Table 2: addition of version 02.04.00 Section 6.1: added minor format changes related to version 02.04.00	2	2	20/07/2022
Table 2: addition of reprocessed dataset version 02.04.00 Section 7: updates with information related to gaps on the reprocessed dataset	2	3	21/02/2023
Table 2: addition of version 02.05.00	2	4	15/03/2023

# 1 Summary

This is the Product Readme File (PRF) for the Sentinel 5 Precursor Tropospheric Monitoring Instrument (S5P/TROPOMI) Methane (CH<sub>4</sub>) total column level 2 data product and is applicable for the Offline (OFFL) and Reprocessed (RPRO) timeliness data product.

Product Identifier: **L2\_CH4**

Example filename:

**S5P\_OFFL\_L2\_CH4\_20210913T001559\_20210913T015729\_20297\_02\_020200\_20210914T165118.nc**  
**S5P\_RPRO\_L2\_CH4\_20180501T151424\_20180501T165554\_02841\_03\_020400\_20221107T155403.nc**

The product has the following doi: <http://doi.org/10.5270/S5P-3lcdqiv>

The Readme file describes the current processing baseline, product and quality limitations, and product availability status. More information on this data product is available from the Copernicus Sentinel product webpage:

<https://sentinels.copernicus.eu/web/sentinel/technical-guides/sentinel-5p/products-algorithms>,

and from the TROPOMI product webpage <http://www.tropomi.eu/data-products>.

The data file contains the column average dry air mixing ratio of methane, XCH<sub>4</sub> (`methane_mixing_ratio`), which gives the total atmospheric column between the surface and the top of the atmosphere normalized to the corresponding dry air column. It also contains the data corrected for the XCH<sub>4</sub> dependence on surface albedo (`methane_mixing_ratio_bias_corrected`). More information on the a-posteriori correction can be found in the Algorithm Theoretical Basis Document (ATBD) [RD02]. The respective random error originating from the spectral fit is given in the methane (CH<sub>4</sub>) total column `_precision`. As a user guideline for the data quality a `qa_value` is given with the data. In order to avoid misinterpretation of the data quality, it is recommended at the current stage to only use those pixels with a `qa_value` above 0.5.

Starting from processor version 2.3.1 the retrieval of methane data over ocean sun glint areas has been introduced.

**Note:** Starting from processor version 2.4.0, new improved Level 1b (L1b) version 2.1 data products are used as input [RD05].

Independent validation by S5p Mission Performance Centre (MPC) Cal/Val experts and the Sentinel-5 Precursor Validation Team (S5PVT) concludes that the methane total column data is compliant with the requirements as defined in the **S5P Calibration and Validation Plan** [RD01], see Table 1.

Up to date validation results are available in the Routine Operations Consolidated Validation Reports (ROCVR) that are accessible through the MPC Validation Data Analysis Facility (VDAF) website at <http://mpc-vdaf.tropomi.eu>. The ROCVR reports are issued quarterly, and reports released after September 2021 include validation results based on processor version 2.x.x.

**The data product requirements are listed in the S5p Calibration and Validation Plan** [RD01].

Parameter	Data product	Vertical Resolution	Bias	Random
Total column OFFL	Methane (CH <sub>4</sub> )	Total column	1.5%	1.0%

Table 1: Mission data requirements for the CH<sub>4</sub>

## 2 Processing baseline description

The Table 2 contains the history of the CH<sub>4</sub> processor versions. The RPRO products that are available with version 01.02.02 for selected orbits (list available here <https://sentinels.copernicus.eu/documents/247904/2474724/Reprocessed-S5p-CH4-orbit-list-1.0.pdf>) were processed in the frame of the Validation campaign performed prior to the public CH<sub>4</sub> data release. After the public data release, the remaining products in the period between orbit 2818 (2018-04-30) - Orbit 5832 (2018-11-28) were reprocessed (with version 01.03.01). The full mission RPRO dataset is available (version 02.04.00) since beginning of 2023.

Note that the processor version for CH<sub>4</sub> is changing when there is a change to any of the products belonging to the NL-L2 processor suite (NO<sub>2</sub>, CO, CH<sub>4</sub>, AI, ALH, O<sub>3</sub> PR) even if the change is not affecting the CH<sub>4</sub> product.

Processor Version	In operation from	In operation until	Relevant improvements
02.05.00	OFFL: orbit 28031, 2023-03-12	Current version	No changes with respect to previous version
02.04.00	OFFL: orbit 24655, 2022-07-17 RPRO: orbit 2818, 2018-04-30	Orbit 28030, 2023-03-12 Orbit 24779, 2022-07-25	<ul style="list-style-type: none"> <li>Surface reflectance spectral dependence using a 3<sup>rd</sup> order polynomial</li> <li>Minor changes in format (see section 6.1)</li> </ul> <p><b>Note 1:</b> It is recommended to use the RPRO products in the orbit range <b>24655 - 24779</b>, period for which also OFFL products are available. This, in order to avoid products with possible instabilities, because generated during the first days of the operational switch to version 2.4.0</p> <p><b>Note 2:</b> Starting from processor version 2.4.0, a new improved Level 1b version 2.1 data products are used as input [RD05]</p>
02.03.01	OFFL: orbit 21188, 2021-11-14	Orbit 24654, 2022-07-17	<ul style="list-style-type: none"> <li>Retrieval of methane data over ocean sun glint areas</li> <li>Minor changes in format (see section 6.1)</li> </ul>
02.02.00	OFFL: orbit 19258, 2021-07-01	Orbit 21187, 2021-11-14	<ul style="list-style-type: none"> <li>Update CH<sub>4</sub>, CO and H<sub>2</sub>O cross sections in the CO and CH<sub>4</sub> processors: the updated cross sections are based on DLR Scientific Exploitation of Operational Missions – Improved Atmospheric Spectroscopy Databases (SEOM-IAS) spectroscopy (<a href="https://zenodo.org/record/1009126#.YJurduvRaL4">https://zenodo.org/record/1009126#.YJurduvRaL4</a>)</li> <li>The a-posteriori bias corrected CH<sub>4</sub> is now independent of any reference data (in the operational algorithm version 1.x.x, a correction based on the comparison of TROPOMI XCH<sub>4</sub> with GOSAT retrievals was applied)</li> <li>Changes in format (see section 6.1)</li> </ul> <p><b>Note:</b> Starting from processor version 2.2.0, a new improved Level 1b version 2.0 data products are used as input [RD05]</p>

01.04.00	OFFL: orbit 16213, 2020-11-29	Orbit 19257, 2021-07-01	No changes with respect to previous version
01.03.02	OFFL: orbit 8815, 2019-06-26	Orbit 16212, 2020-11-29	No changes with respect to previous version
01.03.01	RPRO: orbit 2818, 2018-04-30 OFFL: orbit 7907, 2019-04-23	Orbit 5832, 2018-11-28 Orbit 8814, 2019-06-26	Reprocessed to fill the gaps left during the reprocessing with V01.02.02 No changes with respect to previous version
01.03.00	OFFL: orbit 7425, 2019-03-20	Orbit 7906, 2019-04-23	Added new variables: <code>eastward_wind</code> and <code>northward_wind</code>
01.02.02	RPRO: orbit 2830, 2018-04-30 OFFL: orbit 5833, 2018-11-28	Orbit 5346, 2018-10-25 Orbit 7424, 2019-03-20	Reprocessed for selected orbits Initial operational version

Table 2: History of CH<sub>4</sub> processor versions.

### 3 Product Quality

#### 3.1 Recommendations for data usage

It is recommended to use TROPOMI CH<sub>4</sub> bias corrected data (methane\_mixing\_ratio\_bias\_corrected) associated with a quality assurance value qa\_value > 0.5. The qa\_value is provided as part of the CH<sub>4</sub> data product, and the overall definition used in the current data release is summarized in Table 3. A more detailed discussion on the qa\_value parameter can be found in the Algorithm Theoretical Basis Document (ATBD) [RD02].

qa_value	Condition	Remark
1.0	Convergence, clear-sky	Highest quality data Contains both land and ocean data
0.8	Failed deconvolution irradiance spectrum	Not pixel specific but row-specific
0.4	<ul style="list-style-type: none"> <li>• Not confidentially clear-sky (VIIRS, non-scattering retrieval as back-up)</li> <li>• SZA &gt; 70°</li> <li>• Surface albedo (SWIR) &lt; 0.02</li> <li>• AOT (NIR) &gt; 0.3,</li> <li>• CH<sub>4</sub> noise related error &gt; 10</li> <li>• <math>\chi^2 &gt; 100</math></li> <li>• Terrain roughness &gt; 80</li> </ul>	For details in cloud filter see Sect. 5.4 of the ATBD [RD02]  Thresholds are specified in configuration file
0.0	No convergence or Pre-filter: <ul style="list-style-type: none"> <li>• Cloud fraction &gt; 0.02</li> <li>• Terrain roughness &gt; 100 m</li> <li>• SZA &gt; 75°, VZA &gt; 60°</li> <li>• Fraction of 'good' spectral pixels (SIWR, NIR) &lt; 70%</li> <li>• SNR SWIR &gt; 50</li> </ul>	

Table 3: qa\_value definition

Applying the recommended qa\_value > 0.5 includes, since version 2.3.1, pixels both over land and over ocean. If users want to use only land or ocean pixels, they should include in their filtering the processing\_quality\_flags or surface\_classification mask to select pixels with sun\_glint\_warning and water flag.

Current TROPOMI CH<sub>4</sub> data is available only for inner 2/3 of the swath (VZA < 60°).

For further details, data users are encouraged to read the Product User Manual (PUM) [RD03] and ATBD [RD02] associated with this data product, both available on <https://sentinels.copernicus.eu/web/sentinel/technical-guides/sentinel-5p/products-algorithms>.

## 3.2 Validation results

Independent validation by S5p Mission Performance Centre (MPC) Cal/Val experts and the Sentinel-5 Precursor Validation Team (S5PVT) concludes that the methane total column data is in good overall agreement with (i) reference measurements collected from the TCCON and NDACC global ground-based networks, and (ii) the corresponding satellite data products from GOSAT.

Up to date validation results are available in the Routine Operations Consolidated Validation Reports (ROCVR) that are accessible through the MPC Validation Data Analysis Facility (VDAF) website at <http://mpc-vdaf.tropomi.eu>. The ROCVR reports are issued quarterly, and reports released after September 2021 include validation results based on processor version 2.x.x.

We thank all the TCCON and NDACC PI's for providing the data without which the validation study would not have been possible.



## 4 Data Quality Remarks

### 4.1 Known Data Quality Issues

Currently, the following data quality issues are known, not covered by the quality flags, and should be kept in mind when looking at the methane product and also at validation results. For more details we refer to the MPC VDAF website <http://mpc-vdaf.tropomi.eu>.

#### Variable `qa_value`

Filtering on `qa_value > 0.5` does not remove all pixels considered bad. Some pixels with too low methane concentrations are still present.

#### Stripes

Single TROPOMI overpasses show stripes of erroneous CH<sub>4</sub> values in the flight direction.

#### Uncertainties estimation

Uncertainties for the XCH<sub>4</sub> are only based on the single sounding precision due to measurement noise. For applications requiring an overall uncertainty estimate, we propose to multiply the provided error by a factor 2, which reflects the scatter of single sounding errors in the TCCON validation.

### 4.2 Solved Data Quality Issues

#### Inland water pixels (solved)

Not all pixels above inland water were filtered. This is solved since orbit **7644 (05-APR-2019)**.

#### Metadata/Attributes (solved in version 02.02.00)

The spatial resolution of the TROPOMI measurements is improved by bringing the along track ground pixel size from 7.0 to 5.5 Km starting on 6<sup>th</sup> August 2019. Note that, after this operations change, the metadata/Attributes fields related to the spatial resolution, remained **unchanged** (hence not aligned to the improved resolution). These fields have been updated with the activation of Level 2 processor version 02.02.00.

#### Less valid CH<sub>4</sub> data since activation of VIIRS Enterprise Cloud Mask (ECM) on March 2020 (solved in version 02.02.00)

The change in sign and magnitude of the cloud fractions between VIIRS Cloud Mask (VCM) and Enterprise Cloud Mask (ECM) algorithms (see section 4.3) are dependent on the day and location, however cloudy scenes are quite well identified and filtered. Nevertheless, it has been observed that current cloud filtering thresholds are too stringent causing a decrease of around 30% of the number of valid CH<sub>4</sub> measurements since the activation of the ECM data usage. It is to be noted that from September 2020 this problem is much less evident. Full assessment of data quality has been performed and improved cloud filtering has been implemented within version 02.02.00.

#### No CH<sub>4</sub> data produced when VIIRS input data was not available (solved in version 02.03.01)

In version 02.02.00, the production of CH<sub>4</sub> was failing if no VIIRS input data were available. This has been solved in version 02.03.01.

#### Data only over land (solved in version 02.03.01)

The data released before version 02.03.01 only provided XCH<sub>4</sub> over land. Glint ocean observations were added in the data release of version 02.03.01.

#### Geolocation co-added when they should not be (solved in version 02.03.01)

In version 02.02.00, the geolocation of pixels near the pole shows a shift of up to 300 meters due to a co-addition activity performed by mistake. This has been corrected in version 02.03.01.

### 4.3 Data Features

This section describes some characteristics of the data that might seem anomalous, however they are physically correct and not related to any problem.

#### **Negative surface albedo over ocean**

The retrieved surface albedo over ocean for sun-glint measurements might be lower than zero (i.e., negative values). This is because ocean measurements use a different reflectance model than that over land. Therefore, retrieved surface albedo over ocean does not have the same physical meaning as that over land.

#### **Solar zenith angle cycle**

To assure the highest quality of the data, a filtering is applied based on the solar zenith angle (see Section 3.1). Due to the yearly cycle of this geometry parameter, there are specific times of the year where there are no data available above specific latitudes (e.g., latitudes above 50-60 degrees in the Northern hemisphere winter).

#### **Pixel geolocation around North Pole**

The solar irradiance is measured on a daily basis over the North Pole at a reference azimuth angle to remove seasonal effects on the measurements. To this end, a yaw manoeuvre is executed when the instrument is still in radiance mode, causing possible distortion on the scanlines observed during this manoeuvre (i.e., crossing scanlines, "bow-tie" ground pixel shape instead of rectangular). This occurs at most during the last 26 seconds of radiance measurements every 15<sup>th</sup> orbit (once every 25 hours). Though this may seem anomalous, it is physically correct, and not related to any problem on the data geolocation.

#### **New cloud mask for S-NPP used during CH<sub>4</sub> processing**

NOAA no longer supports the VIIRS cloud mask (VCM or VICMO) product, which was discontinued (second quarter 2020) in favour of the Enterprise Cloud Mask (ECM). An update to the S5P-NPP L2 processor (to version 01.01.00) has happened (orbit 12432, date 07-03-2020) to ingest the new cloud mask. It should, however, be noted that there are significant differences between the cloud mask fields themselves: E.g. compared to VCM, ECM tends to indicate fewer confidently clear scenes over land, but more over sea. Therefore, values in the cloud/clear counts used to calculate the cloud fraction for the filtering of the CH<sub>4</sub> product are, since the change from VCM to ECM, different.

### 4.4 Mission Operations Changes

A change in the Copernicus Sentinel 5P operations scenario, towards an increased spatial resolution from 7.0 km to 5.5 km along track for all measurements, became operational starting from 6 August 2019, orbit 9388.

## **5 Algorithm Change Record**

For a detailed description of the L2\_\_CH4\_\_ algorithms, please refer to the ATBD [RD02].

## 6 Data Format

The product is stored as NetCDF4 file. The NetCDF4 file contains both the data and the metadata for the product.

Details of the data format are provided in the PUM document [RD03].

### 6.1 Data format changes

#### 6.1.1 Version 02.05.00

There are no format changes with respect to the previous version.

#### 6.1.2 Version 02.04.00

##### New fields added

/METADATA/QA\_STATISTICS/number\_of\_thermal\_instability\_warning\_occurrences

In variable:

/PRODUCT/SUPPORT\_DATA/DETAILED\_RESULTS/processing\_quality\_flags

Added element to attribute 'flag\_meanings': [success, radiance\_missing, irradiance\_missing, input\_spectrum\_missing, ..., **thermal\_instability\_warning**]

Added element to attribute 'flag\_masks': [255, 255, 255, ..., **1073741824**]

Added element to attribute 'flag\_values': [0, 1, 2, 3, 4, ..., **1073741824**]

#### 6.1.3 Version 02.03.01

##### New fields added

/PRODUCT/SUPPORT\_DATA/DETAILED\_RESULTS/maximum\_reflectance\_NIR

/PRODUCT/SUPPORT\_DATA/DETAILED\_RESULTS/maximum\_reflectance\_SWIR

#### 6.1.4 Version 02.02.00

##### New fields added

/METADATA/QA\_STATISTICS attribute number\_of\_missing\_scanlines

/METADATA/QA\_STATISTICS attribute

number\_of\_max\_num\_outlier\_exceeded\_error\_occurrences

/METADATA/GRANULE\_DESCRIPTION attribute CollectionIdentifier

##### Removed fields

/METADATA/ISO\_METADATA/gmd:identificationInfo/gmd:spatialResolution

##### Renamed fields

/PRODUCT/qa\_value attribute valid\_min\_

→ /PRODUCT/qa\_value attribute valid\_min

/PRODUCT/qa\_value attribute valid\_max\_

→ /PRODUCT/qa\_value attribute valid\_max

/METADATA/QA\_STATISTICS attribute number\_of\_aai\_warning\_occurrences

→ /METADATA/QA\_STATISTICS attribute number\_of\_AAI\_warning\_occurrences

### **6.1.5 Version 01.04.00**

There are no format changes with respect to the previous version.

### **6.1.6 Version 01.03.00**

#### **New fields added**

/PRODUCT/SUPPORT\_DATA/INPUT\_DATA/eastward\_wind  
/PRODUCT/SUPPORT\_DATA/INPUT\_DATA/northward\_wind

## 7 Product Availability

S5P/TROPOMI Methane data are available on the Copernicus S5p Open Access Hub:

<https://scihub.copernicus.eu/>

Also, the full mission reprocessed products can be found on the mentioned Open Access Hub and can be identified by the file class 'RPRO' in the filenames. The collection identifier is '03', the same used for the operational dataset that is available since mid-July 2022 (all with version 2.4.0).

The list of major mission data gaps due to acquisition faults or satellite/instrument disruption is available at <https://sentinel.esa.int/web/sentinel/missions/sentinel-5p/mission-status>. For those periods the data are permanently lost.

**RPRO dataset gaps:** additional gaps are present on the reprocessed dataset (see Table 4) due to the unavailability of Level 0 (L0) input data during the full mission reprocessing campaign.

Orbit	Gap start time	Gap stop time
3546	20/06/2018 08:31:35	20/06/2018 08:51:37
9755	31/08/2019 23:46:24	01/09/2019 00:06:25
10782	12/11/2019 08:39:57	12/11/2019 09:29:55
19782	07/08/2021 18:09:52	07/08/2021 18:27:54
19785	07/08/2021 22:34:02	07/08/2021 22:50:52
20254	10/09/2021 00:01:42	10/09/2021 00:21:43

Table 4: Gaps on RPRO dataset due to the unavailability of L0 input data during the full mission reprocessing campaign

Information on data handling tools is available from the TROPOMI web page:

<http://www.tropomi.eu/tools>

For further questions regarding S5P/TROPOMI data products please contact:

[EOSupport@Copernicus.esa.int](mailto:EOSupport@Copernicus.esa.int).

The access and use of any Copernicus Sentinel data available through the Copernicus Sentinel Data Hub is governed by the Legal Notice on the use of Copernicus Sentinel Data and Service Information and is given here:

[https://sentinels.copernicus.eu/documents/247904/690755/Sentinel\\_Data\\_Legal\\_Notice](https://sentinels.copernicus.eu/documents/247904/690755/Sentinel_Data_Legal_Notice)

## 8 References

- [RD01] Sentinel-5 Precursor Calibration and Validation Plan for the Operational Phase  
**source:** ESA; ref: ESA-EOPG-CSCOP-PL-0073; issue: 1.0 date 2017-06-11  
**url:** <https://sentinels.copernicus.eu/documents/247904/2474724/Sentinel-5P-Calibration-and-Validation-Plan.pdf>
- [RD02] Algorithm Theoretical Baseline Document for Sentinel-5 Precursor Methane Retrieval,  
**source:** SRON ref: SRON-S5P-LEV2-RP-001  
**url:** <https://sentinels.copernicus.eu/documents/247904/2476257/Sentinel-5P-TROPOMI-ATBD-Methane-retrieval>
- [RD03] Sentinel-5 precursor/TROPOMI Level 2 Product User Manual Methane  
**source:** KNMI; ref: SRON-S5P-LEV2-MA-001  
**url:** <https://sentinels.copernicus.eu/documents/247904/2474726/Sentinel-5P-Level-2-Product-User-Manual-Methane>
- [RD04] Sha, M. K., Langerock, B., Blavier, J.-F. L., Blumenstock, T., Borsdorff, T., Buschmann, M., Dehn, A., De Mazière, M., Deutscher, N. M., Feist, D. G., García, O. E., Griffith, D. W. T., Grutter, M., Hannigan, J. W., Hase, F., Heikkinen, P., Hermans, C., Iraci, L. T., Jeseck, P., Jones, N., Kivi, R., Kumps, N., Landgraf, J., Lorente, A., Mahieu, E., Makarova, M. V., Mellqvist, J., Metzger, J.-M., Morino, I., Nagahama, T., Notholt, J., Ohyama, H., Ortega, I., Palm, M., Petri, C., Pollard, D. F., Rettinger, M., Robinson, J., Roche, S., Roehl, C. M., Röhling, A. N., Rousogonous, C., Schneider, M., Shiomi, K., Smale, D., Stremme, W., Strong, K., Sussmann, R., Té, Y., Uchino, O., Velazco, V. A., Vigouroux, C., Vrekoussis, M., Wang, P., Warneke, T., Wizenberg, T., Wunch, D., Yamanouchi, S., Yang, Y., and Zhou, M.: Validation of methane and carbon monoxide from Sentinel-5 Precursor using TCCON and NDACC-IRWG stations, *Atmos. Meas. Tech.*, 14, 6249–6304, <https://doi.org/10.5194/amt-14-6249-2021>, 2021.
- [RD05] Algorithm theoretical basis document for the TROPOMI L01b data processor  
**source:** KNMI; ref: S5P-KNMI-L01B-0009-SD;  
**url:** <https://sentinels.copernicus.eu/documents/247904/2476257/Sentinel-5P-TROPOMI-Level-1B-ATBD>

More information on this data product is available from the Copernicus Sentinel product webpage:

<https://sentinels.copernicus.eu/web/sentinel/technical-guides/sentinel-5p/products-algorithms>,

and from the corresponding TROPOMI product webpage <http://www.tropomi.eu/data-products>.

## Abbreviations and acronyms

ATBD	Algorithm Theoretical Basis Document
BIRA-IASB	Royal Belgian Institute for Space Aeronomy
CH <sub>4</sub>	Methane
ECM	Enterprise Cloud Mask
ESA	European Space Agency
ESL	Expert Support Laboratory
KNMI	Royal Netherlands Meteorological Institute / Koninklijk Nederlands Meteorologisch Instituut
MPC	Mission Performance Centre
NDACC	Network for the Detection of Atmospheric Composition Change
OFFL	Offline
PRF	Product Readme File
PUM	Product User Manual
ROCVR	Routine Operations Consolidated Validation Reports
RPRO	Reprocessing
SEOM-IAS	Scientific Exploitation of Operational Missions – Improved Atmospheric Spectroscopy Databases
S5P	Sentinel-5 Precursor
S5PVT	Sentinel-5 Precursor Validation Team
SZA	Solar Zenith Angle
TCCON	Total Carbon Column Observing Network
TROPOMI	TROPOspheric Monitoring Instrument
VCM	VIIRS Cloud Mask
VDAF	Validation Data Analysis Facility
VZA	Viewing Zenith Angle